

QUALITY ASSURANCE CERTIFICATE OF COMPLIANCE

(ACCORDING TO EN10204 TYPE 3.1)
ASEGURAMIENTO DE CALIDAD CERTIFICADO DE CUMPLIMIENTO

WE CERTIFY THAT THE PRODUCT LISTED BELOW WAS DESIGNED, MANUFACTURED AND TESTED ACCORDING TO OUR QUALITY SYSTEM AND REQUIREMENTS GIVEN IN ONE OR MORE OF THE FOLLOWING STANDARDS LAST EDITION:
(CERTIFICAMOS QUE EL PRODUCTO LISTADO ABAJO FUE DISEÑADO, FABRICADO Y PRABADO DE ACUERDO CON NUESTRO SISTEMA DE CALIDAD Y CON REQUISITOS ESTABLECIDOS EN UNO O MAS DE LOS SIGUIENTES ESTANDARES ULTIMA EDICION.)

- | | | | |
|-------------|---|-------------|---|
| API 598 | - VALVE INSPECTION AND TESTING | API 6D | - PIPELINE VALVES - GATE, PLUG, BALL ANF CHECK |
| API 599 | - METAL PLUG VALVES - FLANGED, THREADED AND WELDING | API 600 | - STEEL GATE VALVES, FLANGED AND WELDING ENDS |
| ANSI B16-10 | - FACE TO FACE AND END TO END DIMENSIONS OF VALVES | ANSI B16-11 | - FORGED FITTINGS, SOCKET - WELDING AND THREADED |
| ANSI B16-34 | - VALVES - FLANGED, THREADED AND WELDING ENDS | API 602 | - COMPACT STEEL GATE VALVES - FLANGED, THREADED, WELDING AND EXTENDED - BODY ENDS |
| MSS-SP61 | - PRESSURE TESTING OF STEEL VALVES | | |

Part No. CB0203A1AAB

(Codigo) **2" Fig. 8612 F A105, TH0000B**

Description **STEEL BALL VALVE**

(VALVULA ESFERA DE ACERO)

MANUFACTURED TO MEET NACE MR-01-75 REQUIREMENTS FIRE TEST API 6FA, API 607, REV 2003 (VALVULA SERVICIO NACE MR-01-75 PRUEBA DE FUEGO API 6FA, API 607)

CHEMICAL COMPOSITION (%)

COMPOSICIÓN QUÍMICA (%)

ITEM (PART)	HEAT No. (COLADA)	MATERIAL (ASTM)	C	Mn	P	S	SI	Ni	Cr	Mo	Cu	V	Cb	TENS KPSI (CNSG)	YIELD KPSI 1ST	ELG % 2ND	RED % 3RD	BHN AVG
BALL	B069	ASTM A-105N	0.205	0.760	0.010	0.002	0.200	0.080	0.240	0.010	0.260	0.006		76.20	44.99	36	46	162
BOLA																		
BODY	07-2-111	ASTM A-105N	0.200	0.830	0.015	0.006	0.250	0.100	0.110	0.010	0.160	0.001		72.86	54.43	33	72	160
CUERPO																		
END1	07-2-114	ASTM A-105N	0.190	0.860	0.017	0.005	0.240	0.090	0.150	0.010	0.160	0.001		73.29	50.94	33	58	152
EXTREMO1																		
END2	07-2-114	ASTM A-105N	0.190	0.860	0.017	0.005	0.240	0.090	0.150	0.010	0.160	0.001		73.29	50.94	33	58	152
EXTREMO2																		

MECHANICAL TESTS (PROP. MECANICAS)

PRESSURE TEST (PRUEBAS DE PRESION)	SHELL (CASCO)	BACK (SEAT)	SIDE 1	SIDE 2 (LADO)
HYDROSTATIC (PSI) (HIDROSTATICA)	2225		1630	1630
PNEUMATIC (PSI) (NEUMATICA)			80	80