

CERTIFIED MILL TEST REPORT



**The Best Value -
Price, Quality, Service
All The Time.**

LOG NO. F00000000016415

Page 1 of 4

BONNEY FORGE CORPORATION

P.O. BOX 330 • 14496 CROGHAN PIKE • MOUNT UNION, PA 17066-0330

(814) 542-2545 • (800) 345-7546 • FAX (814) 542-4906

www.bonneyforge.com

CUSTOMER: PLESA ANAHUAC Y CIAS., S.A. DE C.V.

DATE 07/01/2011

CUSTOMER

BONNEY ORDER NO. B000100207

ORDER NO.: 10738

SHIP TO: AMERICA DISPATCH
302 QUIVIRA DR.
INDUSTRIAL PARK
LAREDO TX 78043
United States

ITEM	QUANTITY	LOT NO.	GRADE OR SPECIFICATION NO. CHEMICAL ANALYSIS, PHYSICAL PROPERTIES, REMARKS:
1	100	58314	1 3000 HOT-DIP 90EL T SA/A105 Al 0.024 C 0.190 Co 0.004 Cr 0.030 Cu 0.200 Mn 1.000 Mo 0.010 N 0.007 Nb 0.014 Ni 0.050 P 0.008 S 0.018 Si 0.200 V 0.003 CE(Long Formula) = 0.38 T/S(PSI) 76,250 Y/S(PSI) 53,750 EL(%) 28.95 RA(%) 65.40 Brinell 141 BHN 141 BHN
2	50	58335	1 3000 A105 90EL S SA/A105 Al 0.019 C 0.200 Co 0.003 Cr 0.030 Cu 0.140 Mn 1.010 Mo 0.010 N 0.008 Nb 0.016 Ni 0.040 P 0.008 S 0.016 Si 0.230 V 0.004 CE(Long Formula) = 0.39 T/S(PSI) 81,250 Y/S(PSI) 50,000 EL(%) 30.25 RA(%) 61.80 Brinell 159 BHN 159 BHN
3	100	58250	11/2 3000 A105 90EL S SA/A105 Al 0.021 C 0.200 Cb 0.000 Co 0.003 Cr 0.030 Cu 0.110 Mn 1.000 Mo 0.010 N 0.007 Nb 0.015 Ni 0.030 P 0.006 S 0.018 Si 0.200 V 0.003 CE(Long Formula) = 0.38 T/S(PSI) 75,000 Y/S(PSI) 48,750 EL(%) 30.65 RA(%) 62.75 Brinell 156 BHN 153 BHN
5	100	58276	2 3000 A105 90EL S SA/A105 Al 0.027 C 0.210 Cb 0.000 Co 0.003 Cr 0.030 Cu 0.120 Mn 1.050 Mo 0.010 N 0.005 Nb 0.015 Ni 0.040 P 0.009 S 0.018 Si 0.190 V 0.004 CE(Long Formula) = 0.40 T/S(PSI) 80,000 Y/S(PSI) 50,000 EL(%) 29.15 RA(%) 63.00 Brinell 156 BHN 147 BHN

We certify that the data on this sheet is a true copy taken from our records of material furnished us by the production mill, or as obtained by additional laboratory checks.

by Meloney Specht

Meloney Specht
QUALITY PROCESS MANAGER

CERTIFIED MILL TEST REPORT



**The Best Value -
Price, Quality, Service
All The Time.**

LOG NO. F00000000016415

Page 2 of 4

BONNEY FORGE CORPORATION

P.O. BOX 330 • 14496 CROGHAN PIKE • MOUNT UNION, PA 17066-0330

(814) 542-2545 • (800) 345-7546 • FAX (814) 542-4906

www.bonneyforge.com

CUSTOMER: PLESA ANAHUAC Y CIAS., S.A. DE C.V.

DATE 07/01/2011

**CUSTOMER
ORDER NO.:** 10738

BONNEY ORDER NO. B000100207

SHIP TO: AMERICA DISPATCH
302 QUIVIRA DR.
INDUSTRIAL PARK
LAREDO TX 78043
United States


ITEM	QUANTITY	LOT NO.	GRADE OR SPECIFICATION NO. CHEMICAL ANALYSIS, PHYSICAL PROPERTIES, REMARKS:
6	20	58369	2 6000 A105 90EL S SA/A105 C 0.200 Cb 0.000 Co 0.009 Cr 0.040 Cu 0.140 Mn 1.130 Mo 0.020 Ni 0.150 P 0.008 S 0.020 Si 0.170 V 0.004 CE(Long Formula) = 0.42 T/S(PSI) 78,750 Y/S(PSI) 51,875 EL(%) 28.90 RA(%) 63.95 Brinell 150 BHN 150 BHN
7	20	58327	3/4 6000 A105 90EL S SA/A105 Al 0.019 C 0.190 Co 0.004 Cr 0.030 Cu 0.120 Mn 1.010 Mo 0.010 N 0.005 Nb 0.013 Ni 0.030 P 0.007 S 0.016 Si 0.220 V 0.004 CE(Long Formula) = 0.38 T/S(PSI) 79,375 Y/S(PSI) 50,000 EL(%) 28.40 RA(%) 64.20 Brinell 153 BHN 153 BHN
8	30	58361	1X1X1/2 3M HOT-DIP TEE T SA/A105 Al 0.030 C 0.200 Co 0.004 Cr 0.040 Cu 0.100 Mn 1.050 Mo 0.010 N 0.006 Nb 0.015 Ni 0.050 P 0.008 S 0.017 Si 0.200 V 0.003 CE(Long Formula) = 0.40 T/S(PSI) 78,750 Y/S(PSI) 50,625 EL(%) 29.45 RA(%) 61.30 Brinell 150 BHN 153 BHN
9	50	58259	1 3000 A105 TEE S SA/A105 Al 0.022 C 0.190 Cb 0.000 Co 0.004 Cr 0.040 Cu 0.100 Mn 1.020 Mo 0.010 N 0.005 Nb 0.012 Ni 0.040 P 0.007 S 0.016 Si 0.180 V 0.004 CE(Long Formula) = 0.38 T/S(PSI) 83,750 Y/S(PSI) 51,250 EL(%) 30.00 RA(%) 63.25 Brinell 159 BHN 165 BHN

We certify that the data on this sheet is a true copy taken from our records of material furnished us by the production mill, or as obtained by additional laboratory checks.

by Meloney Specht

Meloney Specht
QUALITY PROCESS MANAGER

CERTIFIED MILL TEST REPORT



LOG NO. F00000000016415

Page 3 of 4

BONNEY FORGE CORPORATION

P.O. BOX 330 • 14496 CROGHAN PIKE • MOUNT UNION, PA 17066-0330

(814) 542-2545 • (800) 345-7546 • FAX (814) 542-4906

www.bonneyforge.com

CUSTOMER: PLESA ANAHUAC Y CIAS., S.A. DE C.V.

DATE 07/01/2011

CUSTOMER

BONNEY ORDER NO. B000100207

ORDER NO.: 10738

SHIP TO: AMERICA DISPATCH
302 QUIVIRA DR.
INDUSTRIAL PARK
LAREDO TX 78043
United States

ITEM	QUANTITY	LOT NO.	GRADE OR SPECIFICATION NO.	CHEMICAL ANALYSIS, PHYSICAL PROPERTIES, REMARKS:
------	----------	---------	----------------------------	--

10	50	58307	2 3000 A105 TEE S	SA/A105	
Al 0.018 C 0.200 Co 0.004 Cr 0.030 Cu 0.080 Mn 1.010 Mo 0.010 N 0.004					
Nb 0.014 Ni 0.020 P 0.008 S 0.019 Si 0.210 V 0.003					
CE(Long Formula) = 0.38					
T/S(PSI) 76,250 Y/S(PSI) 50,000 EL(%) 31.55 RA(%) 63.95					
Brinell 139 BHN 139 BHN					

		58343	2 3000 A105 TEE S	SA/A105	
Al 0.019 C 0.200 Co 0.003 Cr 0.030 Cu 0.130 Mn 1.050 Mo 0.020 N 0.006					
Nb 0.014 Ni 0.050 P 0.007 S 0.022 Si 0.180 V 0.004					
CE(Long Formula) = 0.40					
T/S(PSI) 73,125 Y/S(PSI) 51,875 EL(%) 27.90 RA(%) 60.80					
Brinell 132 BHN 135 BHN					

11	20	4625	1/2 3000 HOT-DIP UNAR T	SA/A105	
MALE					
Al 0.022 C 0.210 Cb 0.000 Co 0.002 Cr 0.030 Cu 0.040 Mn 1.020 Mo 0.000					
Nb 0.013 Ni 0.020 P 0.007 S 0.024 Si 0.220 V 0.003					
CE(Long Formula) = 0.39					
T/S(PSI) 78,700 Y/S(PSI) 48,300 EL(%) 37.00 RA(%) 61.60					
Brinell 163 BHN 163 BHN					

		4628	1/2 3000 HOT-DIP UNAR T	SA/A105	
FEMALE					
Al 0.022 C 0.210 Cb 0.000 Co 0.002 Cr 0.030 Cu 0.040 Mn 1.020 Mo 0.000					
Nb 0.013 Ni 0.020 P 0.007 S 0.024 Si 0.220 V 0.003					
CE(Long Formula) = 0.39					
T/S(PSI) 81,000 Y/S(PSI) 46,800 EL(%) 30.00 RA(%) 41.30					
Brinell 163 BHN 167 BHN					

We certify that the data on this sheet is a true copy taken from our records of material furnished us by the production mill, or as obtained by additional laboratory checks.

by Meloney Specht

Meloney Specht
QUALITY PROCESS MANAGER

CERTIFIED MILL TEST REPORT



The Best Value -
Price, Quality, Service
All The Time.

LOG NO. F00000000016415

Page 4 of 4

BONNEY FORGE CORPORATION

P.O. BOX 330 • 14496 CROGHAN PIKE • MOUNT UNION, PA 17066-0330

(814) 542-2545 • (800) 345-7546 • FAX (814) 542-4906

www.bonneyforge.com

CUSTOMER: PLESA ANAHUAC Y CIAS., S.A. DE C.V.

DATE 07/01/2011

CUSTOMER

BONNEY ORDER NO. B000100207

ORDER NO.: 10738

SHIP TO: AMERICA DISPATCH
302 QUIVIRA DR.
INDUSTRIAL PARK
LAREDO TX 78043
United States

ITEM	QUANTITY	LOT NO.	GRADE OR SPECIFICATION NO.	CHEMICAL ANALYSIS, PHYSICAL PROPERTIES, REMARKS:
		4245	1/2 3000 HOT-DIP UNAR T	SA/A105
		NUT-EC	Al 0.023 C 0.130 Cr 0.130 Cu 0.140 Mn 0.930 Mo 0.030 Nb 0.001 Ni 0.100 P 0.017 S 0.024 Si 0.260 V 0.002 CE(Long Formula) = 0.33 T/S(PSI) 78,299 Y/S(PSI) 49,670 EL(%) 30.65 RA(%) 65.58 Brinell 141 BHN 141 BHN	
12	30	58196	11/4 3000 HOT-DIP 90EL T	SA/A105
			Al 0.022 C 0.200 Co 0.003 Cr 0.030 Cu 0.080 Mn 1.040 Mo 0.010 N 0.004 Nb 0.014 Ni 0.030 P 0.008 S 0.017 Si 0.220 V 0.004 CE(Long Formula) = 0.39 T/S(PSI) 80,000 Y/S(PSI) 48,750 EL(%) 30.00 RA(%) 60.80 Brinell 147 BHN 150 BHN	

1. THE FITTINGS SUPPLIED ARE IN ACCORDANCE WITH PURCHASE ORDER SPECIFICATIONS.
2. THE MATERIAL SUPPLIED MEETS THE REQUIREMENTS OF NACE MRO175/ISO 15156-2.
3. CERTIFYING ASTM A105-10 / ASME SA105-10 EDITION.
4. THE PRODUCT SUPPLIED WAS INSPECTED IN ACCORDANCE WITH EN 10204:2004 EDITION TYPE 3.1 INSPECTION DOCUMENT. (EUROPEAN STANDARD)
5. THE UNIT OF MEASURE FOR TENSILE AND YIELD (0.2%) STRENGTH ARE IN REPORTED IN PSI.
6. ELONGATION TEST RESULTS ARE OBTAINED USING STANDARD ROUND SPECIMEN, 2 INCH OR 50 MM GAGE LENGTH.

We certify that the data on this sheet is a true copy taken from our records of material furnished us by the production mill, or as obtained by additional laboratory checks.

by

Meloney Specht
QUALITY PROCESS MANAGER

CMTR: REV2