


CERTIFIED MILL TEST REPORT



LOG NO. F00000000005959 Page 1 of 5

BONNEY FORGE CORPORATION
 P.O. BOX 330 • 14496 CROGHAN PIKE • MOUNT UNION, PA 17066-0330
 (814) 542-2545 • (800) 345-7546 • FAX (814) 542-4906
 www.bonneyforge.com

CUSTOMER: PLESA ANAHUAC Y CIAS., S.A. DE C.V.

DATE 09/08/2010

**CUSTOMER
ORDER NO.:** 8813

BONNEY ORDER NO. B000081180

SHIP TO: WILL ADVISE

ITEM	QUANTITY	LOT NO.	GRADE OR SPECIFICATION NO. CHEMICAL ANALYSIS, PHYSICAL PROPERTIES, REMARKS:
1	5	58010	12- 6 X 3/4 3000 A105 THRD T SA/A105 Al 0.022 C 0.210 Cb 0.013 Co 0.002 Cr 0.030 Cu 0.040 Mn 1.020 Mo 0.000 Ni 0.020 P 0.007 S 0.024 Si 0.220 V 0.003 CE(Long Formula) = 0.39 T/S 71,500 Y/S 46,400 EL 30.00 RA 63.00 Brinell 137 BHN 135 BHN
2	28	58011	31/2-3 X 1 3000 A105 THRD T SA/A105 Al 0.022 C 0.210 Co 0.002 Cr 0.030 Cu 0.040 Mn 1.020 Mo 0.000 Nb 0.013 Ni 0.020 P 0.007 S 0.024 Si 0.220 V 0.003 CE(Long Formula) = 0.39 T/S 71,500 Y/S 46,400 EL 30.00 RA 63.00 Brinell 137 BHN 135 BHN
3	1	4263	36-11/4X3/4 XS A105 3.5 NIPO T SA/A105 Al 0.023 C 0.200 Co 0.003 Cr 0.060 Cu 0.120 Mn 1.000 Mo 0.010 Nb 0.016 Ni 0.040 P 0.007 S 0.019 Si 0.220 V 0.002 CE(Long Formula) = 0.39 T/S 81,383 Y/S 46,591 EL 34.00 RA 55.00 Brinell 149 BHN 166 BHN
4	5	58010	5 -3 X 3/4 3000 A105 THRD T SA/A105 Al 0.022 C 0.210 Cb 0.013 Co 0.002 Cr 0.030 Cu 0.040 Mn 1.020 Mo 0.000 Ni 0.020 P 0.007 S 0.024 Si 0.220 V 0.003 CE(Long Formula) = 0.39 T/S 71,500 Y/S 46,400 EL 30.00 RA 63.00 Brinell 137 BHN 135 BHN

We certify that the data on this sheet is a true copy taken from our records of material furnished us by the production mill, or as obtained by additional laboratory checks.

by *Trudy Smith*
TRUDY SMITH
QUALITY PROCESS MANAGER

CERTIFIED MILL TEST REPORT



**The Best Value -
Price, Quality, Service
All The Time.**

LOG NO. F0000000005959

Page 2 of 5

BONNEY FORGE CORPORATION

P.O. BOX 330 • 14496 CROGHAN PIKE • MOUNT UNION, PA 17066-0330
(814) 542-2545 • (800) 345-7546 • FAX (814) 542-4906
www.bonneyforge.com

CUSTOMER: PLESA ANAHUAC Y CIAS., S.A. DE C.V.

DATE 09/08/2010

**CUSTOMER
ORDER NO.:** 8813

BONNEY ORDER NO. B000081180

SHIP TO: WILL ADVISE

ITEM	QUANTITY	LOT NO.	GRADE OR SPECIFICATION NO. CHEMICAL ANALYSIS, PHYSICAL PROPERTIES, REMARKS:
5	40	58011	5 -4 X 1 3000 A105 THRD T SA/A105 Al 0.022 C 0.210 Co 0.002 Cr 0.030 Cu 0.040 Mn 1.020 Mo 0.000 Nb 0.013 Ni 0.020 P 0.007 S 0.024 Si 0.220 V 0.003 CE(Long Formula) = 0.39 T/S 71,500 Y/S 46,400 EL 30.00 RA 63.00 Brinell 137 BHN 135 BHN
7	30	4562	1 3000 A105 UNAR T SA/A105 Al 0.024 C 0.210 Co 0.002 Cr 0.040 Cu 0.060 Mn 1.010 Mo 0.010 Nb 0.013 Ni 0.030 P 0.009 S 0.024 Si 0.210 V 0.003 CE(Long Formula) = 0.39 T/S 79,700 Y/S 48,400 EL 30.00 RA 54.20 Brinell 143 BHN 146 BHN
		4539	1 3000 A105 UNAR T SA/A105 Al 0.023 C 0.210 Co 0.002 Cr 0.030 Cu 0.070 Mn 1.020 Mo 0.010 Nb 0.014 Ni 0.020 P 0.011 S 0.024 Si 0.220 V 0.004 CE(Long Formula) = 0.39 T/S 75,800 Y/S 46,300 EL 32.00 RA 61.50 Brinell 143 BHN 145 BHN
		4480	1 3000 A105 UNAR T SA/A105 Al 0.027 C 0.195 Cr 0.110 Cu 0.000 Mn 1.000 Mo 0.030 Ni 0.100 P 0.010 S 0.020 Si 0.260 V 0.000 CE(Long Formula) = 0.40 T/S 78,500 Y/S 45,700 EL 34.00 RA 68.00 Brinell 152 BHN 152 BHN

We certify that the data on this sheet is a true copy taken from our records of material furnished us by the production mill, or as obtained by additional laboratory checks.

by Trudy Smith

**TRUDY SMITH
QUALITY PROCESS MANAGER**

CERTIFIED MILL TEST REPORT



**The Best Value -
Price, Quality, Service
All The Time.**

LOG NO. F0000000005959

Page 3 of 5

BONNEY FORGE CORPORATION

P.O. BOX 330 • 14496 CROGHAN PIKE • MOUNT UNION, PA 17066-0330

(814) 542-2545 • (800) 345-7546 • FAX (814) 542-4906

www.bonneyforge.com

CUSTOMER: PLESA ANAHUAC Y CIAS., S.A. DE C.V.

DATE 09/08/2010

**CUSTOMER
ORDER NO.:** 8813

BONNEY ORDER NO. B000081180

SHIP TO: WILL ADVISE

ITEM	QUANTITY	LOT NO.	GRADE OR SPECIFICATION NO. CHEMICAL ANALYSIS, PHYSICAL PROPERTIES, REMARKS:
8	10	4673	2 3000 A105 UNAR T SA/A105
		MALE	Al 0.021 C 0.200 Cb 0.000 Co 0.003 Cr 0.030 Cu 0.110 Mn 1.070 Mo 0.010 N 0.005 Nb 0.014 Ni 0.040 P 0.008 S 0.022 Si 0.200 V 0.004 CE(Long Formula) = 0.40 T/S 76,700 Y/S 45,100 EL 23.50 RA 33.90 Brinell 153 BHN 148 BHN
		4646	2 3000 A105 UNAR T SA/A105
		FEMALE	C 0.200 Cb 0.000 Co 0.002 Cr 0.040 Cu 0.050 Mn 1.040 Mo 0.000 N 0.003 Nb 0.015 Ni 0.020 P 0.007 S 0.024 Si 0.210 V 0.004 CE(Long Formula) = 0.39 T/S 75,000 Y/S 43,400 EL 35.00 RA 57.40 Brinell 163 BHN 163 BHN
		4425	2 3000 A105 UNAR T SA/A105
		NUT-KY	Al 0.025 C 0.180 Cr 0.100 Cu 0.150 Mn 0.990 Mo 0.020 Nb 0.001 Ni 0.090 P 0.010 S 0.023 Si 0.260 V 0.002 CE(Long Formula) = 0.39 T/S 75,625 Y/S 44,375 EL 32.45 RA 63.75 Brinell 137 BHN 137 BHN
9	20	58033	1 X1 X 3/4 3000 A105 TEE T SA/A105
			Al 0.025 C 0.200 Cb 0.000 Co 0.002 Cr 0.030 Cu 0.070 Mn 1.040 Mo 0.010 N 0.003 Nb 0.013 Ni 0.020 P 0.007 S 0.025 Si 0.220 V 0.004 CE(Long Formula) = 0.39 T/S 76,250 Y/S 48,125 EL 31.50 RA 58.30 Brinell 139 BHN 141 BHN

We certify that the data on this sheet is a true copy taken from our records of material furnished us by the production mill, or as obtained by additional laboratory checks.

by Trudy Smith

TRUDY SMITH
QUALITY PROCESS MANAGER

CERTIFIED MILL TEST REPORT



**The Best Value -
Price, Quality, Service
All The Time.**

LOG NO. F0000000005959

Page 4 of 5

BONNEY FORGE CORPORATION

P.O. BOX 330 • 14496 CROGHAN PIKE • MOUNT UNION, PA 17066-0330
(814) 542-2545 • (800) 345-7546 • FAX (814) 542-4906
www.bonneyforge.com

CUSTOMER: PLESA ANAHUAC Y CIAS., S.A. DE C.V.

DATE 09/08/2010


**CUSTOMER
ORDER NO.:** 8813

BONNEY ORDER NO. B000081180

SHIP TO: WILL ADVISE

ITEM	QUANTITY	LOT NO.	GRADE OR SPECIFICATION NO. CHEMICAL ANALYSIS, PHYSICAL PROPERTIES, REMARKS:
10	5	57951	2 X2 X 1/2 3000 A105 TEE S SA/A105 Al 0.020 C 0.200 Co 0.001 Cr 0.030 Cu 0.010 Mn 1.120 Mo 0.000 Nb 0.012 Ni 0.000 P 0.006 S 0.019 Si 0.240 V 0.000 CE(Long Formula) = 0.39 T/S 75,625 Y/S 48,750 EL 31.70 RA 63.00 Brinell 139 BHN 139 BHN
11	5	57901	2 X2 X 3/4 3000 A105 TEE S SA/A105 Al 0.020 C 0.200 Co 0.070 Cr 0.070 Cu 0.070 Mn 1.010 Mo 0.000 Nb 0.014 Ni 0.020 P 0.010 S 0.017 Si 0.250 V 0.004 CE(Long Formula) = 0.39 T/S 77,500 Y/S 51,250 EL 30.15 RA 60.80 Brinell 135 BHN 135 BHN
		58078	2 X2 X 3/4 3000 A105 TEE S SA/A105 Al 0.025 C 0.190 Cb 0.000 Co 0.004 Cr 0.040 Cu 0.160 Mn 1.070 Mo 0.010 Nb 0.016 Ni 0.060 P 0.007 S 0.021 Si 0.180 V 0.004 CE(Long Formula) = 0.39 T/S 76,633 Y/S 51,506 EL 32.80 RA 64.02 Brinell 139 BHN 139 BHN
12	10	58043	3/4X 3/4X 1/2 3000 A105 TEE T SA/A105 Al 0.004 C 0.200 Cb 0.000 Co 0.000 Cr 0.094 Cu 0.210 Mn 0.940 Mo 0.022 Nb 0.009 Ni 0.079 P 0.012 S 0.018 Si 0.210 V 0.026 CE(Long Formula) = 0.40 T/S 83,500 Y/S 55,625 EL 29.10 RA 60.05 Brinell 150 BHN 153 BHN

We certify that the data on this sheet is a true copy taken from our records of material furnished us by the production mill, or as obtained by additional laboratory checks.


 by _____
TRUDY SMITH
QUALITY PROCESS MANAGER

CERTIFIED MILL TEST REPORT



The Best Value -
Price, Quality, Service
All The Time.

LOG NO. F0000000005959

Page 5 of 5

BONNEY FORGE CORPORATION

P.O. BOX 330 • 14496 CROGHAN PIKE • MOUNT UNION, PA 17066-0330

(814) 542-2545 • (800) 345-7546 • FAX (814) 542-4906

www.bonneyforge.com

CUSTOMER: PLESA ANAHUAC Y CIAS., S.A. DE C.V.

DATE 09/08/2010

CUSTOMER

BONNEY ORDER NO. B000081180

ORDER NO.: 8813

SHIP TO: WILL ADVISE

ITEM	QUANTITY	LOT NO.	GRADE OR SPECIFICATION NO.	CHEMICAL ANALYSIS, PHYSICAL PROPERTIES, REMARKS:
13	4	57616	1/2 6000 A105 45EL S	SA/A105
			Al 0.018 C 0.200 Co 0.002 Cr 0.040 Cu 0.060 Mn 1.030 Mo 0.010 Nb 0.014	
			Ni 0.020 P 0.007 S 0.020 Si 0.210 V 0.000	
			CE(Long Formula) = 0.39	
			T/S 77,500 Y/S 51,625 EL 29.95 RA 63.95	
			Brinell 141 BHN 141 BHN	

1. THE FITTINGS SUPPLIED ARE IN ACCORDANCE WITH PURCHASE ORDER SPECIFICATIONS.
2. THE MATERIAL SUPPLIED MEETS THE REQUIREMENTS OF NACE MRO175/ISO 15156-2.
3. CERTIFYING ASTM A105-09 / ASME SA105-07 EDITION.
4. THE PRODUCT SUPPLIED WAS INSPECTED IN ACCORDANCE WITH EN 10204:2004 EDITION TYPE 3.1 INSPECTION DOCUMENT. (EUROPEAN STANDARD)
5. ELONGATION TEST RESULTS ARE OBTAINED USING STANDARD ROUND SPECIMEN, 2 INCH OR 50 MM GAGE LENGTH.

We certify that the data on this sheet is a true copy taken from our records of material furnished us by the production mill, or as obtained by additional laboratory checks.

by Trudy Smith

TRUDY SMITH
QUALITY PROCESS MANAGER

CMTR: REV2