CERTIFIED MILL TEST REPORT

The Best Value -Price, Quality, Service All The Time.

LOG NO. F00000000120913

Page 1 of 1

BONNEY FORGE CORPORATION

P.O. BOX 330 • 14496 CROGHAN PIKE • MOUNT UNION, PA 17066-0330 (814) 542-2545 • (800) 345-7546 • FAX (814) 542-4906

www.bonneyforge.com

CUSTOMER: PLESA ANAHUAC Y CIAS., S.A. DE C.V.

DATE 07/07/2013

CUSTOMER

ORDER NO.: 10838

BONNEY ORDER NO. B000100700

SHIP TO: AMERICA DISPATCH

302 QUIVIRA DR.

INDUSTRIAL PARK LAREDO TX 78043

United States

ITEM	QUANTITY	LOT NO.	GRADE OR SPECIFICATION NO. CHEMICAL ANALYSIS, PHYSICAL PROPERTIES, REMARKS:		
1	50	58514	Nb 0.014 Ni 0.020 P 0.0 CE(Long Formula) = T/S(PSI) 76,250 Y/S(PSI)	SA/A105 004 Cr 0.030 Cu 0.080 Mn 1.010 Mo 0.010 N 0.004 008 S 0.019 Si 0.210 V 0.003 0.38 SI) 50,000 EL(%) 31.55 RA(%) 63.95 139 BHN 139 BHN	4)

- 1. THE FITTINGS SUPPLIED ARE IN ACCORDANCE WITH PURCHASE ORDER SPECIFICATIONS.
- 2. THE MATERIAL SUPPLIED MEETS THE REQUIREMENTS OF NACE MRO175/ISO 15156-2.
- 3. CERTIFYING ASTM A105-10 / ASME SA105-10 EDITION.
- 4. THE PRODUCT SUPPLIED WAS INSPECTED IN ACCORDANCE WITH EN 10204:2004 EDITION TYPE 3.1 INSPECTION DOCUMENT. (EUROPEAN STANDARD)
- 5. THE UNIT OF MEASURE FOR TENSILE AND YIELD (0.2%) STRENGTH ARE IN REPORTED IN PSI.
- 6. ELONGATION TEST RESULTS ARE OBTAINED USING STANDARD ROUND SPECIMEN, 2 INCH OR 50 MM GAGE LENGTH.

We certify that the data on this sheet is a true copy taken from our records of material furnished us by the production mill, or as obtained by additional laboratory checks.

Meloney Specht

QUALITY PROCESS MANAGER

CMTR: REV2