Material Test Report

COFFER® an AFG Da Company

Heat Code: ZET

Coffer Corp.

An AFGlobal Company

13770 Industrial Rd. Houston, TX 77015

ISO 9001:2008 Certified

Sales Order: 142394

Sales: (713) 868-4421 Fax: (713) 455-8366

00012015 PO: 307 PLESA STEEL INC. 11811 NORTH FRWY STE 500

Item Code: 0151800101-0020F

Qty Shipped: 30

Line: 7

Houston, TX 77060

Item Desc: FLG 08.00 0150 WN RF STD A105

NHT COFFR

Supplier: CMC

Supplier Heat: 3051162

Spec: ASTM A105/A105M-(13)/ASME SA 105/SA 105M-(13) Section II Part A

C Carbon 0.21 Cr Chromium 0.09 ✓ 7440-47 Mn Manganese 0.98 ✓ 7439-96-5 Mo Molybdenum 0.02 P Phosphorous 0.011 V Vanadium 0.000 S sulphur 0.012 Cb Columbium 0.002 Si Silicon 0.22 C.E. 0.42 Cu Copper 0.27 ✓ 7440-50-8 CunicrMoV 0.464	Elen	nent (%wt)	Ladle	Product	EPCRA	CAS#	Element (%wt)	Ladle	Product	EPCRA	CAS#
P Phosphorous 0.011	-				California managaran da		: Cr Chromium	0.09		1	7440-47-3
S Sulphur 0.012 Cb Columbium 0.002 Si Silicon 0.22 C.E. 0.42 Cu Copper 0.27 ✓ 7440-50-8 CuNiCrMoV 0.464	Mn	Manganese	0.98		✓	7439-96-5	Mo Molybdenum	0.02			
Si Silicon 0.22 C.E. 0.42 Cu Copper 0.27 ✓ 7440-50-8 CuNiCrMoV 0.464	P	Phosphorous	0.011				V Vanadium	0.000			
Cu Copper 0.27 ✓ 7440-50-8 CuNiCrMoV 0.464	S	Sulphur	0.012				Cb Columbium	0.002			
Cu depart 0.27	Si.	Silicon	0.22				C.E.	0.42			
Ni Nickel 0.08 / 7440-02-0 : CrMo 0.114	Cu	Copper	0.27		✓	7440-50-8	CuNiCrMoV	0.464			
	Ni	Nickel	0.08		~	7440-02-0	CrMo	0.114			
							:				

Mechanical *	Testing	:	Other	
Test Lab	AFG	EF	Y	
Test Bar Size	Sacrificial Piece	Fully Killed	Y	
HBW	163 - 163	•		
Elg (%)	28	1		
RA (%)	53			
Tensile Specimen Size (in)	.492	•		
Tensile (ksi)	79.4	i		
Yield (ksi)	46.8	:		
Gauge Length	2	1		
		:		

Product compliant with NACE MR0175 / ISO 15156 latest edition and flange dimensions to ASME B16.5 - 2013

* No Weld repair performed.

Ladle Chemical Analysis results are reported from the raw material suppliers MTR.

* Forgings are capable of passing hydrostatic test compatible with the appropriate rating.

* Elongation taken from a round specimen.

* Yield strength was determined using the .2% offset method.

* All material supplied under this order is certified to be free of mercury contamination and no mercury bearing equipment was used in manufacturing, fabrication or testing.

* When reported on MTR: Tensile Testing Per ASTM E8; Brinell Hardness Per ASTM E10; Charpy Testing Per ASTM E23

* AF Global manufactures materials according to a certified Quality Management System conforming to ISO 9001:2008 and PED 97/23/EC, Annex 1, Section 4.3

The recording of false, fictitious, or fraudulent statement or entries on this document may be punishable as a felony under federal statute.

EPCRA Supplier Notification: This product may contain one or more toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1995) and 40 C.F.R. Part 372. Potentially reportable chemicals are indicated with a checkmark in the "EPCRA" column and a Chemical Abstract Services (CAS) registry number is provided for each such chemical in addition to the percent by weight of the chemical present in this product. It is your responsibility alone to determine whether your facility is required to submit a Toxic Release Inventory Report under EPCRA Section 313.

Certification No.:

1164118

Certification Date:

12/16/2014

Issued By:

Juan Diaz

This report is issued in compliance with the requirements of EN10204 3.171\$O 10474 3.1.b

Rina Sane - Metallurgical Lab Manager