

## **Material Test Report**

Heat Code: GYU

An Ameri-Forge Group Company 13770 Industrial Rd. Houston, TX 77015 Sales: (713) 868-4421 Fax: (713) 455-8366

Supplier Heat: 3008252

ISO 9001:2000 Certified

PLESA ANAHUAC Y CIAS SA DE CV AV. VALLE DE LAS ALAMEDAS 66-0 54940 TULTITLAN, EDO, MEX PO: 6947 Sales Order: 71161 Line: 9 Item Code: 0151400101-0020F Qty Shipped: 60

Item Desc: FLG 04.00 0150 WN RF STD

Supplier: CMC Spec: ASTM A105/A105M-(05)/ASME SA 105/SA 105M-(08a) Section II Part A

rbon				A CAS#	Element	(%wt)	Ladle	Product	EPCRA	CAS#
	0.21				Cr Chro	mium	0,08		V 7	440-47-3
nganese	0.90		√ .	7439-96-5	Mo Moly	bdenum	0,03			
osphorous	0.005				V Vana	dium	0.001			
lphur	0.016				Cb Colu	mbium	0.002			
licon	0.23				C.E.		0.40			
pper	0.16		1	7440-50-8	CuNiCrMo	,	0.36			
ckel	0.09		✓	7440-02-0	CrMo		0.11			
	osphorous lphur licon pper	osphorous         0.005           lphur         0.016           licon         0.23           pper         0.16	osphorous         0.005           lphur         0.016           licon         0.23           ppper         0.16	osphorous 0.005 lphur 0.016 licon 0.23 pper 0.16 ✓	osphorous 0.005 lphur 0.016 licon 0.23 pper 0.16 ✓ 7440-50-8	osphorous 0.005 V Vana lphur 0.016 Cb Colu licon 0.23 C.E. ppper 0.16 ✓ 7440-50-8 CUNiCrMc	osphorous 0.005 V Vanadium lphur 0.016 Cb Columbium licon 0.23 C.E. pper 0.16 ✓ 7440-50-8 CUNiCrMo	osphorous         0.005         V Vanadium         0.001           lphur         0.016         Cb Columbium         0.002           licon         0.23         C.E.         0.40           pper         0.16         ✓ 7440-50-8         CuNicrMo         0.36	osphorous         0.005         V Vanadium         0.001           lphur         0.016         Cb columbium         0.002           licon         0.23         C.E.         0.40           pper         0.16         ✓ 7440-50-8         CuNiCrMo         0.36	osphorous 0.005 V Vanadium 0.001 lphur 0.016 Cb Columbium 0.002 licon 0.23 C.E. 0.40 pper 0.16 ✓ 7440-50-8 CUNICTMO 0.36

Mechanical T	esting	:	Other			
Test Lab	AFG	MILL	CMC-TEXAS			
Test Bar Size	Test Piece	мнс	3008252			
HBW	170 - 170	AD	Y			
Elg (%)	28.0	EF	Y			
RA (%)	58.0					
Tensile Specimen Size (in)	.498	• •				
Tensile (ksi)	79.5					
Yield (ksi)	47.3	•				
Gauge Length	2					
		:				

Product compliant with NACE MR0175 / ISO 15156, latest edition and dimensions to ANSI B16.5 Product compliant with and meets all requirements of ASTM Al05/ASME SA105, latest edition. No Weld repair performed. Chemical Analysis results shown are actual. Forgings are capable of passing hydrostatic test compatible with the appropriate rating. Elongation taken from a round specimen. All material supplied under this order is certified to be free of mercury contamination and no mercury bearing equipment was used in manufacturing, fabrication or testing. Yield strength was determined using the 0.2% offset method.

EPCRA Supplier Notification: This product may contain one or more toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986) and 40 C.F.R. Part 372. Potentially reportable chemicals are indicated with a checkmark in the "EPCRA" column and a Chemical Abstract Services (CAS) registry number is provided for each such chemical in addition to the percent by weight of the chemical present in this product. It is your responsibility alone to determine whether your facility is required to submit a Toxic Release Inventory Report under EPCRA Section 313.

Certification No.:

170517

Certification Date: 9/1/2009 Vicadas Lepane