



Material Test Report

Heat Code: CTZ

ISO 9001:2000 Certified

An Ameri-Forge Group Company
 13770 Industrial Rd. Houston, TX 77015
 Sales: (713) 868-4421 Fax: (713) 455-8366

PLESA ANAHUAC Y CIAS SA DE CV AV. VALLE DE LAS ALAMEDAS 66-0 54940 TULTITLAN, EDO, MEX	PO: 6947	Sales Order: 71161	Line: 12
	Item Code: 0301800101-0020F		Qty Shipped: 10
	Item Desc: FLG 08.00 0300 WN RF STD		
	Supplier: CMC		Supplier Heat: J84560
Spec: ASTM A105/A105M-(05)/ASME SA 105/SA 105M-(08a) Section II Part A			

Element	(%wt)	Ladle	Product	EPCRA	CAS#	Element	(%wt)	Ladle	Product	EPCRA	CAS#
C	Carbon	0.19				Cr	Chromium	0.11		✓	7440-47-3
Mn	Manganese	0.83		✓	7439-96-5	Mo	Molybdenum	0.04			
P	Phosphorous	0.008				V	Vanadium	0.003			
S	Sulphur	0.029				Cb	Columbium	0.001			
Si	Silicon	0.23				C.E.		0.3786			
Cu	Copper	0.22		✓	7440-50-8	CuNiCrMo		0.46			
Ni	Nickel	0.09		✓	7440-02-0	CrMo		0.14			

Mechanical Testing				Other			
Test Lab		AFG		MILL		CMC	
Test Bar Size		SACRIFICIAL PIECE		MHC		J84560	
HBW		149 - 149		EF		Y	
Elg (%)		33					
RA (%)		56					
Tensile Specimen Size (in)		.494					
Tensile (ksi)		73.5					
Yield (ksi)		38.6					
Gauge Length		2					

Product compliant with NACE MR0175 / ISO 15156, latest edition and dimensions to ANSI B16.5
 Product compliant with and meets all requirements of ASTM A105/ASME SA105, latest edition.
 No Weld repair performed. Chemical Analysis results shown are actual. Forgings are capable of passing hydrostatic test compatible with the appropriate rating. Elongation taken from a round specimen. All material supplied under this order is certified to be free of mercury contamination and no mercury bearing equipment was used in manufacturing, fabrication or testing. Yield strength was determined using the 0.2% offset method.

EPCRA Supplier Notification: This product may contain one or more toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1988) and 40 C.F.R. Part 372. Potentially reportable chemicals are indicated with a checkmark in the "EPCRA" column and a Chemical Abstract Services (CAS) registry number is provided for each such chemical in addition to the percent by weight of the chemical present in this product. It is your responsibility alone to determine whether your facility is required to submit a Toxic Release Inventory Report under EPCRA Section 313.