ALAMEDAS 66-0

PLESA ANAHUAC Y CIAS

SA DE CV AV. VALLE DE LAS

Material Test Report

Heat Code: GXC -

An Ameri-Forge Group Company 13770 Industrial Rd. Houston, TX 77015 Sales: (713) 868-4421 Fax: (713) 455-8366

ISO 9001:2000 Certified

PO: 7995 Sales Order: 74164 Line: 11

Item Code: 0301600102-0020F Qty Shipped: 10 Item Desc: FLG 06.00 0300 WN RF XH

54940 TULTITLAN, EDO, MEX Supplier: CMC Supplier Heat: 3007501

Elem	ent (%wt)	Ladie	Product	EPCRA	CAS#	Element	(%wt)	Ladie	Product	EPCRA	CAS#	
C	Carbon	0.20				Cr Chrom	ium	0.07		√ 74	40-47-3	
Mn	Manganese	0.91		√ 7	439-96-5	Mo Molyb	denum	0.02				
P	Phosphorous	0.007				∀ Vanad	ium	0.002				
S	Sulphur	0.013				Cb Colum	bium	0.003				
Si	Silicon	0.23				C.E.		0.39				
Cu	Copper	0.18		✓ 7	440-50-8	CuNiCrMo		0.35				
Ni	Nickel	0.08		✓ 7	440-02-0	CrMo		0.09				
Mechanical Testing							Other					
Test Lab			AFG			MILL			CMC	-TEXAS		
Test Bar Size			Test Piece			MHC 3007501						
HBW			156 - 156			Country of Origin USA (US)						
Elg (%)			33.0			EF			Y			
RA (%)			62.0			Fully Kil	led		Y	agge ya gu duga 1951 et 1917	quije di Nag	
Tensile Specimen Size (in) .246					20 5 57 day	THE RESERVE AND THE PERSON NAMED IN COLUMN	MARKET AND PROPERTY AND PARTY OF THE PARTY.	PACACIONES PROPERTORS	۱۱۶۰۰ هزون های ب رنت و پوهرونه			
Tensile (ksi) 75.7								. c c A	ne C.	v. N		
Yield (ksi) 45.3					PLEASA ANAHUAC Y CHAS. S.A. DE C.V.							
Gauge Length 1												
				CONTROL DE CALIDAD								
					•	JU!!!!						
						1/	$-\Lambda$	2617		15		
					FECHA	10	HUL			K		
					£635							
					i		<i></i>					
					E. RUIZ							
							FIRMA					

Product compliant with NACE MR0175, latest edition and dimensions to ASME B16.5 Product compliant with and meets all requirements of ASTM A105/ASME SA105, latest edition. No Weld repair performed. Chemical Analysis results shown are actual. Forgings are capable of passing hydrostatic test compatible with the appropriate rating. Elongation taken from a round specimen. All material supplied under this order is certified to be free of mercury contamination and no mercury bearing equipment was used in manufacturing, fabrication or testing. Yield strength was determined using the 0.2% offset method.

EPCRA Supplier Notification: This product may contain one or more toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1985) and 40 C.F.R. Part 372. Potentially reportable chemicals are indicated with a checkmark in the "EPCRA" column and a Chemical Abstract Services (CAS) registry number is provided for each such chemical in addition to the percent by weight of the chemical present in this product. It is your responsibility alone to determine whether your facility is required to submit a Toxic Release Inventory Report under EPCRA Section 313.

Certification No.:

180735

Certification Date:

4/6/2010

Nicholas Tepovich - Metallurgic Lab Manager