Material Test Report

Heat Code: ZYA

An Ameri-Forge Group Company 13770 Industrial Rd., Houston, TX 77015

ISO 9001:2000 Certified

Sales: (713) 868-4421 Fax: (713) 455-8366

PLESA ANAHUAC Y CIAS SA DE CV AV. VALLE DE LAS

Item Code: 0151800102-0020F

Qty Shipped: 61

ALAMEDAS 66-0

Item Desc: FLG 08.00 0150 WN RF XH A105

NHT COFFR

54940 TULTITLAN, EDO MEX

Supplier: CMC

Supplier Heat: 261984

Sales Order: 63578

Spec: ASTM A 105/A 105M-03/ASME SA 105/SA 105M-04, Melt Practice EF

PO: 4161

| Mn Manganese 0.88 ✓ 7439-96-5 Mo Molybdenum 0.035 P Phosphorous 0.008 V Vanadium 0.001 S Sulphur 0.019 Cb Columbium 0.002 Si Silicon 0.21 C.E. 0.403 Cu Copper 0.25 ✓ 7440-50-8 CuNiCrMo 0.46 | Eler | nent (%wt) | Ladie | Product | EPCR | A CAS# | Element | (%wt) | Ladle | Product | EPCRA | CAS# |
|---|------|-------------|-------|---------|------|-----------|-----------|-------|-------|---------|-------|----------|
| P Phosphorous 0.008 V Vanadium 0.001 S Sulphur 0.019 Cb Columbium 0.002 Si Silicon 0.21 C.E. 0.403 Cu Copper 0.25 ✓ 7440~50-8 CuNiCrMo 0.46 | С | Carbon | 0.21 | | | | Cr Chromi | um. | 0.08 | | 1 | 440-47-3 |
| S Sulphur 0.019 Cb Columbium 0.002 Si Silicon 0.21 C.E. 0.403 Cu Copper 0.25 ✓ 7440~50-8 CuNiCrMo 0.46 | Mn | Manganese | 0.88 | | ✓ | 7439-96-5 | Mo Molybd | enum | 0.035 | | | |
| Si Silicon 0.21 C.E. 0.403 Cu Copper 0.25 ✓ 7440~50-8 CuNiCrMo 0.46 | P | Phosphorous | 0.008 | | | | V Vanadi | um | 0.001 | | | |
| Cu Copper 0.25 ✓ 7440-50-8 CuNiCrMo 0.46 | s | Sulphur | 0.019 | | | | Cb Columb | ium | 0.002 | | | |
| | Si | Silicon | 0.21 | | | | C.E. | | 0.403 | | | |
| 7440-02-0 COMO 0.11 | Cu | Copper | 0.25 | | ✓ | 7440-50-8 | CuNiCrMo | | 0.46 | | | |
| NI Nickel 0.10 + /440-02-0 .CINO 0.11 | N1 | Nickel | 0.10 | | ~ | 7440-02-0 | CrMo | | 0.11 | | | |
| | | | | | | | • | | | | | |

| Mechanic | al | Other | |
|----------------------------|-------------------|-------------------|----------|
| Test Lab | AFG | Country of Origin | USA (US) |
| Test Bar Size | SACRIFICIAL PIECE | EF | Y |
| EBW | 156-156 | | |
| Elg (%) | 34.0 | | |
| RA (%) | 63.0 | | |
| Tensile Specimen Size (in) | 0.247 | | |
| Tensile (ksi) | 74.9 | | |
| Yield (ksi) | 42.6 | | |
| Gauge Length | 1.00 | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| 10 | | | |
| • | | | |
| | | | |
| | | | |

PRODUCT COMPLIANT WITH DIMS. TO ANSI B16.5 Product compliant with NACE MRO175, latest edition.

Product compliant with and meets all requirements of ASTM A105/ASME SA105-05.

No Weld repair performed. Chemical Analysis results shown are actual. Forgings are capable of passing hydrostatic test compatible with the appropriate rating. Blongation taken from a round specimen. All material supplied under this order is certified to be free of marcury contamination and no mercury bearing equipment was used in manufacturing, fabrication or testing. Yield strength was determined using the 0.2% offset method.

EPCRA Supplier Notification: This product may contain one or more toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Resulthorization Act of 1986) and 40 C.F.R. Part 372. Potentially reportable chemicals are incleased with a checkmark in the "EPCRA" column and a Chemical Abstract Services (CAS) registry number is provided for each such chemical in addition to the percent by weight of the chemical present in this product. It is your responsibility alone to determine whether your facility is required to submit a Toxic Release inventory Report under EPCRA Section 313.

Certification No.:

134953

Certification Date:

2/13/2008

This report is issued in compliance with the requirements of EN10204 3.1 / ISO 10474 3.1.b

Puneet Saggar - Plant Metallurgist