Material Test Report

COFFER® an AFGR bal Company

Heat Code: ZCP

Coffer Corp.

An AFGlobal Company

13770 Industrial Rd. Houston, TX 77015 Sales: (713) 868-4421 Fax: (713) 455-8366

ISO 9001:2008 Certified

Sales Order: 142394

Line: 4

PLESA STEEL INC. 00012015 PO: 307 11811 NORTH FRWY STE 500

Houston, TX 77060

Item Code: 0151912101-0020F

Qty Shipped: 20

Item Desc: FLG 12.00 0150 WN RF STD A105

Supplier: CMC

Supplier Heat: 3050544

Spec: ASTM A105/A105M-(13)/ASME SA 105/SA 105M-(13) Section II Part A

		Product	EPCRA	CAS#	Element (%wt)	Ladle	Product	EPCRA	CAS#
Carbon	0.19				Cr Chromium	0.12		1	7440-47-3
langanese	0.99		1	7439-96-5	Mo Molybdenum	0.02			
Phosphorous	0.010				V Vanadium	0.001			
Sulphur	0.013				Cb Columbium	0.002			
Silicon	0.23				C.E.	0.41			
Copper	0.30		1	7440-50-8	CuNiCrMoV	0.513			
lickel	0.07		✓	7440-02-0	CrMo	0.142			
2	hosphorous ulphur ilicon opper	hosphorous 0.010 ulphur 0.013 ilicon 0.23 opper 0.30	hosphorous 0.010 ulphur 0.013 ilicon 0.23 opper 0.30	hosphorous 0.010 ulphur 0.013 ilicon 0.23 opper 0.30	hosphorous 0.010 ulphur 0.013 ilicon 0.23 opper 0.30 ✓ 7440-50-8	hosphorous 0.010 V Vanadium ulphur 0.013 Cb Columbium ilicon 0.23 C.E. opper 0.30 ✓ 7440-50-8 CuNiCrMoV	hosphorous 0.010 V Vanadium 0.001 ulphur 0.013 Cb Columbium 0.002 ilicon 0.23 C.E. 0.41 opper 0.30 ✓ 7440-50-8 CuNiCrMoV 0.513	hosphorous 0.010 V Vanadium 0.001 ulphur 0.013 Cb Columbium 0.002 ilicon 0.23 C.E. 0.41 opper 0.30 ✓ 7440-50-8 CuNiCrMoV 0.513	hosphorous 0.010

Testing		Other	
AFG	Country of Melt	USA	
Sacrificial PIece	EF	Y	
152 - 152	Fully Killed	Y	
32	•		
57			
. 495			
79.2			
50.3			
2			
	AFG Sacrificial PIece 152 - 152 32 57 .495 79.2 50.3	AFG Country of Melt Sacrificial PIece EF 152 - 152 Fully Killed 32 57 .495 79.2 50.3	AFG Country of Melt USA Sacrificial PIece EF Y 152 - 152 Fully Killed Y 32 57 .495 79.2 50.3

Product compliant with NACE MR0175 / ISO 15156 latest edition and flange dimensions to ASME B16.5 - 2013

- * No Weld repair performed.
- * Ladle Chemical Analysis results are reported from the raw material suppliers MTR.
- * Forgings are capable of passing hydrostatic test compatible with the appropriate rating.
- * Elongation taken from a round specimen.
- * Yield strength was determined using the .2% offset method.
- * All material supplied under this order is certified to be free of mercury contamination and no mercury bearing equipment was used in manufacturing, fabrication or testing.
- * When reported on MTR: Tensile Testing Per ASTM E8; Brinell Hardness Per ASTM E10; Charpy Testing Per ASTM E23
- * AF Global manufactures materials according to a certified Quality Management System conforming to ISO 9001:2008 and PED 97/23/EC, Annex 1, Section 4.3

The recording of false, fictitious, or fraudulent statement or entries on this document may be punishable as a felony under federal statute,

EPCRA Supplier Notification: This product may contain one or more toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1988) and 40 C.F.R. Part 372. Potentially reportable chemicals are Indicated with a checkmark in the "EPCRA" column and a Chemical Abstract Services (CAS) registry number is provided for each such chemical in addition to the percent by weight of the chemical present in this product. It is your responsibility alone to determine whether your facility is required to submit a Toxic Release Inventory Report under EPCRA Section 313.

Certification No.:

1164126

Certification Date:

12/16/2014

Issued By:

Juan Diaz

This report is issued in compliance with the requirements of EN10204 3.1 / ISO 10474 3.1.b

Rina Sane - Metallurgical Lab Manager

TOME