

Bill To:
 SIDERTUL SA DE CV
 RFC# SID930918KRO
 AVENIDA PRESIDENTE MASARYK
 MEXICO CITY DF
 11570 MX

Ship To: 1
 SIDERTUL SA DE CV
 402 GRAND CENTRAL BLVD
 MILO DISTRIBUTION CENTER
 LAREDO TX
 78045 US

Order Date: 08/17/2010
 PO No: 18412-CHEREM
 Mill Order No: 3773541
 Load No: 1330753
 Manifest No: 2029442

CERTIFIED MATERIAL TEST REPORT
GERDAU AMERISTEEL
 Midlothian Mill
 300 Ward Road
 Midlothian, TX 76065
 (972) 775-8241

SPECIFICATIONS
 ASTM A6-09, A992-06a, A572-07

SIZE	GRADE	LENGTH	PRODUCT
W 24 X 55# / W610 X 82	992/572-50	40 FT / 12.192 M	WF BEAMS

HEAT NO: 22561710

CHEMICAL ANALYSIS

C	Mn	P	S	Si	Cu	Ni	Cr	Mo	Sn	V	Al	Nb	CE
.09	.91	.015	.033	.26	.43	.11	.14	.037	.012	.001	.003	.020	.31

PHYSICAL PROPERTIES

<u>Yield Strength</u>		<u>Tensile Strength</u>		<u>Specimen Area</u>		<u>Elongation</u>		<u>Bend Test</u>	<u>ROA</u>
KSI	MPa	KSI	MPa	Sq In	Sq cm	%	Gage Length	Dia. Result	%
59.0	406.8	76.6	528.1	0.787	5.08	24.6	8 In 200 mm		
58.8	405.4	75.9	523.3	0.754	4.86	25.2	8 In 200 mm		

TENSILE TEST RATIOS

YLD/TENS	YLD/TENS
.77	.78

All manufacturing processes of this product, including electric arc MELTING and continuous CASTING, occurred in the U.S.A. CMTR complies with EN 10204 3.1

"I hereby certify that the contents of this report are correct and accurate. All tests and operations performed by this material manufacturer or its sub-contractors, when applicable, are in compliance with the requirements of the material specifications and applicable purchaser designated requirements."

Signed: Tom L. Harrington Date: Sep. 21, 2010
 Tom L. Harrington: Quality Assurance Manager


Signed: _____
 Notary Public (if applicable)

Date: _____
 Page: 1 of 3

Bill To:
SIDERTUL SA DE CV
RFC# SID930918KRO
AVENIDA PRESIDENTE MASARYK
MEXICO CITY DF
11570 MX

Ship To: 1
SIDERTUL SA DE CV
402 GRAND CENTRAL BLVD
MILO DISTRIBUTION CENTER
LAREDO TX
78045 US

Order Date:08/17/2010
PO No:18412-CHEREM
Mill Order No:3773541
Load No:1330753
Manifest No:2029442

CERTIFIED MATERIAL TEST REPORT
GERDAU AMERISTEEL
Midlothian Mill
300 Ward Road
Midlothian, TX 76065
(972) 775-8241


SPECIFICATIONS

ASTM A6-09, A992-06a, A572-07

SIZE GRADE LENGTH PRODUCT
W 24 X 55# / W610 X 82 992/572-50 40 FT / 12.192 M WF BEAMS

HEAT NO: 22561790

CHEMICAL ANALYSIS

C	Mn	P	S	Si	Cu	Ni	Cr	Mo	Sn	V	Al	Nb	CE
.08	.90	.014	.043	.23	.34	.10	.16	.033	.011	.002	.003	.022	.3

PHYSICAL PROPERTIES


Yield Strength		Tensile Strength		Specimen Area		Elongation		Bend Test		ROA
KSI	MPa	KSI	MPa	Sq In	Sq cm	%	Gage Length	Dia.	Result	%
55.2	380.6	71.2	490.9	0.798	5.15	25.2	8 In	200 mm		
55.3	381.3	72.1	497.1	0.734	4.74	25.0	8 In	200 mm		

TENSILE TEST RATIOS

YLD/TENS
.77

All manufacturing processes of this product, including electric arc MELTING and continuous CASTING, occurred in the U.S.A. CMTR complies with EN 10204 3.1

"I hereby certify that the contents of this report are correct and accurate. All tests and operations performed by this material manufacturer or its sub-contractors, when applicable, are in compliance with the requirements of the material specifications and applicable purchaser designated requirements."

Signed:  Date: Sep. 21, 2010
Tom L. Harrington: Quality Assurance Manager

Signed: _____ Date: _____
Notary Public (if applicable)

Date: _____
Page: 2 of 3

Bill To:
SIDERTUL SA DE CV
RFC# SID930918KRO
AVENIDA PRESIDENTE MASARYK
MEXICO CITY DF
11570 MX

Ship To: 1
SIDERTUL SA DE CV
402 GRAND CENTRAL BLVD
MILO DISTRIBUTION CENTER
LAREDO TX
78045 US

Order Date:08/17/2010
PO No:18412-CHEREM
Mill Order No:3773541
Load No:1330753
Manifest No:2029442

CERTIFIED MATERIAL TEST REPORT
GERDAU AMERISTEEL
Midlothian Mill
300 Ward Road
Midlothian, TX 76065
(972) 775-8241

SPECIFICATIONS
ASTM A6-09, A992-06a, A572-07

SIZE	GRADE	LENGTH	PRODUCT
W 24 X 55# / W610 X 82	992/572-50	40 FT / 12.192 M	WF BEAMS

HEAT NO: 22561800

CHEMICAL ANALYSIS

C	Mn	P	S	Si	Cu	Ni	Cr	Mo	Sn	V	Al	Nb	CE
.08	.86	.014	.042	.21	.36	.10	.15	.034	.011	.002	.003	.021	.29

PHYSICAL PROPERTIES

<u>Yield Strength</u>		<u>Tensile Strength</u>		<u>Specimen Area</u>		<u>Elongation</u>		<u>Bend Test</u>	<u>ROA</u>
KSI	MPa	KSI	MPa	Sq In	Sq cm	%	Gage Length	Dia. Result	%
56.1	386.8	72.5	499.9	0.722	4.66	25.2	8 In 200 mm		
57.1	393.7	73.3	505.4	0.782	5.05	26.0	8 In 200 mm		

TENSILE TEST RATIOS

YLD/TENS YLD/TENS
.77 .78

All manufacturing processes of this product, including electric arc MELTING and continuous CASTING, occurred in the U.S.A. CMTR complies with EN 10204 3.1

"I hereby certify that the contents of this report are correct and accurate. All tests and operations performed by this material manufacturer or its sub-contractors, when applicable, are in compliance with the requirements of the material specifications and applicable purchaser designated requirements."

Signed: Tom L. Harrington Date: Sep. 21, 2010 Signed: _____ Date: _____
Tom L. Harrington: Quality Assurance Manager Notary Public (if applicable) Page: 3 of 3