

NUCOR STEEL - BERKELEY
 P.O. Box 2259
 Ft. Pleasant, S.C. 29464
 Phone: (843) 336-6000

CERTIFIED MILL TEST REPORT

5/08/16 21:15:28

100% EAF MELTED AND MANUFACTURED IN THE USA
 All beams produced by Nucor-Berkeley are cast and
 rolled to a fully killed and fine grain practice.

Mercury has not been used in the direct manufacturing of this material.

Sold To: ACEROMEX SA DE CV
 CARRETERA MONTERREY LAREDO KM
 MONTERREY, NL 65550

Ship To: PORT OF TAMPICO
 TERMINAL MUELLES FISCALES
 CPT MUELLES FISCALES, TM
 TAMPICO, TM 89000

Customer #: 3962 - 2
 Customer PO: 4500148240
 B.o.I. #: 1199767
 MOS: B

SPECIFICATIONS: Tested in accordance with ASIM specification A6/A6M-14 and A370. Quality Manual Rev #6 (12-8-15).

AASHTO : m270-345M270-50-10
 ASME : SA-36 13
 ASIM : A992-11(15)/A36-14/A529-14-50/A572 5015/A709-50 16
 CSA : G40.21-50w/G40.2150WM/G402150WMT

Description Part #	Heat# Grade(s) Test/Heat JW	Yield/ Tensile Ratio	Yield (PSI)	Tensile (PSI)	Elong %	C Cr *****	Mn Mo Ti	P Sn *****	S B *****	Si V N	Cu Nb *****	Ni Nb ***** CI	CE1
													CE2
C10X15.3 040' 00.00' C250X22.8 012.1920m 28.80	1605783 A992-11(15)	.84	62000 427	73700 508	24.18	.07 .12	.83 .09	.012 .0061	.017 .0005	.20 .004	.10 .039	.07 3.10	.26 .2986 .1343
							58,140 lbs					InvH:	0
C10X15.3 040' 00.00' C250X22.8 012.1920m 28.80	2605782 A992-11(15)	.84	63100 435	75200 0	23.83	.07 .09	.83 .10	.008 .0091	.021 .0007	.25 .004	.20 .028	.17 4.87	.27 .3162 .1448
							29,988 lbs					InvH:	0
C12X20.7 040' 00.00' C310X30.8 012.1920m	2605478 A992-11(15)	.83	61000 421	73200 505	25.90	.07 .04	1.06 .01	.011 .0064	.026 .0004	.23 .004	.14 .030	.05 3.67	.27 .3158 .1440
							86,112 lbs					InvH:	0
C12X25 040' 00.00' C310X37 012.1920m	1605536 A992-11(15)	.81	58300 402	71700 494	25.04	.07 .03	1.04 .01	.008 .0059	.021 .0005	.24 .004	.09 .031	.03 2.69	.26 .3063 .1397
							64,000 lbs					InvH:	0

Elongation based on 8" (20.32cm) gauge length. 'No Weld Repair' was performed. Hg free and no contact with Hg during manufacture.
 CE1 = C + (Mn/5) + ((Cr+Mo+V)/5) + ((Ni+Cu)/15)
 CE2 = C + ((Mn+Si)/6) + ((Cr+Mo+V+Cb)/5) + ((Ni+Cu)/15)

I hereby certify that the contents of this report are accurate and correct. All test results and operations performed by the material manufacturer are in compliance with material specifications, and when designated by the Purchaser, meet applicable specifications.

[Signature]
 Bruce A. Work
 Quality Control

NUCOR STEEL - BERKELEY
P.O. Box 2259
Mt. Pleasant, S.C. 29464
Phone: (843) 336-6000

CERTIFIED MILL TEST REPORT

5/08/16 21:15:28

100% EAF MELTED AND MANUFACTURED IN THE USA
All beams produced by Nucor-Berkeley are cast and
rolled to a fully killed and fine grain practice.

Mercury has not been used in the direct manufacturing of this material.

Sold To: ACEROMEX SA DE CV
CARRETERA MONTERREY IAREDO KM
MONTERREY, NL 65550

Ship To: PORT OF TAMPICO
TERMINAL MUELLES FISCALES
CPT MUELLES FISCALES, TM
TAMPICO, TM 89000

Customer #: 3962 - 2
Customer PO: 4500148240
B.o.I. #: 1199767
MOS: B


SPECIFICATIONS: Tested in accordance with ASTM specification A6/A6M-14 and A370. Quality Manual Rev #6 (12-8-15).


AASHID : m270-345M270-50.10
ASME : SA-36 13
ASTM : A992-11(15)/A36-14/A529-14-50/A572 5015/A709-50 16
CSA : G40.21-50w/G40.2150WM/G402150WMT
4 Heat(s) for this MIR.

=====
Elongation based on 8" (20.32cm) gauge length. 'No Weld Repair' was performed.
CI = 26.01Cu+3.88Ni+1.20Cr+1.49Si+17.28P-(7.29Cu*Ni)-(9.10Ni*P)-33.39(Cu*Cu)
Pcm = C+(Si/30)+(Mn/20)+(Cu/20)+(Ni/60)+(Cr/20)+(Mo/15)+(V/10)+5B
CE1 = C+(Mn/6)+((Cr+Mo+V)/5)+((Ni+Cu)/15)
CE2 = C+((Mn+Si)/6)+((Cr+Mo+V+Cb)/5)+((Ni+Cu)/15)
=====

I hereby certify that the contents of this report are accurate and correct. All test results and operations performed by the material manufacturer are in compliance with material specifications, and when designated by the Purchaser, meet applicable specifications.

Bruce A. Work
Metallurgist





Aceromex SA de CV

Carretera Monterrey-Laredo KM 27
Ciénega de Flores, N.L.
México 65550
RFC: ACE900319JT9

At'n.: Fernando Gil / Fernando Cuellar

By this means the undersigned, **Nucor Steel Berkeley**, represented by **Marc Sigmon**, Located in **1455 Hagan Ave, Huger SC, 29450**, with Ph. No. **USA (843)336-6000 / MEX (81)1223-0530**, fax **USA (843) 336-6150**, declare as follows:

Under oath to tell the truth, we declare that the following products we sell to **Aceromex SA de CV**, corresponding to the **Purchase order No. 4500148240 / BOL-MTR# 1199767**:


Corresponds to product **"Steel Channels"**

Bol#	Item	Product	Pcs	Weight LBS
1199767	C10x15.3	HOT ROLLED STEEL CHANNEL	144	88,128.000
1199767	C12x20.7	HOT ROLLED STEEL CHANNEL	104	86,112.00
1199767	C12x25	HOT ROLLED STEEL CHANNEL	64	64,000.00
		Total	312	238,240.00

In consideration of the data of the goods that are required as stated in the **rule 2.2.20**, numeral I, of the **"Agreement amending the diverse by the Ministry of Economy issues rules and general criteria regarding Foreign Trade"**.

Extend this declaration for the purposes agreed by the interested party and I'm at your service in case the verification of the information I'm providing is necessary.

Sincerely,



Company representative