



# MILL TEST CERTIFICATES

Customer: **PLESA ANAHUAC Y CIAS SA DE CV** Certificate No: 4905  
 Issue Date: OCTOBER 24, 2017

Commodity: **PRIME HOT-DIP GALVANIZED STEEL SHEET IN COIL**

Specification: **AS PER ASTM A653, GRADE CS-B, REGULAR SPANGLES, CHROMATED, DRY, NON-SKINPASSED, BRIGHT FINISH**

Mill's full style  
 (Address, phone, e-mail and Vat No):  
**HOA SEN GROUP**  
**ADDRESS: NO.9 THONG NHAT BOULEVARD, SONG THAN II INDUSTRIAL PARK, DI AN WARD, DI AN TOWN BINH DUONG PROVINCE, VIETNAM**  
**PHONE: +84 650 3790 955**  
**EMAIL: hoasengroup@hoasengroup.vn**  
**VAT NO.: 3700381324**

NO.	SIZE (TCT) (MM)	WIDTH (MM)	COATING (G/M2)	COIL NO	LENGTH (M)	NET WEIGHT (KGS)	GRGSS WEIGHT (KGS)	Heat No.	HRC coil no.	HRC producing mill	HRC Country of Origin	QUALITY											
												Mechanical Properties			Chemical Analysis (%)								
												T-BEND Elongation	Tensile Strength N/mm2	Yield Strength Mpa	Hardness (HRB)	C	Mn	P	S	N	Al		
1	2.660 NOM	1219	G60 (180G/M2)	01140117090194000	396	10,050	10,100	A107860	K712320050	TATA	INDIA	IT1T	22.13	402	371	67	4.9	19.0	1.7	0.9	0.3	3.4	
2	2.660 NOM	1219	G60 (180G/M2)	01140117090194200	366	9,290	9,340	T75737	T770380370	TATA	INDIA	IT1T	25.61	391	364	65	4.2	20.8	1.3	0.3	0.5	4.5	
3	2.660 NOM	1219	G60 (180G/M2)	01140117090194300	378	9,610	9,660	T75737	T770380370	TATA	INDIA	IT1T	25.61	388	360	65	4.2	20.8	1.3	0.3	0.5	4.5	
4	2.660 NOM	1219	G60 (180G/M2)	01140117090193800	378	9,610	9,660	B359838	17091932	JSW STEEL LIMITED	INDIA	IT1T	24.35	388	360	65	3.3	20.0	1.0	0.8	0.4	5.6	
5	2.660 NOM	1219	G60 (180G/M2)	01140117090193900	398	10,100	10,150	B359838	17091932	JSW STEEL LIMITED	INDIA	IT1T	22.35	402	371	67	3.3	20.0	1.0	0.8	0.4	5.6	
6	2.660 NOM	1219	G60 (180G/M2)	01140117090194101	414	10,530	10,580	A107860	K712320050	TATA	INDIA	IT1T	22.13	395	369	66	4.9	19.0	1.7	0.9	0.3	3.4	
						<b>59,190</b>	<b>59,490</b>																
1	1.900 NOM	1219	G60 (180G/M2)	01140117090195900	594	10,800	10,850	A207818	K712260951	TATA	INDIA	IT1T	23.63	404	375	67	4.5	14.5	2.0	0.9	0.3	3.8	
2	1.900 NOM	1219	G60 (180G/M2)	01140117090196000	616	11,210	11,270	A207818	K712260951	TATA	INDIA	IT1T	25.29	399	370	66	4.5	14.5	2.0	0.9	0.3	3.8	
3	1.900 NOM	1219	G60 (180G/M2)	01140117090196100	524	9,540	9,580	T76308	T770501060	TATA	INDIA	IT1T	22.57	405	374	68	4.4	19.5	2.2	0.3	0.5	4.5	
4	1.900 NOM	1219	G60 (180G/M2)	01140117090196200	540	9,800	9,850	T76308	T770501060	TATA	INDIA	IT1T	21.19	404	373	67	4.4	19.5	2.2	0.3	0.5	4.5	
5	1.900 NOM	1219	G60 (180G/M2)	01140117090196300	534	9,710	9,780	A359595	17090103	JSW STEEL LIMITED	INDIA	IT1T	30.84	356	330	58	3.6	18.0	1.2	0.8	0.3	6.0	
6	1.900 NOM	1219	G60 (180G/M2)	01140117090196400	550	9,980	10,040	A359595	17090103	JSW STEEL LIMITED	INDIA	IT1T	25.08	390	364	65	3.6	18.0	1.2	0.8	0.3	6.0	
						<b>61,040</b>	<b>61,370</b>																

NO.	SIZE (TCT) (MM)	WIDTH (MM)	COATING (G/M2)	COIL NO	LENGTH (M)	NET WEIGHT (KGS)	GROSS WEIGHT (KGS)	Heat No.	HRC coil no.	HRC producing mill	HRC Country of Origin	QUALITY										
												Mechanical Properties				Chemical Analysis (%)						
												T-BEND	Elongation	Tensile Strength N/mm2	Yield Strength Mpa	Hardness (Hrb)	C	Mn	P	S	N	Al
1	1.520 NOM	1219	G60 (180G/M2)	01140117090188700	712	10,280	10,330	A107872	K712330550	TATA	INDIA	IT1T	29.23	371	346	63	4.6	18.4	1.8	1.1	0.3	5.9
2	1.520 NOM	1219	G60 (180G/M2)	01140117090188900	680	9,800	9,850	T75746	T770381130	TATA	INDIA	IT1T	22.00	401	374	67	4.0	20.1	1.3	0.2	0.5	4.3
3	1.520 NOM	1219	G60 (180G/M2)	01140117090189100	676	9,740	9,810	T76314	T770501490	TATA	INDIA	IT1T	26.53	400	371	67	4.3	19.3	1.7	0.4	0.5	4.5
4	1.520 NOM	1219	G60 (180G/M2)	01140117090189200	684	9,850	9,900	T76314	T770501490	TATA	INDIA	IT1T	27.84	398	370	66	4.3	19.3	1.7	0.4	0.5	4.5
5	1.520 NOM	1219	G60 (180G/M2)	01140117090189400	748	10,820	10,890	A107978	K712460670	TATA	INDIA	IT1T	30.15	378	350	63	5.0	17.0	1.2	0.7	0.2	6.5
6	1.520 NOM	1219	G60 (180G/M2)	01140117090189500	690	10,000	10,070	B359785	17091441	JSW STEEL LIMITED	INDIA	IT1T	31.26	370	341	62	3.6	21.0	0.7	0.8	0.4	5.6
7	1.520 NOM	1219	G60 (180G/M2)	01140117090189600	690	10,000	10,060	B359785	17091441	JSW STEEL LIMITED	INDIA	IT1T	31.03	390	361	65	3.6	21.0	0.7	0.8	0.4	5.6
8	1.520 NOM	1219	G60 (180G/M2)	01140117090189002	620	8,900	8,940	T75746	T770381130	TATA	INDIA	IT1T	25.21	402	371	67	4.0	20.1	1.3	0.2	0.5	4.3
9	1.520 NOM	1219	G60 (180G/M2)	01140117090188802	662	9,580	9,630	A107872	K712330550	TATA	INDIA	IT1T	31.26	376	345	63	4.6	18.4	1.8	1.1	0.3	5.9
						<b>88,970</b>	<b>89,480</b>															
1	1.210 NOM	1219	G60 (180G/M2)	01140117090172900	824	9,500	9,570	T76306	T770500950	TATA	INDIA	IT1T	27.83	392	366	65	4.6	20.5	1.8	0.2	0.6	3.9
2	1.210 NOM	1219	G60 (180G/M2)	01140117090173000	850	9,800	9,860	T76306	T770500950	TATA	INDIA	IT1T	26.75	402	374	67	4.6	20.5	1.8	0.2	0.6	3.9
3	1.210 NOM	1219	G60 (180G/M2)	01140117090173100	826	9,540	9,600	T76308	T770501100	TATA	INDIA	IT1T	26.43	404	374	67	4.4	19.5	2.2	0.3	0.5	4.5
4	1.210 NOM	1219	G60 (180G/M2)	01140117090173200	868	10,010	10,060	T76308	T770501100	TATA	INDIA	IT1T	30.49	399	370	66	4.4	19.5	2.2	0.3	0.5	4.5
5	1.210 NOM	1219	G60 (180G/M2)	01140117090173300	904	10,430	10,480	300301	1030462000	FORMOSA	VIETNAM	IT1T	31.92	353	326	58	3.0	19.0	1.0	0.7	0.8	3.1
6	1.210 NOM	1219	G60 (180G/M2)	01140117090173400	950	10,960	11,010	300301	1030462000	FORMOSA	VIETNAM	IT1T	31.31	352	322	58	3.0	19.0	1.0	0.7	0.8	3.1
7	1.210 NOM	1219	G60 (180G/M2)	01140117090173500	832	9,600	9,660	C359753	17091564	JSW STEEL LIMITED	INDIA	IT1T	30.32	359	330	58	3.6	17.0	1.4	0.8	0.3	5.5
8	1.210 NOM	1219	G60 (180G/M2)	01140117090173600	894	10,300	10,360	C359753	17091564	JSW STEEL LIMITED	INDIA	IT1T	29.68	373	345	63	3.6	17.0	1.4	0.8	0.3	5.5
9	1.210 NOM	1219	G60 (180G/M2)	01140117090173700	852	9,810	9,860	A358996	17086955	JSW STEEL LIMITED	INDIA	IT1T	31.31	355	326	58	3.5	19.0	1.1	0.8	0.4	5.7
10	1.210 NOM	1219	G60 (180G/M2)	01140117090173800	910	10,490	10,540	A358996	17086955	JSW STEEL LIMITED	INDIA	IT1T	30.31	353	326	58	3.5	19.0	1.1	0.8	0.4	5.7
11	1.210 NOM	1219	G60 (180G/M2)	01140117090219800	716	8,270	8,300	400334	1028746000	FORMOSA	VIETNAM	IT1T	31.02	358	330	58	4.0	28.0	2.2	0.8	0.1	3.2
12	1.210 NOM	1219	G60 (180G/M2)	01140117090219900	724	8,370	8,420	400334	1028746000	FORMOSA	VIETNAM	IT1T	24.40	392	366	65	4.0	28.0	2.2	0.8	0.1	3.2
13	1.210 NOM	1219	G60 (180G/M2)	01140117090220003	654	7,550	7,600	400334	1028746000	FORMOSA	VIETNAM	IT1T	25.66	373	345	63	4.0	28.0	2.2	0.8	0.1	3.2
						<b>124,630</b>	<b>125,320</b>															



NO.	SIZE (TCT) (MM)	WIDTH (MM)	COATING (G/M2)	COIL NO	LENGTH (M)	NET WEIGHT (KGS)	GROSS WEIGHT (KGS)	Heat No.	HRC coil no.	HRC producing mill	HRC Country of Origin	QUALITY										
												Mechanical Properties				Chemical Analysis (%)						
												T-BEND	Elongation	Tensile Strength N/mm2	Yield Strength Mpa	Hardness (HRB)	C	Mn	P	S	N	Al
1	0.910 NOM	1219	G60 (180G/M2)	01140117090172000	1,270	11,020	11,070	300275	1027769000	FORMOSA	VIETNAM	111T	28.09	376	345	63	4.0	20.0	2.2	0.8	0.3	3.2
2	0.910 NOM	1219	G60 (180G/M2)	01140117090172100	1,270	11,030	11,080	300275	1027769000	FORMOSA	VIETNAM	111T	28.03	373	342	63	4.0	20.0	2.2	0.8	0.3	3.2
3	0.910 NOM	1219	G60 (180G/M2)	01140117090172200	840	7,300	7,350	300314	1028825300	FORMOSA	VIETNAM	111T	31.77	356	325	58	3.0	18.0	1.3	0.9	0.0	2.4
4	0.910 NOM	1219	G60 (180G/M2)	01140117090172300	870	7,550	7,600	300314	1028825300	FORMOSA	VIETNAM	111T	28.69	359	330	58	3.0	18.0	1.3	0.9	0.0	2.4
5	0.910 NOM	1219	G60 (180G/M2)	01140117090172600	1,170	10,150	10,210	8359658	17090640	JSW STEEL LIMITED	INDIA	111T	29.00	367	342	61	2.9	21.0	0.8	0.8	0.4	5.1
6	0.910 NOM	1219	G60 (180G/M2)	01140117090172700	1,116	9,650	9,710	8359658	17090640	JSW STEEL LIMITED	INDIA	111T	29.43	363	335	60	2.9	21.0	0.8	0.8	0.4	5.1
7	0.910 NOM	1219	G60 (180G/M2)	01140117090172402	1,348	11,640	11,700	300331	1029098000	FORMOSA	VIETNAM	111T	26.80	365	342	60	3.0	21.0	1.5	0.6	0.0	3.0
8	0.910 NOM	1219	G60 (180G/M2)	01140117090172503	1,334	11,550	11,590	300331	1029098000	FORMOSA	VIETNAM	111T	29.96	358	327	58	3.0	21.0	1.5	0.6	0.0	3.0
9	0.910 NOM	1219	G60 (180G/M2)	01140117090220200	1,250	10,830	10,880	400274	1027574000	FORMOSA	VIETNAM	111T	31.22	351	322	58	3.0	17.0	1.2	0.5	0.0	2.8
10	0.910 NOM	1219	G60 (180G/M2)	01140117090220300	1,260	10,840	10,900	400274	1027574000	FORMOSA	VIETNAM	111T	29.16	387	360	65	3.0	17.0	1.2	0.5	0.0	2.8
11	0.910 NOM	1219	G60 (180G/M2)	01140117090220500	1,250	10,800	10,850	400274	1027640000	FORMOSA	VIETNAM	111T	30.59	357	330	58	3.0	17.0	1.2	0.5	0.0	2.8
						112,360	112,940															
1	0.760 NOM	1219	G60 (180G/M2)	011401170900061500	1,250	9,020	9,070	B358978	17086692	JSW STEEL LIMITED	INDIA	111T	31.06	355	325	58	2.7	19.0	0.7	0.8	0.4	4.3
2	0.760 NOM	1219	G60 (180G/M2)	011401170900061700	1,450	10,440	10,490	C359861	17091915	JSW STEEL LIMITED	INDIA	111T	24.76	350	322	57	2.7	17.0	0.7	0.8	0.4	5.7
3	0.760 NOM	1219	G60 (180G/M2)	011401170900061900	1,450	10,470	10,510	C359789	17091593	JSW STEEL LIMITED	INDIA	111T	24.04	386	361	65	3.1	17.0	1.1	0.8	0.4	5.4
4	0.760 NOM	1219	G60 (180G/M2)	011401170900062000	1,456	10,500	10,560	C359789	17091593	JSW STEEL LIMITED	INDIA	111T	25.37	389	360	65	3.1	17.0	1.1	0.8	0.4	5.4
5	0.760 NOM	1219	G60 (180G/M2)	011401170900062100	1,456	10,480	10,520	A358975	17086898	JSW STEEL LIMITED	INDIA	111T	22.34	406	375	68	2.6	21.0	1.7	0.8	0.4	4.7
6	0.760 NOM	1219	G60 (180G/M2)	011401170900062200	1,412	10,180	10,210	A358975	17086898	JSW STEEL LIMITED	INDIA	111T	30.27	368	340	61	2.6	21.0	1.7	0.8	0.4	4.7
7	0.760 NOM	1219	G60 (180G/M2)	011401170900062300	1,450	10,450	10,490	B358978	17086891	JSW STEEL LIMITED	INDIA	111T	24.62	403	372	67	3.3	19.0	1.4	0.8	0.3	4.9
8	0.760 NOM	1219	G60 (180G/M2)	011401170900062400	1,420	10,250	10,290	B358978	17086891	JSW STEEL LIMITED	INDIA	111T	29.77	364	336	60	3.3	19.0	1.4	0.8	0.3	4.9
9	0.760 NOM	1219	G60 (180G/M2)	011401170900062500	1,380	9,990	10,030	B358980	17086747	JSW STEEL LIMITED	INDIA	111T	25.43	384	357	64	3.4	19.0	1.1	0.8	0.4	6.0
10	0.760 NOM	1219	G60 (180G/M2)	011401170900062600	1,262	9,140	9,170	B358980	17086747	JSW STEEL LIMITED	INDIA	111T	29.71	360	331	59	3.4	19.0	1.1	0.8	0.4	6.0
11	0.760 NOM	1219	G60 (180G/M2)	011401170900061200	1,450	10,580	10,620	B359795	17091524	JSW STEEL LIMITED	INDIA	111T	26.52	378	350	63	3.3	21.0	1.0	0.8	0.4	4.1
12	0.760 NOM	1219	G60 (180G/M2)	011401170900062800	1,310	9,490	9,550	A358994	17086905	JSW STEEL LIMITED	INDIA	111T	31.80	353	330	58	3.8	16.0	1.1	0.7	0.4	5.2



NO.	SIZE (TCT) (MM)	WIDTH (MM)	COATING (g/M2)	COIL NO	LENGTH (M)	NET WEIGHT (KGS)	GROSS WEIGHT (KGS)	Heat No.	HRC coil no.	HRC producing mill	HRC Country of Origin	QUALITY										
												Mechanical Properties				Chemical Analysis (%)						
												T-BEND Elongation	Tensile Strength N/mm2	Yield Strength Mpa	Hardness (HRB)	C	Mn	P	S	N	Al	
13	0.760 NOM	1219	G60 (180G/M2)	01140117090062900	1,260	9,070	9,110	A358994	17086905	JSW STEEL LIMITED	INDIA	IT1T	23.45	400	371	67	3.8	16.0	1.1	0.7	0.4	5.2
14	0.760 NOM	1219	G60 (180G/M2)	01140117090063000	1,570	11,360	11,400	A107817	K712240910	TATA	INDIA	IT1T	30.44	367	338	61	3.6	20.0	1.0	0.6	0.4	4.6
15	0.760 NOM	1219	G60 (180G/M2)	01140117090063100	1,540	11,110	11,150	A107817	K712240910	TATA	INDIA	IT1T	31.56	356	330	58	3.6	20.0	1.0	0.6	0.4	4.6
16	0.760 NOM	1219	G60 (180G/M2)	01140117090063200	1,450	10,490	10,530	B359658	17090541	JSW STEEL LIMITED	INDIA	IT1T	27.91	388	360	65	2.9	21.0	0.8	0.8	0.4	5.1
17	0.760 NOM	1219	G60 (180G/M2)	01140117090063300	1,410	10,210	10,250	B359658	17090541	JSW STEEL LIMITED	INDIA	IT1T	30.36	379	350	63	2.9	21.0	0.8	0.8	0.4	5.1
18	0.760 NOM	1219	G60 (180G/M2)	01140117090063400	1,440	10,400	10,440	B359792	17091414	JSW STEEL LIMITED	INDIA	IT1T	28.67	389	360	65	3.2	18.0	1.1	0.6	0.4	6.0
19	0.760 NOM	1219	G60 (180G/M2)	01140117090063500	1,410	10,210	10,240	B359792	17091414	JSW STEEL LIMITED	INDIA	IT1T	29.69	377	350	63	3.2	18.0	1.1	0.6	0.4	6.0
20	0.760 NOM	1219	G60 (180G/M2)	01140117090063600	1,440	10,430	10,470	A358978	17086890	JSW STEEL LIMITED	INDIA	IT1T	28.78	384	356	64	3.3	19.0	1.4	0.8	0.3	4.9
21	0.760 NOM	1219	G60 (180G/M2)	01140117090063700	1,400	10,150	10,190	A358978	17086890	JSW STEEL LIMITED	INDIA	IT1T	29.23	373	345	63	3.3	19.0	1.4	0.8	0.3	4.9
22	0.760 NOM	1219	G60 (180G/M2)	01140117090063800	1,480	10,670	10,710	B359862	17091958	JSW STEEL LIMITED	INDIA	IT1T	31.18	350	321	57	3.4	17.0	0.6	0.5	0.4	4.7
23	0.760 NOM	1219	G60 (180G/M2)	01140117090064000	1,590	11,450	11,500	A207895	K712340710	TATA	INDIA	IT1T	30.57	383	355	64	4.2	19.5	1.9	0.7	0.3	3.3
24	0.760 NOM	1219	G60 (180G/M2)	01140117090064100	1,560	11,250	11,310	A207895	K712340710	TATA	INDIA	IT1T	29.52	397	370	66	4.2	19.5	1.9	0.7	0.3	3.3
25	0.760 NOM	1219	G60 (180G/M2)	01140117090064200	1,476	10,650	10,700	B359862	17091959	JSW STEEL LIMITED	INDIA	IT1T	31.22	352	324	58	3.4	17.0	0.6	0.5	0.4	4.7
26	0.760 NOM	1219	G60 (180G/M2)	01140117090064300	1,436	10,360	10,420	B359862	17091959	JSW STEEL LIMITED	INDIA	IT1T	30.04	355	330	58	3.4	17.0	0.6	0.5	0.4	4.7
27	0.760 NOM	1219	G60 (180G/M2)	01140117090064400	1,450	10,490	10,550	A359781	17091515	JSW STEEL LIMITED	INDIA	IT1T	31.63	356	330	58	3.6	20.0	1.2	0.8	0.4	5.2
28	0.760 NOM	1219	G60 (180G/M2)	01140117090064500	1,422	10,280	10,330	A359781	17091515	JSW STEEL LIMITED	INDIA	IT1T	28.70	365	336	60	3.6	20.0	1.2	0.8	0.4	5.2
29	0.760 NOM	1219	G60 (180G/M2)	01140117090063902	1,160	8,360	8,400	B359862	17091958	JSW STEEL LIMITED	INDIA	IT1T	31.76	352	330	58	3.4	17.0	0.6	0.5	0.4	4.7
30	0.760 NOM	1219	G60 (180G/M2)	01140117090061802	1,398	10,070	10,110	C359861	17091915	JSW STEEL LIMITED	INDIA	IT1T	25.66	351	326	58	2.7	17.0	0.7	0.8	0.4	5.7
31	0.760 NOM	1219	G60 (180G/M2)	01140117090061602	1,114	8,060	8,110	B358969	17086692	JSW STEEL LIMITED	INDIA	IT1T	21.70	404	375	67	2.7	19.0	0.7	0.8	0.4	4.3
32	0.760 NOM	1219	G60 (180G/M2)	01140117090061302	1,396	10,110	10,150	B359795	17091524	JSW STEEL LIMITED	INDIA	IT1T	25.51	389	364	65	3.3	21.0	1.0	0.8	0.4	4.1
						326,170	327,590															
1	0.610 NOM	1219	G60 (180G/M2)	01140117090070100	1,884	10,970	11,020	B359957	17092764	JSW STEEL LIMITED	INDIA	IT1T	26.66	353	329	58	3.9	20.0	1.0	0.8	0.4	5.8
2	0.610 NOM	1219	G60 (180G/M2)	01140117090070200	1,580	9,150	9,200	B359957	17092764	JSW STEEL LIMITED	INDIA	IT1T	25.40	371	344	63	3.9	20.0	1.0	0.8	0.4	5.8
3	0.610 NOM	1219	G60 (180G/M2)	01140117090070300	1,860	10,700	10,770	A359653	17090638	JSW STEEL LIMITED	INDIA	IT1T	26.39	364	334	60	4.5	21.0	1.0	0.8	0.3	5.7

NO.	SIZE (TCT) (MM)	WIDTH (MM)	COATING (G/M2)	COIL NO	LENGTH (M)	NET WEIGHT (KGS)	GROSS WEIGHT (KGS)	Heat No.	HRC coil no.	HRC producing mill	HRC Country of Origin	QUALITY												
												Mechanical Properties					Chemical Analysis (%)							
												T-BEND	Elongation	Tensile Strength N/mm2	Yield Strength Mpa	Hardness (HRB)	C	Mn	P	S	N	Al		
4	0.610 NOM	1219	G60 (180G/M2)	01140117090070400	1,776	10,260	10,320	A359653	17090638	JSW STEEL LIMITED	INDIA	IT1T	25.14	353	326	58	4.5	21.0	1.0	0.8	0.3	5.7		
5	0.610 NOM	1219	G60 (180G/M2)	01140117090070500	1,994	11,410	11,480	A107861	K712330791	TATA	INDIA	IT1T	22.33	406	375	68	3.3	19.6	2.1	1.3	0.3	6.1		
6	0.610 NOM	1219	G60 (180G/M2)	01140117090070600	1,784	10,200	10,260	A107861	K712330791	TATA	INDIA	IT1T	28.02	383	354	64	3.3	19.6	2.1	1.3	0.3	6.1		
7	0.610 NOM	1219	G60 (180G/M2)	01140117090070700	1,970	11,300	11,360	A107983	K712500730	TATA	INDIA	IT1T	26.46	381	354	64	3.5	15.1	1.2	0.7	0.3	5.0		
8	0.610 NOM	1219	G60 (180G/M2)	01140117090070800	2,010	11,510	11,560	A107983	K712500730	TATA	INDIA	IT1T	28.15	356	330	58	3.5	15.1	1.2	0.7	0.3	5.0		
9	0.610 NOM	1219	G60 (180G/M2)	01140117090070900	1,610	9,250	9,310	B359795	17091523	JSW STEEL LIMITED	INDIA	IT1T	21.87	394	365	65	3.3	21.0	1.0	0.8	0.4	4.1		
10	0.610 NOM	1219	G60 (180G/M2)	01140117090071100	1,820	10,480	10,540	B359395	17089462	JSW STEEL LIMITED	INDIA	IT1T	21.06	405	374	68	2.9	18.0	1.3	0.8	0.4	5.4		
11	0.610 NOM	1219	G60 (180G/M2)	01140117090071002	1,298	7,460	7,500	B359795	17091523	JSW STEEL LIMITED	INDIA	IT1T	26.32	392	366	65	3.3	21.0	1.0	0.8	0.4	4.1		
12	0.610 NOM	1219	G60 (180G/M2)	01140117090071202	1,694	9,760	9,800	B359395	17089462	JSW STEEL LIMITED	INDIA	IT1T	31.83	362	336	60	2.9	18.0	1.3	0.8	0.4	5.4		
						122,450	123,120																	
						894,810	899,310																	
						<b>TOTAL</b>																		

**HOA SEN GROUP**  
AS THE MILL



Deputy General Director  
*Meang Van Heng*

