

AM Tubarão
 Bairro Polo Industrial, Av. Brg. Eduardo Gomes, nº 526
 Tubarão, Serra - ES, 29160-904

Mill Certificate Number (Transport ID): 1000118E20
 Date: 02/27/2020

Manufactures on Brazil
 Country of Origin Brazil
 Melted in Brazil

Number Of Coils: 884 Quantity (MT): 19.968,11

Coil	Certificate / Version	Del. Net Weight	PO #	Product Group	Norm/ Spec Type / Grade	Thickness (met)	Width (Met)	Yield Strength MPA	Tensile Strength MPA	Total Elongatio n	Heat #	AL	Mn	Cr	N	S	Ca	Ni	Cu	Nb	Si	P	Mo	B	C	Ti	V
J200356	0021504104/1	23,83	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	303,0	419,0	37,00	2378826	0.0360	0.4530	0.0210	0.00280	0.00420	0.00020	0.0040	0.0080	0.0001	0.0100	0.01400	0.0000	0.00010	0.15450	0.0000	0.0000
J200357	0021504104/1	23,86	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308,0	441,0	33,00	3798692	0.0370	0.4750	0.0220	0.00280	0.00570	0.00020	0.0040	0.0090	0.0001	0.0180	0.01100	0.0000	0.00010	0.16280	0.0010	0.0000
J200358	0021504104/1	23,79	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308,0	441,0	33,00	3798692	0.0370	0.4750	0.0220	0.00280	0.00570	0.00020	0.0040	0.0090	0.0001	0.0180	0.01100	0.0000	0.00010	0.16280	0.0010	0.0000
J200359	0021504104/1	23,77	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	306,0	426,0	36,00	3798692	0.0370	0.4750	0.0220	0.00280	0.00570	0.00020	0.0040	0.0090	0.0001	0.0180	0.01100	0.0000	0.00010	0.16280	0.0010	0.0000
J200360	0021504104/1	23,81	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	322,0	446,0	35,00	3798706	0.0370	0.4880	0.0210	0.00300	0.00450	0.00020	0.0040	0.0080	0.0001	0.0130	0.01600	0.0000	0.00010	0.16150	0.0000	0.0000
J200361	0021504104/1	23,84	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	322,0	446,0	35,00	3798706	0.0370	0.4880	0.0210	0.00300	0.00450	0.00020	0.0040	0.0080	0.0001	0.0130	0.01600	0.0000	0.00010	0.16150	0.0000	0.0000
J200362	0021504104/1	23,98	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308,0	441,0	33,00	3798692	0.0370	0.4750	0.0220	0.00280	0.00570	0.00020	0.0040	0.0090	0.0001	0.0180	0.01100	0.0000	0.00010	0.16280	0.0010	0.0000
J200363	0021504104/1	23,92	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308,0	441,0	33,00	3798692	0.0370	0.4750	0.0220	0.00280	0.00570	0.00020	0.0040	0.0090	0.0001	0.0180	0.01100	0.0000	0.00010	0.16280	0.0010	0.0000
J200369	0021504104/1	23,81	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	322,0	446,0	35,00	3798706	0.0370	0.4880	0.0210	0.00300	0.00450	0.00020	0.0040	0.0080	0.0001	0.0130	0.01600	0.0000	0.00010	0.16150	0.0000	0.0000
J200371	0021504104/1	23,83	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	322,0	446,0	35,00	3798706	0.0370	0.4880	0.0210	0.00300	0.00450	0.00020	0.0040	0.0080	0.0001	0.0130	0.01600	0.0000	0.00010	0.16150	0.0000	0.0000
J200372	0021504104/1	23,76	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	322,0	446,0	35,00	3798706	0.0370	0.4880	0.0210	0.00300	0.00450	0.00020	0.0040	0.0080	0.0001	0.0130	0.01600	0.0000	0.00010	0.16150	0.0000	0.0000
J200848	0021504104/1	23,96	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	305,0	424,0	36,00	3798692	0.0370	0.4750	0.0220	0.00280	0.00570	0.00020	0.0040	0.0090	0.0001	0.0180	0.01100	0.0000	0.00010	0.16280	0.0010	0.0000
J200849	0021504104/1	23,92	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	305,0	424,0	36,00	3798692	0.0370	0.4750	0.0220	0.00280	0.00570	0.00020	0.0040	0.0090	0.0001	0.0180	0.01100	0.0000	0.00010	0.16280	0.0010	0.0000
J200850	0021504104/1	23,97	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	305,0	424,0	36,00	3798692	0.0370	0.4750	0.0220	0.00280	0.00570	0.00020	0.0040	0.0090	0.0001	0.0180	0.01100	0.0000	0.00010	0.16280	0.0010	0.0000
J200851	0021504104/1	23,99	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308,0	427,0	36,00	3798706	0.0370	0.4880	0.0210	0.00300	0.00450	0.00020	0.0040	0.0080	0.0001	0.0130	0.01600	0.0000	0.00010	0.16150	0.0000	0.0000
J200852	0021504104/1	23,9	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	305,0	424,0	36,00	3798692	0.0370	0.4750	0.0220	0.00280	0.00570	0.00020	0.0040	0.0090	0.0001	0.0180	0.01100	0.0000	0.00010	0.16280	0.0010	0.0000
J201093	0021504104/1	23,96	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	305,0	424,0	36,00	3798692	0.0370	0.4750	0.0220	0.00280	0.00570	0.00020	0.0040	0.0090	0.0001	0.0180	0.01100	0.0000	0.00010	0.16280	0.0010	0.0000
J201094	0021504104/1	23,86	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	305,0	424,0	36,00	3798692	0.0370	0.4750	0.0220	0.00280	0.00570	0.00020	0.0040	0.0090	0.0001	0.0180	0.01100	0.0000	0.00010	0.16280	0.0010	0.0000
J201463	0021504104/1	23,85	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	322,0	446,0	35,00	3798706	0.0370	0.4880	0.0210	0.00300	0.00450	0.00020	0.0040	0.0080	0.0001	0.0130	0.01600	0.0000	0.00010	0.16150	0.0000	0.0000
J201733	0021504104/1	23,88	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308,0	441,0	33,00	3798692	0.0370	0.4750	0.0220	0.00280	0.00570	0.00020	0.0040	0.0090	0.0001	0.0180	0.01100	0.0000	0.00010	0.16280	0.0010	0.0000
J203231	0021504104/1	23,91	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308,0	441,0	33,00	3798692	0.0370	0.4750	0.0220	0.00280	0.00570	0.00020	0.0040	0.0090	0.0001	0.0180	0.01100	0.0000	0.00010	0.16280	0.0010	0.0000
J202947	0021504105/1	23,82	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	324,0	466,0	33,00	2379564	0.0400	0.7200	0.0270	0.00330	0.00730	0.00020	0.0040	0.0080	0.0001	0.0110	0.02100	0.0000	0.00010	0.19380	0.0000	0.0000
J202948	0021504105/1	22,5	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	324,0	466,0	33,00	2379564	0.0400	0.7200	0.0270	0.00330	0.00730	0.00020	0.0040	0.0080	0.0001	0.0110	0.02100	0.0000	0.00010	0.19380	0.0000	0.0000
J202949	0021504105/1	23,8	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	324,0	466,0	33,00	2379564	0.0400	0.7200	0.0270	0.00330	0.00730	0.00020	0.0040	0.0080	0.0001	0.0110	0.02100	0.0000	0.00010	0.19380	0.0000	0.0000
J202950	0021504105/1	22,63	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	324,0	466,0	33,00	2379564	0.0400	0.7200	0.0270	0.00330	0.00730	0.00020	0.0040	0.0080	0.0001	0.0110	0.02100	0.0000	0.00010	0.19380	0.0000	0.0000
J202951	0021504105/1	22,53	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	324,0	466,0	33,00	2379564	0.0400	0.7200	0.0270	0.00330	0.00730	0.00020	0.0040	0.0080	0.0001	0.0110	0.02100	0.0000	0.00010	0.19380	0.0000	0.0000
J202960	0021504105/1	19,91	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	324,0	466,0	33,00	2379564	0.0400	0.7200	0.0270	0.00330	0.00730	0.00020	0.0040	0.0080	0.0001	0.0110	0.02100	0.0000	0.00010	0.19380	0.0000	0.0000
J202961	0021504105/1	19,98	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	326,0	468,0	33,00	2379564	0.0400	0.7200	0.0270	0.00330	0.00730	0.00020	0.0040	0.0080	0.0001	0.0110	0.02100	0.0000	0.00010	0.19380	0.0000	0.0000
J202962	0021504105/1	19,94	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	326,0	468,0	33,00	2379564	0.0400	0.7200	0.0270	0.00330	0.00730	0.00020	0.0040	0.0080	0.0001	0.0110	0.02100	0.0000	0.00010	0.19380	0.0000	0.0000
J205401	0021504105/1	23,86	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	346,0	505,0	30,00	3800052	0.0350	0.7200	0.0290	0.00320	0.00420	0.00000	0.0040	0.0070	0.0000	0.0090	0.02000	0.0010	0.00000	0.18550	0.0000	0.0000
J205402	0021504105/1	23,85	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	346,0	505,0	30,00	3800052	0.0350	0.7200	0.0290	0.00320	0.00420	0.00000	0.0040	0.0070	0.0000	0.0090	0.02000	0.0010	0.00000	0.18550	0.0000	0.0000
J205403	0021504105/1	23,93	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	346,0	505,0	30,00	3800052	0.0350	0.7200	0.0290	0.00320	0.00420	0.00000	0.0040	0.0070	0.0000	0.0090	0.02000	0.0010	0.00000	0.18550	0.0000	0.0000
J205422	0021504105/1	23,48	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	325,0	467,0	33,00	3800052	0.0350	0.7200	0.0290	0.00320	0.00420	0.00000	0.0040	0.0070	0.0000	0.0090	0.02000	0.0010	0.00000	0.18550	0.0000	0.0000
J205423	0021504105/1	23,99	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	325,0	467,0	33,00	3800052	0.0350	0.7200	0.0290	0.00320	0.00420	0.00000	0.0040	0.0070	0.0000	0.0090	0.02000	0.0010	0.00000	0.18550	0.0000	0.0000
J205424	0021504105/1	23,99	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	325,0	467,0	33,00	3800052	0.0350	0.7200	0.0290	0.00320	0.00420	0.00000	0.0040	0.0070	0.0000	0.0090	0.02000	0.0010	0.00000	0.18550	0.0000	0.0000
J205425	0021504105/1	23,97	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	325,0	467,0	33,00	3800052	0.0350	0.7200	0.0290	0.00320	0.00420	0.00000	0.0040	0.0070	0.0000	0.0090	0.02000	0.0010	0.00000	0.18550	0.0000	0.0000
J205446	0021504105/1	23,91	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	346,0	505,0	30,00	3800052	0.0350	0.7200	0.0290	0.00320	0.00420	0.00000	0.0040	0.0070	0.0000	0.0090	0.02000	0.0010	0.00000	0.18550	0.0000	0.0000
J205447	0021504105/1	23,81	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	325,0	464,0	34,00	3800052	0.0350	0.72														

Coil	Certificate / Version	Del. Net Weight	PO #	Product Group	Norm/ Spec Type / Grade	Thickness (met)	Width (Met)	Yield Strength MPA	Tensile Strength MPA	Total Elongatio n	Heat #	AL	Mn	Cr	N	S	Ca	Ni	Cu	Nb	SI	P	Mo	B	C	Ti	V
J202953	0021526282/1	23.81	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	317.0	475.0	34.00	2379551	0.0380	0.7200	0.0180	0.00270	0.00440	0.00000	0.0050	0.0080	0.0000	0.0110	0.01600	0.0000	0.00010	0.19480	0.0000	0.0000
J202954	0021526282/1	23,8	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	317.0	475.0	34.00	2379551	0.0380	0.7200	0.0180	0.00270	0.00440	0.00000	0.0050	0.0080	0.0000	0.0110	0.01600	0.0000	0.00010	0.19480	0.0000	0.0000
J202955	0021526282/1	23,74	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	327.0	481.0	34.00	2379564	0.0400	0.7200	0.0270	0.00330	0.00730	0.00020	0.0040	0.0080	0.0001	0.0110	0.02100	0.0000	0.00010	0.19380	0.0000	0.0000
J202956	0021526282/1	23,76	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	327.0	481.0	34.00	2379564	0.0400	0.7200	0.0270	0.00330	0.00730	0.00020	0.0040	0.0080	0.0001	0.0110	0.02100	0.0000	0.00010	0.19380	0.0000	0.0000
J202957	0021526282/1	23,78	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	327.0	481.0	34.00	2379564	0.0400	0.7200	0.0270	0.00330	0.00730	0.00020	0.0040	0.0080	0.0001	0.0110	0.02100	0.0000	0.00010	0.19380	0.0000	0.0000
J205720	0021526282/1	23,58	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	317.0	475.0	34.00	2379551	0.0380	0.7200	0.0180	0.00270	0.00440	0.00000	0.0050	0.0080	0.0000	0.0110	0.01600	0.0000	0.00010	0.19480	0.0000	0.0000
J205725	0021526282/1	23,87	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	317.0	475.0	34.00	2379551	0.0380	0.7200	0.0180	0.00270	0.00440	0.00000	0.0050	0.0080	0.0000	0.0110	0.01600	0.0000	0.00010	0.19480	0.0000	0.0000
J208852	0021526282/1	20,71	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	325.0	508.0	30.00	2373137	0.0470	0.5900	0.0260	0.00390	0.00870	0.00000	0.0040	0.0070	0.0000	0.1210	0.01600	0.0010	0.00040	0.20090	0.0000	0.0000
J202937	0021526283/1	23,76	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	310.0	478.0	35.00	2379551	0.0380	0.7200	0.0180	0.00270	0.00440	0.00000	0.0050	0.0080	0.0000	0.0110	0.01600	0.0000	0.00010	0.19480	0.0000	0.0000
J202938	0021526283/1	23,77	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	310.0	478.0	35.00	2379551	0.0380	0.7200	0.0180	0.00270	0.00440	0.00000	0.0050	0.0080	0.0000	0.0110	0.01600	0.0000	0.00010	0.19480	0.0000	0.0000
J202939	0021526283/1	23,78	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	310.0	478.0	35.00	2379551	0.0380	0.7200	0.0180	0.00270	0.00440	0.00000	0.0050	0.0080	0.0000	0.0110	0.01600	0.0000	0.00010	0.19480	0.0000	0.0000
J202940	0021526283/1	23,8	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	310.0	478.0	35.00	2379551	0.0380	0.7200	0.0180	0.00270	0.00440	0.00000	0.0050	0.0080	0.0000	0.0110	0.01600	0.0000	0.00010	0.19480	0.0000	0.0000
J202941	0021526283/1	23,77	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	310.0	478.0	35.00	2379551	0.0380	0.7200	0.0180	0.00270	0.00440	0.00000	0.0050	0.0080	0.0000	0.0110	0.01600	0.0000	0.00010	0.19480	0.0000	0.0000
J205539	0021526283/1	23,88	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	306.0	471.0	36.00	1396339	0.0340	0.7200	0.0240	0.00170	0.00500	0.00000	0.0040	0.0080	0.0000	0.0130	0.01800	0.0000	0.00000	0.18940	0.0000	0.0000
J205540	0021526283/1	23,82	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	306.0	471.0	36.00	1396339	0.0340	0.7200	0.0240	0.00170	0.00500	0.00000	0.0040	0.0080	0.0000	0.0130	0.01800	0.0000	0.00000	0.18940	0.0000	0.0000
J205541	0021526283/1	23,74	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	306.0	471.0	36.00	1396339	0.0340	0.7200	0.0240	0.00170	0.00500	0.00000	0.0040	0.0080	0.0000	0.0130	0.01800	0.0000	0.00000	0.18940	0.0000	0.0000
J205542	0021526283/1	23,87	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	306.0	471.0	36.00	1396339	0.0340	0.7200	0.0240	0.00170	0.00500	0.00000	0.0040	0.0080	0.0000	0.0130	0.01800	0.0000	0.00000	0.18940	0.0000	0.0000
J205799	0021526283/1	23,95	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	306.0	471.0	36.00	1396339	0.0340	0.7200	0.0240	0.00170	0.00500	0.00000	0.0040	0.0080	0.0000	0.0130	0.01800	0.0000	0.00000	0.18940	0.0000	0.0000
J205899	0021526283/1	20,76	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	321.0	503.0	32.00	2373254	0.0450	0.5700	0.0210	0.00280	0.00560	0.00000	0.0040	0.0060	0.0000	0.1230	0.01600	0.0000	0.00020	0.19820	0.0000	0.0000
J205490	0021526284/1	23,77	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1219				2380313	0.0380	0.3770	0.0190	0.00250	0.00360	0.00010	0.0030	0.0050	0.0000	0.0050	0.01200	0.0000	0.00010	0.06970	0.0000	0.0000
J206942	0021526284/1	18,73	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1219				2380717	0.0380	0.3430	0.0150	0.00260	0.00460	0.00010	0.0040	0.0080	0.0000	0.0110	0.01300	0.0000	0.00020	0.07530	0.0000	0.0000
J206943	0021526284/1	19,41	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1219				2380717	0.0380	0.3430	0.0150	0.00260	0.00460	0.00010	0.0040	0.0080	0.0000	0.0110	0.01300	0.0000	0.00020	0.07530	0.0000	0.0000
J207994	0021526284/1	24,03	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1219				2380717	0.0380	0.3430	0.0150	0.00260	0.00460	0.00010	0.0040	0.0080	0.0000	0.0110	0.01300	0.0000	0.00020	0.07530	0.0000	0.0000
J207995	0021526284/1	23,19	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1219				2380717	0.0380	0.3430	0.0150	0.00260	0.00460	0.00010	0.0040	0.0080	0.0000	0.0110	0.01300	0.0000	0.00020	0.07530	0.0000	0.0000
J207996	0021526284/1	19,84	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1219				2380717	0.0380	0.3430	0.0150	0.00260	0.00460	0.00010	0.0040	0.0080	0.0000	0.0110	0.01300	0.0000	0.00020	0.07530	0.0000	0.0000
J208226	0021526284/1	23,84	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1219				2380717	0.0380	0.3430	0.0150	0.00260	0.00460	0.00010	0.0040	0.0080	0.0000	0.0110	0.01300	0.0000	0.00020	0.07530	0.0000	0.0000
J208227	0021526284/1	17,86	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1219				2380717	0.0380	0.3430	0.0150	0.00260	0.00460	0.00010	0.0040	0.0080	0.0000	0.0110	0.01300	0.0000	0.00020	0.07530	0.0000	0.0000
J208228	0021526284/1	19,8	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1219				2380717	0.0380	0.3430	0.0150	0.00260	0.00460	0.00010	0.0040	0.0080	0.0000	0.0110	0.01300	0.0000	0.00020	0.07530	0.0000	0.0000
J208233	0021526284/1	23,38	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1219				1396746	0.0350	0.3380	0.0140	0.00270	0.00400	0.00020	0.0040	0.0060	0.0000	0.0020	0.01400	0.0000	0.00020	0.07720	0.0000	0.0000
J208752	0021526284/1	18,33	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1219				3799082	0.0380	0.3490	0.0230	0.00100	0.00570	0.00010	0.0030	0.0060	0.0000	0.0060	0.01600	0.0000	0.00010	0.07410	0.0000	0.0000
J209335	0021526284/1	16,63	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1219				2380717	0.0380	0.3430	0.0150	0.00260	0.00460	0.00010	0.0040	0.0080	0.0000	0.0110	0.01300	0.0000	0.00020	0.07530	0.0000	0.0000
J206617	0021526285/1	23,79	AMMEX-AMT-001	HR	SAE J403 1008	3,04	1219				1396720	0.0420	0.3540	0.0140	0.00310	0.00450	0.00000	0.0030	0.0060	0.0000	0.0090	0.01200	0.0000	0.00020	0.07030	0.0000	0.0000
J206618	0021526285/1	23,85	AMMEX-AMT-001	HR	SAE J403 1008	3,04	1219				2380690	0.0320	0.3430	0.0130	0.00390	0.00470	0.00020	0.0040	0.0050	0.0000	0.0030	0.01200	0.0000	0.00020	0.06970	0.0000	0.0000
J206619	0021526285/1	23,99	AMMEX-AMT-001	HR	SAE J403 1008	3,04	1219				1396720	0.0420	0.3540	0.0140	0.00310	0.00450	0.00000	0.0030	0.0060	0.0000	0.0090	0.01200	0.0000	0.00020	0.07030	0.0000	0.0000
J207599	0021526285/1	23,45	AMMEX-AMT-001	HR	SAE J403 1008	3,04	1219				3800124	0.0330	0.3590	0.0220	0.00280	0.00470	0.00010	0.0050	0.0090	0.0000	0.0090	0.01800	0.0010	0.00010	0.07110	0.0000	0.0000
J109087	0021526286/1	15,69	AMMEX-AMT-001	HR	SAE J403 1008	3,42	1219				2377335	0.0440	0.3470	0.0130	0.00550	0.00490	0.00010	0.0040	0.0070	0.0000	0.0040	0.01100	0.0000	0.00020	0.07160	0.0000	0.0000
J204201	0021526286/1	15,62	AMMEX-AMT-001	HR	SAE J403 1008	3,42	1219				2377335	0.0440	0.3470	0.0130	0.00550	0.00490	0.00010	0.0040	0.0070	0.0000	0.0040	0.01100	0.0000	0.00020	0.07160	0.0000	0.0000
J206914	0021526286/1	23,89	AMMEX-AMT-001	HR	SAE J403 1008	3,42	1219				3800401	0.0370	0.3480	0.0220	0.00230	0.00470	0.00010	0.0040	0.0060	0.0000	0.0060	0.01400	0.0000	0.00020	0.07160	0.0000	0.0000
J206978	0021526286/1	23,9	AMMEX-AMT-001	HR	SAE J403 1008	3,42	1219				3800414	0.0350	0.3450	0.0160	0.00310	0.00450	0.00000	0.0030	0.0050	0.0000	0.0060	0.01200	0.0000	0.00020	0.06630	0.0000	0.0000
J207171	0021526286/1	23,69	AMMEX																								

Coil	Certificate / Version	Del. Net Weight	PO #	Product Group	Norm/ Spec Type / Grade	Thickness (met)	Width (Met)	Yield Strength MPA	Tensile Strength MPA	Total Elongatio n	Heat #	AL	Mn	Cr	N	S	Ca	Ni	Cu	Nb	Si	P	Mo	B	C	Ti	V
J205727	0021526288/1	17.24	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	320.0	466.0	33.00	3799167	0.0420	0.7000	0.0160	0.00230	0.00590	0.00000	0.0050	0.0080	0.0000	0.0110	0.01600	0.0000	0.00000	0.20370	0.0000	0.0000
J208842	0021526288/1	20.89	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	319.0	467.0	34.00	2373182	0.0440	0.5700	0.0250	0.00200	0.00670	0.00000	0.0040	0.0070	0.0000	0.1150	0.02000	0.0000	0.00020	0.19340	0.0000	0.0000
J205438	0021526289/1	23.83	AMMEX-AMT-001	HR	ASTM A36	7,93	1219	318.0	469.0	34.00	2380339	0.0370	0.7200	0.0210	0.00260	0.00580	0.00000	0.0040	0.0070	0.0000	0.0140	0.01600	0.0000	0.00000	0.19690	0.0000	0.0000
J205439	0021526289/1	23.8	AMMEX-AMT-001	HR	ASTM A36	7,93	1219	318.0	470.0	34.00	2380339	0.0370	0.7200	0.0210	0.00260	0.00580	0.00000	0.0040	0.0070	0.0000	0.0140	0.01600	0.0000	0.00000	0.19690	0.0000	0.0000
J205440	0021526289/1	23.79	AMMEX-AMT-001	HR	ASTM A36	7,93	1219	318.0	469.0	34.00	2380339	0.0370	0.7200	0.0210	0.00260	0.00580	0.00000	0.0040	0.0070	0.0000	0.0140	0.01600	0.0000	0.00000	0.19690	0.0000	0.0000
J205552	0021526289/1	23.83	AMMEX-AMT-001	HR	ASTM A36	7,93	1219	300.0	495.0	32.00	1396339	0.0340	0.7200	0.0240	0.00170	0.00500	0.00000	0.0040	0.0080	0.0000	0.0130	0.01800	0.0000	0.00000	0.18940	0.0000	0.0000
J205553	0021526289/1	23.97	AMMEX-AMT-001	HR	ASTM A36	7,93	1219	300.0	495.0	32.00	1396339	0.0340	0.7200	0.0240	0.00170	0.00500	0.00000	0.0040	0.0080	0.0000	0.0130	0.01800	0.0000	0.00000	0.18940	0.0000	0.0000
J205554	0021526289/1	23.97	AMMEX-AMT-001	HR	ASTM A36	7,93	1219	300.0	495.0	32.00	1396339	0.0340	0.7200	0.0240	0.00170	0.00500	0.00000	0.0040	0.0080	0.0000	0.0130	0.01800	0.0000	0.00000	0.18940	0.0000	0.0000
J205555	0021526289/1	23.99	AMMEX-AMT-001	HR	ASTM A36	7,93	1219	300.0	495.0	32.00	1396339	0.0340	0.7200	0.0240	0.00170	0.00500	0.00000	0.0040	0.0080	0.0000	0.0130	0.01800	0.0000	0.00000	0.18940	0.0000	0.0000
J205556	0021526289/1	23.97	AMMEX-AMT-001	HR	ASTM A36	7,93	1219	300.0	495.0	32.00	1396339	0.0340	0.7200	0.0240	0.00170	0.00500	0.00000	0.0040	0.0080	0.0000	0.0130	0.01800	0.0000	0.00000	0.18940	0.0000	0.0000
J205288	0021526290/1	23.86	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	315.0	475.0	34.00	1396313	0.0370	0.7300	0.0210	0.00140	0.00470	0.00000	0.0040	0.0070	0.0000	0.0130	0.01900	0.0000	0.00000	0.19930	0.0000	0.0000
J205406	0021526290/1	23.87	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	314.0	511.0	32.00	2380339	0.0370	0.7200	0.0210	0.00260	0.00580	0.00000	0.0040	0.0070	0.0000	0.0140	0.01600	0.0000	0.00000	0.19690	0.0000	0.0000
J205435	0021526290/1	23.92	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	314.0	511.0	32.00	2380339	0.0370	0.7200	0.0210	0.00260	0.00580	0.00000	0.0040	0.0070	0.0000	0.0140	0.01600	0.0000	0.00000	0.19690	0.0000	0.0000
J205436	0021526290/1	23.9	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	314.0	511.0	32.00	2380339	0.0370	0.7200	0.0210	0.00260	0.00580	0.00000	0.0040	0.0070	0.0000	0.0140	0.01600	0.0000	0.00000	0.19690	0.0000	0.0000
J205437	0021526290/1	23.94	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	314.0	511.0	32.00	2380339	0.0370	0.7200	0.0210	0.00260	0.00580	0.00000	0.0040	0.0070	0.0000	0.0140	0.01600	0.0000	0.00000	0.19690	0.0000	0.0000
J205549	0021526290/1	23.97	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	320.0	477.0	34.00	1396339	0.0340	0.7200	0.0240	0.00170	0.00500	0.00000	0.0040	0.0080	0.0000	0.0130	0.01800	0.0000	0.00000	0.18940	0.0000	0.0000
J205550	0021526290/1	23.96	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	320.0	477.0	34.00	1396339	0.0340	0.7200	0.0240	0.00170	0.00500	0.00000	0.0040	0.0080	0.0000	0.0130	0.01800	0.0000	0.00000	0.18940	0.0000	0.0000
J207887	0021526290/1	20.73	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	342.0	537.0	30.00	2372877	0.0500	0.5800	0.0320	0.00250	0.00660	0.00010	0.0050	0.0090	0.0000	0.1230	0.01900	0.0010	0.00020	0.18500	0.0000	0.0000
J106205	0021526291/1	24.01	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	374.0	473.0	33.00	1392261	0.0280	0.8500	0.0180	0.00340	0.00520	0.00010	0.0060	0.0100	0.0132	0.0100	0.01600	0.0010	0.00000	0.14840	0.0000	0.0000
J106206	0021526291/1	23.93	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	381.0	510.0	27.00	1392261	0.0280	0.8500	0.0180	0.00340	0.00520	0.00010	0.0060	0.0100	0.0132	0.0100	0.01600	0.0010	0.00000	0.14840	0.0000	0.0000
J106207	0021526291/1	23.74	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	374.0	473.0	33.00	1392261	0.0280	0.8500	0.0180	0.00340	0.00520	0.00010	0.0060	0.0100	0.0132	0.0100	0.01600	0.0010	0.00000	0.14840	0.0000	0.0000
J106228	0021526291/1	23.94	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	381.0	510.0	27.00	1392261	0.0280	0.8500	0.0180	0.00340	0.00520	0.00010	0.0060	0.0100	0.0132	0.0100	0.01600	0.0010	0.00000	0.14840	0.0000	0.0000
J106229	0021526291/1	23.99	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	381.0	510.0	27.00	1392261	0.0280	0.8500	0.0180	0.00340	0.00520	0.00010	0.0060	0.0100	0.0132	0.0100	0.01600	0.0010	0.00000	0.14840	0.0000	0.0000
J106230	0021526291/1	24	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	381.0	510.0	27.00	1392261	0.0280	0.8500	0.0180	0.00340	0.00520	0.00010	0.0060	0.0100	0.0132	0.0100	0.01600	0.0010	0.00000	0.14840	0.0000	0.0000
J106231	0021526291/1	24.14	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	374.0	473.0	33.00	1392261	0.0280	0.8500	0.0180	0.00340	0.00520	0.00010	0.0060	0.0100	0.0132	0.0100	0.01600	0.0010	0.00000	0.14840	0.0000	0.0000
J106232	0021526291/1	24	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	374.0	473.0	33.00	1392261	0.0280	0.8500	0.0180	0.00340	0.00520	0.00010	0.0060	0.0100	0.0132	0.0100	0.01600	0.0010	0.00000	0.14840	0.0000	0.0000
J106233	0021526291/1	24	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	374.0	473.0	33.00	1392261	0.0280	0.8500	0.0180	0.00340	0.00520	0.00010	0.0060	0.0100	0.0132	0.0100	0.01600	0.0010	0.00000	0.14840	0.0000	0.0000
J107468	0021526291/1	23.98	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	388.0	471.0	30.00	1392274	0.0280	0.8500	0.0150	0.00270	0.00490	0.00000	0.0060	0.0090	0.0135	0.0110	0.01200	0.0020	0.00000	0.13080	0.0000	0.0000
J107470	0021526291/1	24	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	364.0	478.0	29.00	1392287	0.0260	0.8600	0.0160	0.00230	0.00650	0.00000	0.0060	0.0090	0.0126	0.0070	0.01500	0.0010	0.00000	0.12910	0.0000	0.0000
J107472	0021526291/1	23.97	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	381.0	510.0	27.00	1392261	0.0280	0.8500	0.0180	0.00340	0.00520	0.00010	0.0060	0.0100	0.0132	0.0100	0.01600	0.0010	0.00000	0.14840	0.0000	0.0000
J107473	0021526291/1	23.97	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	381.0	510.0	27.00	1392261	0.0280	0.8500	0.0180	0.00340	0.00520	0.00010	0.0060	0.0100	0.0132	0.0100	0.01600	0.0010	0.00000	0.14840	0.0000	0.0000
J107474	0021526291/1	24	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	374.0	473.0	33.00	1392261	0.0280	0.8500	0.0180	0.00340	0.00520	0.00010	0.0060	0.0100	0.0132	0.0100	0.01600	0.0010	0.00000	0.14840	0.0000	0.0000
J107478	0021526291/1	23.97	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	392.0	486.0	32.00	3796027	0.0320	0.8900	0.0230	0.00560	0.00520	0.00000	0.0060	0.0120	0.0145	0.0200	0.01700	0.0010	0.00000	0.14080	0.0000	0.0000
J107479	0021526291/1	23.97	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	392.0	486.0	32.00	3796027	0.0320	0.8900	0.0230	0.00560	0.00520	0.00000	0.0060	0.0120	0.0145	0.0200	0.01700	0.0010	0.00000	0.14080	0.0000	0.0000
J202701	0021526292/1	23.5	AMMEX-AMT-001	HR	ASTM A572-50	12,7	1219	367.0	528.0	30.00	3799343	0.0340	0.9800	0.0200	0.00400	0.00620	0.00000	0.0050	0.0080	0.0237	0.0150	0.01600	0.0010	0.00000	0.13450	0.0000	0.0000
J202702	0021526292/1	23.56	AMMEX-AMT-001	HR	ASTM A572-50	12,7	1219	390.0	559.0	26.00	1395646	0.0330	0.9900	0.0220	0.00320	0.00500	0.00000	0.0050	0.0070	0.0240	0.0120	0.02000	0.0000	0.00000	0.14230	0.0000	0.0000
J202703	0021526292/1	23.42	AMMEX-AMT-001	HR	ASTM A572-50	12,7	1219	384.0	542.0	33.00	1395646	0.0330	0.9900	0.0220	0.00320	0.00500	0.00000	0.0050	0.0070	0.0240	0.0120	0.02000	0.0000	0.00000	0.14230	0.0000	0.0000
J202704	0021526292/1	23.42	AMMEX-AMT-001	HR	ASTM A572-50	12,7	1219	390.0	559.0	26.00	1395646	0.0330	0.9900	0.0220	0.00320	0.00500	0.00000	0.0050	0.0070	0.0240	0.0120	0.02000	0.0000	0.00000	0.14230	0.0000	0.0000
J202705	0021526292/1	23.49	AM																								

Coil	Certificate / Version	Del. Net Weight	PO #	Product Group	Norm/ Spec Type / Grade	Thickness (met)	Width (Met)	Yield Strength MPA	Tensile Strength MPA	Total Elongatio n	Heat #	AL	Mn	Cr	N	S	Ca	Ni	Cu	Nb	SI	P	Mo	B	C	Ti	V
J205444	0021526294/1	24,01	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	319.0	468.0	33.00	1396313	0.0370	0.7300	0.0210	0.00140	0.00470	0.00000	0.0040	0.0070	0.0000	0.0130	0.01900	0.0000	0.00000	0.19930	0.0000	0.0000
J205445	0021526294/1	24,01	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	312.0	508.0	30.00	1396300	0.0350	0.7300	0.0240	0.00260	0.00490	0.00000	0.0050	0.0080	0.0000	0.0100	0.01900	0.0000	0.00010	0.18880	0.0000	0.0000
J206897	0021526294/1	20,82	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	316.0	464.0	34.00	2373195	0.0370	0.5600	0.0210	0.00330	0.00650	0.00000	0.0040	0.0070	0.0000	0.1040	0.01400	0.0000	0.00020	0.19580	0.0000	0.0000
J207883	0021526294/1	20,78	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	316.0	464.0	34.00	2373195	0.0370	0.5600	0.0210	0.00330	0.00650	0.00000	0.0040	0.0070	0.0000	0.1040	0.01400	0.0000	0.00020	0.19580	0.0000	0.0000
J205287	0021526295/1	23,88	AMMEX-AMT-001	HR	ASTM A36	7,93	1219	317.0	471.0	34.00	1396313	0.0370	0.7300	0.0210	0.00140	0.00470	0.00000	0.0040	0.0070	0.0000	0.0130	0.01900	0.0000	0.00000	0.19930	0.0000	0.0000
J208185	0021526295/1	20,76	AMMEX-AMT-001	HR	ASTM A36	7,93	1219	269.0	480.0	38.00	2373195	0.0370	0.5600	0.0210	0.00330	0.00650	0.00000	0.0040	0.0070	0.0000	0.1040	0.01400	0.0000	0.00020	0.19580	0.0000	0.0000
J205289	0021526296/1	23,99	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	321.0	475.0	34.00	1396296	0.0330	0.7300	0.0210	0.00210	0.00490	0.00000	0.0040	0.0070	0.0000	0.0100	0.01700	0.0000	0.00010	0.18600	0.0000	0.0000
J205290	0021526296/1	24	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	321.0	475.0	34.00	1396296	0.0330	0.7300	0.0210	0.00210	0.00490	0.00000	0.0040	0.0070	0.0000	0.0100	0.01700	0.0000	0.00010	0.18600	0.0000	0.0000
J205291	0021526296/1	24,02	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	321.0	475.0	34.00	1396296	0.0330	0.7300	0.0210	0.00210	0.00490	0.00000	0.0040	0.0070	0.0000	0.0100	0.01700	0.0000	0.00010	0.18600	0.0000	0.0000
J205292	0021526296/1	23,98	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	315.0	468.0	35.00	1396296	0.0330	0.7300	0.0210	0.00210	0.00490	0.00000	0.0040	0.0070	0.0000	0.0100	0.01700	0.0000	0.00010	0.18600	0.0000	0.0000
J205293	0021526296/1	23,93	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	321.0	475.0	34.00	1396296	0.0330	0.7300	0.0210	0.00210	0.00490	0.00000	0.0040	0.0070	0.0000	0.0100	0.01700	0.0000	0.00010	0.18600	0.0000	0.0000
J205421	0021526296/1	23,94	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	318.0	474.0	34.00	1396283	0.0320	0.7200	0.0220	0.00150	0.00540	0.00000	0.0040	0.0080	0.0000	0.0120	0.01600	0.0000	0.00010	0.19180	0.0000	0.0000
J205434	0021526296/1	23,9	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	318.0	474.0	34.00	1396283	0.0320	0.7200	0.0220	0.00150	0.00540	0.00000	0.0040	0.0080	0.0000	0.0120	0.01600	0.0000	0.00010	0.19180	0.0000	0.0000
J205408	0021526297/1	23,89	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	307.0	468.0	36.00	1396300	0.0350	0.7300	0.0240	0.00260	0.00490	0.00000	0.0050	0.0080	0.0000	0.0100	0.01900	0.0000	0.00010	0.18880	0.0000	0.0000
J205409	0021526297/1	23,84	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	307.0	468.0	36.00	1396300	0.0350	0.7300	0.0240	0.00260	0.00490	0.00000	0.0050	0.0080	0.0000	0.0100	0.01900	0.0000	0.00010	0.18880	0.0000	0.0000
J205410	0021526297/1	23,89	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	307.0	468.0	36.00	1396300	0.0350	0.7300	0.0240	0.00260	0.00490	0.00000	0.0050	0.0080	0.0000	0.0100	0.01900	0.0000	0.00010	0.18880	0.0000	0.0000
J205428	0021526297/1	23,92	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	299.0	498.0	35.00	1396313	0.0370	0.7300	0.0210	0.00140	0.00470	0.00000	0.0040	0.0070	0.0000	0.0130	0.01900	0.0000	0.00000	0.19930	0.0000	0.0000
J205429	0021526297/1	23,83	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	299.0	498.0	35.00	1396313	0.0370	0.7300	0.0210	0.00140	0.00470	0.00000	0.0040	0.0070	0.0000	0.0130	0.01900	0.0000	0.00000	0.19930	0.0000	0.0000
J205430	0021526297/1	23,99	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	299.0	498.0	35.00	1396313	0.0370	0.7300	0.0210	0.00140	0.00470	0.00000	0.0040	0.0070	0.0000	0.0130	0.01900	0.0000	0.00000	0.19930	0.0000	0.0000
J205431	0021526297/1	23,98	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	299.0	498.0	35.00	1396313	0.0370	0.7300	0.0210	0.00140	0.00470	0.00000	0.0040	0.0070	0.0000	0.0130	0.01900	0.0000	0.00000	0.19930	0.0000	0.0000
J205432	0021526297/1	23,98	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	299.0	498.0	35.00	1396313	0.0370	0.7300	0.0210	0.00140	0.00470	0.00000	0.0040	0.0070	0.0000	0.0130	0.01900	0.0000	0.00000	0.19930	0.0000	0.0000
J205407	0021526298/1	23,83	AMMEX-AMT-001	HR	ASTM A36	15,87	1219	293.0	462.0	38.00	1396296	0.0330	0.7300	0.0210	0.00210	0.00490	0.00000	0.0040	0.0070	0.0000	0.0100	0.01700	0.0000	0.00010	0.18600	0.0000	0.0000
J205416	0021526298/1	24,01	AMMEX-AMT-001	HR	ASTM A36	15,87	1219	301.0	471.0	38.00	1396300	0.0350	0.7300	0.0240	0.00260	0.00490	0.00000	0.0050	0.0080	0.0000	0.0100	0.01900	0.0000	0.00010	0.18880	0.0000	0.0000
J205417	0021526298/1	23,98	AMMEX-AMT-001	HR	ASTM A36	15,87	1219	301.0	471.0	38.00	1396300	0.0350	0.7300	0.0240	0.00260	0.00490	0.00000	0.0050	0.0080	0.0000	0.0100	0.01900	0.0000	0.00010	0.18880	0.0000	0.0000
J205544	0021526298/1	23,97	AMMEX-AMT-001	HR	ASTM A36	15,87	1219	301.0	471.0	38.00	1396300	0.0350	0.7300	0.0240	0.00260	0.00490	0.00000	0.0050	0.0080	0.0000	0.0100	0.01900	0.0000	0.00010	0.18880	0.0000	0.0000
J205111	0021526299/1	24	AMMEX-AMT-001	HR	ASTM A36	19	1219	286.0	465.0	40.00	1396283	0.0320	0.7200	0.0220	0.00150	0.00540	0.00000	0.0040	0.0080	0.0000	0.0120	0.01600	0.0000	0.00010	0.19180	0.0000	0.0000
J205112	0021526299/1	23,93	AMMEX-AMT-001	HR	ASTM A36	19	1219	286.0	465.0	40.00	1396283	0.0320	0.7200	0.0220	0.00150	0.00540	0.00000	0.0040	0.0080	0.0000	0.0120	0.01600	0.0000	0.00010	0.19180	0.0000	0.0000
J205412	0021526299/1	23,95	AMMEX-AMT-001	HR	ASTM A36	19	1219	282.0	456.0	40.00	1396270	0.0320	0.7400	0.0290	0.00220	0.00560	0.00000	0.0040	0.0080	0.0000	0.0110	0.01500	0.0000	0.00010	0.18800	0.0000	0.0000
J207458	0021526299/1	23,73	AMMEX-AMT-001	HR	ASTM A36	19	1219	286.0	465.0	40.00	1396283	0.0320	0.7200	0.0220	0.00150	0.00540	0.00000	0.0040	0.0080	0.0000	0.0120	0.01600	0.0000	0.00010	0.19180	0.0000	0.0000
J206944	0021526300/1	23,46	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1219				2380717	0.0380	0.3430	0.0150	0.00260	0.00460	0.00010	0.0040	0.0080	0.0000	0.0110	0.01300	0.0000	0.00020	0.07530	0.0000	0.0000
J206945	0021526300/1	23,94	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1219				2380717	0.0380	0.3430	0.0150	0.00260	0.00460	0.00010	0.0040	0.0080	0.0000	0.0110	0.01300	0.0000	0.00020	0.07530	0.0000	0.0000
J206958	0021526300/1	19,36	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1219				2380717	0.0380	0.3430	0.0150	0.00260	0.00460	0.00010	0.0040	0.0080	0.0000	0.0110	0.01300	0.0000	0.00020	0.07530	0.0000	0.0000
J209634	0021526300/1	23,65	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1219				2380717	0.0380	0.3430	0.0150	0.00260	0.00460	0.00010	0.0040	0.0080	0.0000	0.0110	0.01300	0.0000	0.00020	0.07530	0.0000	0.0000
J206466	0021526301/1	23,99	AMMEX-AMT-001	HR	SAE J403 1008	3,42	1219				3800397	0.0320	0.3510	0.0230	0.00250	0.00520	0.00000	0.0030	0.0070	0.0000	0.0080	0.01700	0.0000	0.00020	0.07550	0.0000	0.0000
J206467	0021526301/1	23,91	AMMEX-AMT-001	HR	SAE J403 1008	3,42	1219				3800397	0.0320	0.3510	0.0230	0.00250	0.00520	0.00000	0.0030	0.0070	0.0000	0.0080	0.01700	0.0000	0.00020	0.07550	0.0000	0.0000
J206468	0021526301/1	23,97	AMMEX-AMT-001	HR	SAE J403 1008	3,42	1219				3800397	0.0320	0.3510	0.0230	0.00250	0.00520	0.00000	0.0030	0.0070	0.0000	0.0080	0.01700	0.0000	0.00020	0.07550	0.0000	0.0000
J206913	0021526301/1	23,88	AMMEX-AMT-001	HR	SAE J403 1008	3,42	1219				3800401	0.0370	0.3480	0.0220	0.00230	0.00470	0.00010	0.0040	0.0060	0.0000	0.0060	0.01400	0.0000	0.00020	0.07160	0.0000	0.0000
J207170	0021526301/1	23,85	AMMEX-AMT-001	HR	SAE J403 1008	3,42	1219				3800401	0.0370	0.3480	0.0220	0.00230	0.00470	0.00010	0.0040	0.0060	0.0000	0.0060	0.01400	0.0000	0.00020	0.07160	0.0000	0.0000
J207290	0021526301/1	23,29	AMMEX-AMT-001	HR	SAE J403 1008	3,42	1219				3800414	0.0350	0.3450	0.0160	0.00310	0.00450	0.00000	0.0030	0.0050	0.0000	0.006						

Coil	Certificate / Version	Del. Net Weight	PO #	Product Group	Norm/ Spec Type / Grade	Thickness (met)	Width (Met)	Yield Strength MPA	Tensile Strength MPA	Total Elongatio n	Heat #	AL	Mn	Cr	N	S	Ca	Ni	Cu	Nb	Si	P	Mo	B	C	Ti	V
J207133	0021526309/1	23,91	AMMEX-AMT-001	HR	ASTM A36	4,74	1219	308.0	425.0	36.00	1396065	0.0360	0.4840	0.0290	0.00250	0.00520	0.00000	0.0040	0.0060	0.0000	0.0140	0.01900	0.0000	0.00010	0.15570	0.0000	0.0000
J207134	0021526309/1	23,86	AMMEX-AMT-001	HR	ASTM A36	4,74	1219	308.0	425.0	36.00	1396065	0.0360	0.4840	0.0290	0.00250	0.00520	0.00000	0.0040	0.0060	0.0000	0.0140	0.01900	0.0000	0.00010	0.15570	0.0000	0.0000
J207197	0021526309/1	23,89	AMMEX-AMT-001	HR	ASTM A36	4,74	1219	308.0	425.0	36.00	1396065	0.0360	0.4840	0.0290	0.00250	0.00520	0.00000	0.0040	0.0060	0.0000	0.0140	0.01900	0.0000	0.00010	0.15570	0.0000	0.0000
J207585	0021526309/1	23,74	AMMEX-AMT-001	HR	ASTM A36	4,74	1219	308.0	425.0	36.00	1396065	0.0360	0.4840	0.0290	0.00250	0.00520	0.00000	0.0040	0.0060	0.0000	0.0140	0.01900	0.0000	0.00010	0.15570	0.0000	0.0000
J205160	0021526310/1	23,9	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	321.0	459.0	34.00	1396267	0.0350	0.7100	0.0270	0.00210	0.00520	0.00000	0.0050	0.0100	0.0000	0.0110	0.02100	0.0010	0.00010	0.19040	0.0000	0.0000
J205168	0021526310/1	23,99	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	321.0	461.0	34.00	1396270	0.0320	0.7400	0.0290	0.00220	0.00560	0.00000	0.0040	0.0080	0.0000	0.0110	0.01500	0.0000	0.00010	0.18800	0.0000	0.0000
J205298	0021526310/1	23,91	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	321.0	461.0	34.00	1396270	0.0320	0.7400	0.0290	0.00220	0.00560	0.00000	0.0040	0.0080	0.0000	0.0110	0.01500	0.0000	0.00010	0.18800	0.0000	0.0000
J205299	0021526310/1	23,95	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	321.0	461.0	34.00	1396270	0.0320	0.7400	0.0290	0.00220	0.00560	0.00000	0.0040	0.0080	0.0000	0.0110	0.01500	0.0000	0.00010	0.18800	0.0000	0.0000
J205300	0021526310/1	23,93	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	321.0	461.0	34.00	1396270	0.0320	0.7400	0.0290	0.00220	0.00560	0.00000	0.0040	0.0080	0.0000	0.0110	0.01500	0.0000	0.00010	0.18800	0.0000	0.0000
J205442	0021526310/1	23,94	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	321.0	461.0	34.00	1396270	0.0320	0.7400	0.0290	0.00220	0.00560	0.00000	0.0040	0.0080	0.0000	0.0110	0.01500	0.0000	0.00010	0.18800	0.0000	0.0000
J205154	0021526311/1	24,03	AMMEX-AMT-001	HR	ASTM A36	7,92	1219	312.0	460.0	35.00	1396283	0.0320	0.7200	0.0220	0.00150	0.00540	0.00000	0.0040	0.0080	0.0000	0.0120	0.01600	0.0000	0.00010	0.19180	0.0000	0.0000
J205155	0021526311/1	23,99	AMMEX-AMT-001	HR	ASTM A36	7,92	1219	312.0	460.0	35.00	1396283	0.0320	0.7200	0.0220	0.00150	0.00540	0.00000	0.0040	0.0080	0.0000	0.0120	0.01600	0.0000	0.00010	0.19180	0.0000	0.0000
J205119	0021526312/1	23,97	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	326.0	480.0	34.00	3799965	0.0370	0.7200	0.0140	0.00690	0.00660	0.00000	0.0060	0.0100	0.0000	0.0160	0.01500	0.0010	0.00010	0.18960	0.0000	0.0000
J205140	0021526312/1	23,92	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	326.0	480.0	34.00	3799965	0.0370	0.7200	0.0140	0.00690	0.00660	0.00000	0.0060	0.0100	0.0000	0.0160	0.01500	0.0010	0.00010	0.18960	0.0000	0.0000
J205141	0021526312/1	23,91	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	326.0	480.0	34.00	3799965	0.0370	0.7200	0.0140	0.00690	0.00660	0.00000	0.0060	0.0100	0.0000	0.0160	0.01500	0.0010	0.00010	0.18960	0.0000	0.0000
J205142	0021526312/1	23,99	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	327.0	481.0	34.00	3799965	0.0370	0.7200	0.0140	0.00690	0.00660	0.00000	0.0060	0.0100	0.0000	0.0160	0.01500	0.0010	0.00010	0.18960	0.0000	0.0000
J205143	0021526312/1	23,98	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	326.0	480.0	34.00	3799965	0.0370	0.7200	0.0140	0.00690	0.00660	0.00000	0.0060	0.0100	0.0000	0.0160	0.01500	0.0010	0.00010	0.18960	0.0000	0.0000
J205144	0021526312/1	23,96	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	327.0	480.0	34.00	3799965	0.0370	0.7200	0.0140	0.00690	0.00660	0.00000	0.0060	0.0100	0.0000	0.0160	0.01500	0.0010	0.00010	0.18960	0.0000	0.0000
J205145	0021526312/1	23,98	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	327.0	480.0	34.00	3799965	0.0370	0.7200	0.0140	0.00690	0.00660	0.00000	0.0060	0.0100	0.0000	0.0160	0.01500	0.0010	0.00010	0.18960	0.0000	0.0000
J205146	0021526312/1	23,98	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	323.0	476.0	34.00	1396267	0.0350	0.7100	0.0270	0.00210	0.00520	0.00000	0.0050	0.0100	0.0000	0.0110	0.02100	0.0010	0.00010	0.19040	0.0000	0.0000
J205126	0021526313/1	23,9	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	307.0	489.0	34.00	1396267	0.0350	0.7100	0.0270	0.00210	0.00520	0.00000	0.0050	0.0100	0.0000	0.0110	0.02100	0.0010	0.00010	0.19040	0.0000	0.0000
J205127	0021526313/1	23,82	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	307.0	489.0	34.00	1396267	0.0350	0.7100	0.0270	0.00210	0.00520	0.00000	0.0050	0.0100	0.0000	0.0110	0.02100	0.0010	0.00010	0.19040	0.0000	0.0000
J205129	0021526313/1	24	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	307.0	470.0	36.00	1396270	0.0320	0.7400	0.0290	0.00220	0.00560	0.00000	0.0040	0.0080	0.0000	0.0110	0.01500	0.0000	0.00010	0.18800	0.0000	0.0000
J205130	0021526313/1	23,91	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	307.0	489.0	34.00	1396267	0.0350	0.7100	0.0270	0.00210	0.00520	0.00000	0.0050	0.0100	0.0000	0.0110	0.02100	0.0010	0.00010	0.19040	0.0000	0.0000
J205133	0021526313/1	23,92	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	307.0	489.0	34.00	1396267	0.0350	0.7100	0.0270	0.00210	0.00520	0.00000	0.0050	0.0100	0.0000	0.0110	0.02100	0.0010	0.00010	0.19040	0.0000	0.0000
J205138	0021526313/1	23,97	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	307.0	489.0	34.00	1396267	0.0350	0.7100	0.0270	0.00210	0.00520	0.00000	0.0050	0.0100	0.0000	0.0110	0.02100	0.0010	0.00010	0.19040	0.0000	0.0000
J205139	0021526313/1	23,99	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	307.0	489.0	34.00	1396267	0.0350	0.7100	0.0270	0.00210	0.00520	0.00000	0.0050	0.0100	0.0000	0.0110	0.02100	0.0010	0.00010	0.19040	0.0000	0.0000
J205888	0021526313/1	20,81	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	303.0	497.0	35.00	2373241	0.0450	0.5600	0.0160	0.00410	0.00680	0.00000	0.0040	0.0060	0.0000	0.1250	0.01400	0.0000	0.00010	0.19640	0.0000	0.0000
J205122	0021526314/1	23,91	AMMEX-AMT-001	HR	ASTM A36	15,87	1219	307.0	478.0	37.00	3799965	0.0370	0.7200	0.0140	0.00690	0.00660	0.00000	0.0060	0.0100	0.0000	0.0160	0.01500	0.0010	0.00010	0.18960	0.0000	0.0000
J205123	0021526314/1	23,94	AMMEX-AMT-001	HR	ASTM A36	15,87	1219	307.0	478.0	37.00	3799965	0.0370	0.7200	0.0140	0.00690	0.00660	0.00000	0.0060	0.0100	0.0000	0.0160	0.01500	0.0010	0.00010	0.18960	0.0000	0.0000
J106234	0021526315/1	23,89	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	377.0	471.0	29.00	1392287	0.0260	0.8600	0.0160	0.00230	0.00650	0.00000	0.0060	0.0090	0.0126	0.0070	0.01500	0.0010	0.00000	0.12910	0.0000	0.0000
J107471	0021526315/1	23,93	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	351.0	463.0	32.00	1392287	0.0260	0.8600	0.0160	0.00230	0.00650	0.00000	0.0060	0.0090	0.0126	0.0070	0.01500	0.0010	0.00000	0.12910	0.0000	0.0000
J200823	0021526315/1	24	AMMEX-AMT-001	HR	ASTM A572-50	6,35	1219	377.0	471.0	29.00	1392287	0.0260	0.8600	0.0160	0.00230	0.00650	0.00000	0.0060	0.0090	0.0126	0.0070	0.01500	0.0010	0.00000	0.12910	0.0000	0.0000
J107466	0021526316/1	24	AMMEX-AMT-001	HR	ASTM A572-50	7,93	1219	379.0	477.0	29.00	1392274	0.0280	0.8500	0.0150	0.00270	0.00490	0.00000	0.0060	0.0090	0.0135	0.0110	0.01200	0.0020	0.00000	0.13080	0.0000	0.0000
J107477	0021526316/1	24	AMMEX-AMT-001	HR	ASTM A572-50	7,93	1219	379.0	477.0	29.00	1392274	0.0280	0.8500	0.0150	0.00270	0.00490	0.00000	0.0060	0.0090	0.0135	0.0110	0.01200	0.0020	0.00000	0.13080	0.0000	0.0000
J205824	0021526316/1	23,83	AMMEX-AMT-001	HR	ASTM A572-50	7,93	1219	379.0	477.0	29.00	1392274	0.0280	0.8500	0.0150	0.00270	0.00490	0.00000	0.0060	0.0090	0.0135	0.0110	0.01200	0.0020	0.00000	0.13080	0.0000	0.0000
J200815	0021526322/1	23,28	AMMEX-AMT-001	HR	SAE J403 1010	2,86	1219	379.0	477.0	29.00	3795477	0.0300	0.5000	0.0200	0.00170	0.00640	0.00000	0.0040	0.0080	0.0000	0.0140	0.01500	0.0000	0.00010	0.09760	0.0000	0.0000
J200816	0021526322/1	23,27	AMMEX-AMT-001	HR	SAE J403 1010	2,86	1219	379.0	477.0	29.00	3795493	0.0440	0.4960	0.0200	0.00440	0.00700	0.00000	0.0050	0.0100	0.0001	0.0220	0.01700	0.0010	0.00010	0.10260	0.0000	0.0000
J200817	0021526322/1	23,39	AMMEX-AMT-001	HR																							

Coil	Certificate / Version	Del. Net Weight	PO #	Product Group	Norm/ Spec Type / Grade	Thickness (met)	Width (Met)	Yield Strength MPA	Tensile Strength MPA	Total Elongation	Heat #	AL	Mn	Cr	N	S	Ca	Ni	Cu	Nb	Si	P	Mo	B	C	Ti	V
J207165	0021526325/1	19,14	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	1396616	0.0430	0.3510	0.0250	0.00210	0.00460	0.00010	0.0040	0.0080	0.0001	0.0040	0.01200	0.0010	0.00020	0.06120	0.0000	0.0000	0.0000	0.0000	0.0000
J207166	0021526325/1	22,1	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800397	0.0320	0.3510	0.0230	0.00250	0.00520	0.00000	0.0030	0.0070	0.0000	0.0080	0.01700	0.0000	0.00020	0.07550	0.0000	0.0000	0.0000	0.0000	0.0000
J207246	0021526325/1	23,89	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800427	0.0300	0.3360	0.0220	0.00270	0.00400	0.00000	0.0030	0.0060	0.0000	0.0090	0.01900	0.0000	0.00010	0.07870	0.0000	0.0000	0.0000	0.0000	0.0000
J207298	0021526325/1	23,21	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	1396414	0.0290	0.3580	0.0220	0.00430	0.00650	0.00010	0.0040	0.0070	0.0000	0.0100	0.01200	0.0000	0.00020	0.07320	0.0000	0.0000	0.0000	0.0000	0.0000
J207299	0021526325/1	23,94	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	2380342	0.0380	0.3640	0.0180	0.00250	0.00390	0.00010	0.0030	0.0050	0.0000	0.0040	0.01400	0.0020	0.00020	0.08010	0.0000	0.0000	0.0000	0.0000	0.0000
J207356	0021526325/1	23,9	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	1396746	0.0350	0.3380	0.0140	0.00270	0.00400	0.00020	0.0040	0.0060	0.0000	0.0020	0.01400	0.0000	0.00020	0.07720	0.0000	0.0000	0.0000	0.0000	0.0000
J207386	0021526325/1	23,74	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	2380603	0.0340	0.3480	0.0210	0.00250	0.00630	0.00020	0.0040	0.0070	0.0000	0.0090	0.01400	0.0000	0.00010	0.07290	0.0000	0.0000	0.0000	0.0000	0.0000
J207387	0021526325/1	23,82	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800326	0.0380	0.3520	0.0200	0.00140	0.00390	0.00010	0.0040	0.0070	0.0001	0.0080	0.01400	0.0000	0.00010	0.07920	0.0000	0.0000	0.0000	0.0000	0.0000
J207388	0021526325/1	23,95	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	1396746	0.0350	0.3380	0.0140	0.00270	0.00400	0.00020	0.0040	0.0060	0.0000	0.0020	0.01400	0.0000	0.00020	0.07720	0.0000	0.0000	0.0000	0.0000	0.0000
J207498	0021526325/1	23,93	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800443	0.0380	0.3670	0.0200	0.00310	0.00350	0.00000	0.0040	0.0060	0.0002	0.0080	0.01600	0.0000	0.00020	0.07020	0.0000	0.0000	0.0000	0.0000	0.0000
J207499	0021526325/1	24	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800443	0.0380	0.3670	0.0200	0.00310	0.00350	0.00000	0.0040	0.0060	0.0002	0.0080	0.01600	0.0000	0.00020	0.07020	0.0000	0.0000	0.0000	0.0000	0.0000
J207500	0021526325/1	23,99	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	2380690	0.0320	0.3430	0.0130	0.00390	0.00470	0.00020	0.0040	0.0050	0.0000	0.0030	0.01200	0.0000	0.00020	0.06970	0.0000	0.0000	0.0000	0.0000	0.0000
J207501	0021526325/1	22,24	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	2380690	0.0320	0.3430	0.0130	0.00390	0.00470	0.00020	0.0040	0.0050	0.0000	0.0030	0.01200	0.0000	0.00020	0.06970	0.0000	0.0000	0.0000	0.0000	0.0000
J207592	0021526325/1	22,56	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	1396746	0.0350	0.3380	0.0140	0.00270	0.00400	0.00020	0.0040	0.0060	0.0000	0.0020	0.01400	0.0000	0.00020	0.07720	0.0000	0.0000	0.0000	0.0000	0.0000
J207593	0021526325/1	21,16	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800443	0.0380	0.3670	0.0200	0.00310	0.00350	0.00000	0.0040	0.0060	0.0002	0.0080	0.01600	0.0000	0.00020	0.07020	0.0000	0.0000	0.0000	0.0000	0.0000
J207594	0021526325/1	22,14	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	1396746	0.0350	0.3380	0.0140	0.00270	0.00400	0.00020	0.0040	0.0060	0.0000	0.0020	0.01400	0.0000	0.00020	0.07720	0.0000	0.0000	0.0000	0.0000	0.0000
J207595	0021526325/1	21,09	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800443	0.0380	0.3670	0.0200	0.00310	0.00350	0.00000	0.0040	0.0060	0.0002	0.0080	0.01600	0.0000	0.00020	0.07020	0.0000	0.0000	0.0000	0.0000	0.0000
J207596	0021526325/1	23,97	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800443	0.0380	0.3670	0.0200	0.00310	0.00350	0.00000	0.0040	0.0060	0.0002	0.0080	0.01600	0.0000	0.00020	0.07020	0.0000	0.0000	0.0000	0.0000	0.0000
J207597	0021526325/1	21,64	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800339	0.0300	0.3570	0.0260	0.00160	0.00490	0.00010	0.0030	0.0070	0.0000	0.0080	0.01700	0.0000	0.00010	0.07470	0.0000	0.0000	0.0000	0.0000	0.0000
J207936	0021526325/1	23,06	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	1396720	0.0420	0.3540	0.0140	0.00310	0.00450	0.00000	0.0030	0.0060	0.0000	0.0090	0.01200	0.0000	0.00020	0.07030	0.0000	0.0000	0.0000	0.0000	0.0000
J207937	0021526325/1	23,9	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800326	0.0380	0.3520	0.0200	0.00140	0.00390	0.00010	0.0040	0.0070	0.0001	0.0080	0.01400	0.0000	0.00010	0.07920	0.0000	0.0000	0.0000	0.0000	0.0000
J207938	0021526325/1	23,41	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	1396720	0.0420	0.3540	0.0140	0.00310	0.00450	0.00000	0.0030	0.0060	0.0000	0.0090	0.01200	0.0000	0.00020	0.07030	0.0000	0.0000	0.0000	0.0000	0.0000
J207939	0021526325/1	21,6	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	1396720	0.0420	0.3540	0.0140	0.00310	0.00450	0.00000	0.0030	0.0060	0.0000	0.0090	0.01200	0.0000	0.00020	0.07030	0.0000	0.0000	0.0000	0.0000	0.0000
J207940	0021526325/1	22,79	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800300	0.0350	0.3430	0.0230	0.00150	0.00530	0.00020	0.0030	0.0080	0.0007	0.0100	0.01500	0.0000	0.00000	0.07070	0.0000	0.0000	0.0000	0.0000	0.0000
J207941	0021526325/1	22,36	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800326	0.0380	0.3520	0.0200	0.00140	0.00390	0.00010	0.0040	0.0070	0.0001	0.0080	0.01400	0.0000	0.00010	0.07920	0.0000	0.0000	0.0000	0.0000	0.0000
J207942	0021526325/1	23,96	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	1396720	0.0420	0.3540	0.0140	0.00310	0.00450	0.00000	0.0030	0.0060	0.0000	0.0090	0.01200	0.0000	0.00020	0.07030	0.0000	0.0000	0.0000	0.0000	0.0000
J207943	0021526325/1	22,6	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	1396720	0.0420	0.3540	0.0140	0.00310	0.00450	0.00000	0.0030	0.0060	0.0000	0.0090	0.01200	0.0000	0.00020	0.07030	0.0000	0.0000	0.0000	0.0000	0.0000
J207944	0021526325/1	23,89	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	1396746	0.0350	0.3380	0.0140	0.00270	0.00400	0.00020	0.0040	0.0060	0.0000	0.0020	0.01400	0.0000	0.00020	0.07720	0.0000	0.0000	0.0000	0.0000	0.0000
J2079451	0021526325/1	16,05	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	1396746	0.0350	0.3380	0.0140	0.00270	0.00400	0.00020	0.0040	0.0060	0.0000	0.0020	0.01400	0.0000	0.00020	0.07720	0.0000	0.0000	0.0000	0.0000	0.0000
J207946	0021526325/1	19,92	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	2380557	0.0330	0.3460	0.0190	0.00330	0.00640	0.00010	0.0040	0.0060	0.0000	0.0080	0.01300	0.0000	0.00020	0.07060	0.0000	0.0000	0.0000	0.0000	0.0000
J207948	0021526325/1	22,26	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800300	0.0350	0.3430	0.0230	0.00150	0.00530	0.00020	0.0030	0.0080	0.0007	0.0100	0.01500	0.0000	0.00000	0.07070	0.0000	0.0000	0.0000	0.0000	0.0000
J207949	0021526325/1	22,18	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800300	0.0350	0.3430	0.0230	0.00150	0.00530	0.00020	0.0030	0.0080	0.0007	0.0100	0.01500	0.0000	0.00000	0.07070	0.0000	0.0000	0.0000	0.0000	0.0000
J207950	0021526325/1	23,38	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800300	0.0350	0.3430	0.0230	0.00150	0.00530	0.00020	0.0030	0.0080	0.0007	0.0100	0.01500	0.0000	0.00000	0.07070	0.0000	0.0000	0.0000	0.0000	0.0000
J207951	0021526325/1	23,37	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	1396720	0.0420	0.3540	0.0140	0.00310	0.00450	0.00000	0.0030	0.0060	0.0000	0.0090	0.01200	0.0000	0.00020	0.07030	0.0000	0.0000	0.0000	0.0000	0.0000
J207952	0021526325/1	22,82	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800427	0.0300	0.3360	0.0220	0.00270	0.00400	0.00000	0.0030	0.0060	0.0000	0.0090	0.01900	0.0000	0.00010	0.07870	0.0000	0.0000	0.0000	0.0000	0.0000
J207954	0021526325/1	22,58	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800427	0.0300	0.3360	0.0220	0.00270	0.00400	0.00000	0.0030	0.0060	0.0000	0.0090	0.01900	0.0000	0.00010	0.07870	0.0000	0.0000	0.0000	0.0000	0.0000
J207955	0021526325/1	23,93	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800414	0.0350	0.3450	0.0160	0.00310	0.00450	0.00000	0.0030	0.0050	0.0000	0.0060	0.01200	0.0000	0.00020	0.06630	0.0000	0.0000	0.0000	0.0000	0.0000
J207957	0021526325/1	24	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235	3800414	0.0350	0.3450	0.0160																

Coil	Certificate / Version	Del. Net Weight	PO #	Product Group	Norm/ Spec Type / Grade	Thickness (met)	Width (Met)	Yield Strength MPA	Tensile Strength MPA	Total Elongation	Heat #	AL	Mn	Cr	N	S	Ca	Ni	Cu	Nb	Si	P	Mo	B	C	Ti	V
J208200	0021526325/1	23.95	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				3800368	0.0370	0.3560	0.0190	0.00200	0.00400	0.00000	0.0030	0.0060	0.0000	0.0090	0.01600	0.0000	0.00010	0.07300	0.0000	0.0000
J208222	0021526325/1	23.64	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				3800371	0.0330	0.3490	0.0260	0.00360	0.00610	0.00000	0.0030	0.0060	0.0000	0.0070	0.01600	0.0000	0.00010	0.08040	0.0000	0.0000
J208223	0021526325/1	22.4	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				3800368	0.0370	0.3560	0.0190	0.00200	0.00400	0.00000	0.0030	0.0060	0.0000	0.0090	0.01600	0.0000	0.00010	0.07300	0.0000	0.0000
J208224	0021526325/1	16.71	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				2380557	0.0330	0.3460	0.0190	0.00330	0.00640	0.00010	0.0040	0.0060	0.0000	0.0080	0.01300	0.0000	0.00020	0.07060	0.0000	0.0000
J208225	0021526325/1	23.03	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				3800371	0.0330	0.3490	0.0260	0.00360	0.00610	0.00000	0.0030	0.0060	0.0000	0.0070	0.01600	0.0000	0.00010	0.08040	0.0000	0.0000
J208513	0021526325/1	22.32	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				3800371	0.0330	0.3490	0.0260	0.00360	0.00610	0.00000	0.0030	0.0060	0.0000	0.0070	0.01600	0.0000	0.00010	0.08040	0.0000	0.0000
J2085142	0021526325/1	18.03	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				3800371	0.0330	0.3490	0.0260	0.00360	0.00610	0.00000	0.0030	0.0060	0.0000	0.0070	0.01600	0.0000	0.00010	0.08040	0.0000	0.0000
J208515	0021526325/1	21.92	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				3800371	0.0330	0.3490	0.0260	0.00360	0.00610	0.00000	0.0030	0.0060	0.0000	0.0070	0.01600	0.0000	0.00010	0.08040	0.0000	0.0000
J208543	0021526325/1	23.64	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				2380557	0.0330	0.3460	0.0190	0.00330	0.00640	0.00010	0.0040	0.0060	0.0000	0.0080	0.01300	0.0000	0.00020	0.07060	0.0000	0.0000
J209057	0021526325/1	23.94	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				2380674	0.0290	0.3420	0.0160	0.00250	0.00470	0.00000	0.0030	0.0060	0.0000	0.0060	0.01500	0.0000	0.00010	0.07740	0.0000	0.0000
J209058	0021526325/1	22.36	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				2380674	0.0290	0.3420	0.0160	0.00250	0.00470	0.00000	0.0030	0.0060	0.0000	0.0060	0.01500	0.0000	0.00010	0.07740	0.0000	0.0000
J209059	0021526325/1	23.93	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				2380674	0.0290	0.3420	0.0160	0.00250	0.00470	0.00000	0.0030	0.0060	0.0000	0.0060	0.01500	0.0000	0.00010	0.07740	0.0000	0.0000
J209060	0021526325/1	23.99	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				2380674	0.0290	0.3420	0.0160	0.00250	0.00470	0.00000	0.0030	0.0060	0.0000	0.0060	0.01500	0.0000	0.00010	0.07740	0.0000	0.0000
J209061	0021526325/1	22.57	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				1396687	0.0330	0.3490	0.0120	0.00360	0.00430	0.00010	0.0040	0.0060	0.0000	0.0080	0.01200	0.0000	0.00010	0.07960	0.0000	0.0000
J209062	0021526325/1	22.84	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				3800371	0.0330	0.3490	0.0260	0.00360	0.00610	0.00000	0.0030	0.0060	0.0000	0.0070	0.01600	0.0000	0.00010	0.08040	0.0000	0.0000
J209063	0021526325/1	21.11	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				1396687	0.0330	0.3490	0.0120	0.00360	0.00430	0.00010	0.0040	0.0060	0.0000	0.0080	0.01200	0.0000	0.00010	0.07960	0.0000	0.0000
J209064	0021526325/1	23.49	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				1396687	0.0330	0.3490	0.0120	0.00360	0.00430	0.00010	0.0040	0.0060	0.0000	0.0080	0.01200	0.0000	0.00010	0.07960	0.0000	0.0000
J209065	0021526325/1	22.89	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				2380674	0.0290	0.3420	0.0160	0.00250	0.00470	0.00000	0.0030	0.0060	0.0000	0.0060	0.01500	0.0000	0.00010	0.07740	0.0000	0.0000
J209066	0021526325/1	23.99	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				1396687	0.0330	0.3490	0.0120	0.00360	0.00430	0.00010	0.0040	0.0060	0.0000	0.0080	0.01200	0.0000	0.00010	0.07960	0.0000	0.0000
J209067	0021526325/1	22.5	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				2380674	0.0290	0.3420	0.0160	0.00250	0.00470	0.00000	0.0030	0.0060	0.0000	0.0060	0.01500	0.0000	0.00010	0.07740	0.0000	0.0000
J2090681	0021526325/1	13.89	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				3800368	0.0370	0.3560	0.0190	0.00200	0.00400	0.00000	0.0030	0.0060	0.0000	0.0090	0.01600	0.0000	0.00010	0.07300	0.0000	0.0000
J209069	0021526325/1	22.63	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				1396687	0.0330	0.3490	0.0120	0.00360	0.00430	0.00010	0.0040	0.0060	0.0000	0.0080	0.01200	0.0000	0.00010	0.07960	0.0000	0.0000
J209070	0021526325/1	23.91	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				1396687	0.0330	0.3490	0.0120	0.00360	0.00430	0.00010	0.0040	0.0060	0.0000	0.0080	0.01200	0.0000	0.00010	0.07960	0.0000	0.0000
J209336	0021526325/1	23.88	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				3800427	0.0300	0.3360	0.0220	0.00270	0.00400	0.00000	0.0030	0.0060	0.0000	0.0090	0.01900	0.0000	0.00010	0.07870	0.0000	0.0000
J209337	0021526325/1	23.52	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				3800300	0.0350	0.3430	0.0230	0.00150	0.00530	0.00020	0.0030	0.0080	0.0007	0.0100	0.01500	0.0000	0.00000	0.07070	0.0000	0.0000
J209338	0021526325/1	17.28	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				3800339	0.0300	0.3570	0.0260	0.00160	0.00490	0.00010	0.0030	0.0070	0.0000	0.0080	0.01700	0.0000	0.00010	0.07470	0.0000	0.0000
J209633	0021526325/1	23.08	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				2381761	0.0290	0.3480	0.0250	0.00240	0.00770	0.00000	0.0060	0.0120	0.0000	0.0080	0.01200	0.0010	0.00010	0.06560	0.0000	0.0010
J209972	0021526325/1	18.14	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				1397859	0.0380	0.3460	0.0200	0.00210	0.00580	0.00000	0.0030	0.0070	0.0000	0.0080	0.01300	0.0000	0.00010	0.06760	0.0000	0.0010
J209973	0021526325/1	16.57	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				1397859	0.0380	0.3460	0.0200	0.00210	0.00580	0.00000	0.0030	0.0070	0.0000	0.0080	0.01300	0.0000	0.00010	0.06760	0.0000	0.0010
J209974	0021526325/1	22.88	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				1397859	0.0380	0.3460	0.0200	0.00210	0.00580	0.00000	0.0030	0.0070	0.0000	0.0080	0.01300	0.0000	0.00010	0.06760	0.0000	0.0010
J209975	0021526325/1	23.95	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				1397859	0.0380	0.3460	0.0200	0.00210	0.00580	0.00000	0.0030	0.0070	0.0000	0.0080	0.01300	0.0000	0.00010	0.06760	0.0000	0.0010
J209976	0021526325/1	22.73	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				1397859	0.0380	0.3460	0.0200	0.00210	0.00580	0.00000	0.0030	0.0070	0.0000	0.0080	0.01300	0.0000	0.00010	0.06760	0.0000	0.0010
J209977	0021526325/1	17.32	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				1397859	0.0380	0.3460	0.0200	0.00210	0.00580	0.00000	0.0030	0.0070	0.0000	0.0080	0.01300	0.0000	0.00010	0.06760	0.0000	0.0010
J210149	0021526325/1	23.27	AMMEX-AMT-001	HR	SAE J403 1008	1,9	1235				1397761	0.0360	0.3370	0.0240	0.00280	0.00900	0.00000	0.0040	0.0110	0.0000	0.0140	0.01300	0.0010	0.00010	0.07500	0.0000	0.0000
J204001	0021526326/1	20.98	AMMEX-AMT-001	HR	ASTM A36	4,45	1013	328.0	468.0	32.00	3799167	0.0420	0.7000	0.0160	0.00230	0.00590	0.00000	0.0050	0.0080	0.0000	0.0110	0.01600	0.0000	0.00000	0.20370	0.0000	0.0000
J204003	0021526326/1	21.03	AMMEX-AMT-001	HR	ASTM A36	4,45	1013	328.0	468.0	32.00	3799167	0.0420	0.7000	0.0160	0.00230	0.00590	0.00000	0.0050	0.0080	0.0000	0.0110	0.01600	0.0000	0.00000	0.20370	0.0000	0.0000
J204004	0021526326/1	20.92	AMMEX-AMT-001	HR	ASTM A36	4,45	1013																				

Coil	Certificate / Version	Del. Net Weight	PO #	Product Group	Norm/ Spec Type / Grade	Thickness (met)	Width (Met)	Yield Strength MPA	Tensile Strength MPA	Total Elongatio n	Heat #	AL	Mn	Cr	N	S	Ca	Ni	Cu	Nb	SI	P	Mo	B	C	Ti	V
J205789	0021526349/1	24.58	AMMEX-AMT-001	HR	ASTM A36	5,97	1183	298.0	414.0	38.00	3799893	0.0390	0.4880	0.0250	0.00350	0.00400	0.00000	0.0030	0.0070	0.0000	0.0100	0.01500	0.0000	0.00010	0.14010	0.0000	0.0000
J206485	0021526349/1	24.21	AMMEX-AMT-001	HR	ASTM A36	5,97	1183	300.0	425.0	37.00	1396179	0.0370	0.4900	0.0230	0.00270	0.00490	0.00000	0.0030	0.0060	0.0000	0.0130	0.01400	0.0000	0.00010	0.16380	0.0000	0.0000
J206486	0021526349/1	24.17	AMMEX-AMT-001	HR	ASTM A36	5,97	1183	270.0	437.0	37.00	3799893	0.0390	0.4880	0.0250	0.00350	0.00400	0.00000	0.0030	0.0070	0.0000	0.0100	0.01500	0.0000	0.00010	0.14010	0.0000	0.0000
J206909	0021526349/1	24.18	AMMEX-AMT-001	HR	ASTM A36	5,97	1183	298.0	414.0	38.00	3799893	0.0390	0.4880	0.0250	0.00350	0.00400	0.00000	0.0030	0.0070	0.0000	0.0100	0.01500	0.0000	0.00010	0.14010	0.0000	0.0000
J206911	0021526349/1	24.26	AMMEX-AMT-001	HR	ASTM A36	5,97	1183	300.0	425.0	37.00	1396179	0.0370	0.4900	0.0230	0.00270	0.00490	0.00000	0.0030	0.0060	0.0000	0.0130	0.01400	0.0000	0.00010	0.16380	0.0000	0.0000
J208181	0021526349/1	20.78	AMMEX-AMT-001	HR	ASTM A36	5,97	1183	317.0	518.0	29.00	2373124	0.0420	0.5500	0.0290	0.00360	0.00680	0.00000	0.0040	0.0070	0.0000	0.1160	0.01300	0.0010	0.00010	0.18520	0.0000	0.0000
J205843	0021526350/1	24.81	AMMEX-AMT-001	HR	ASTM A36	5,97	1199	295.0	418.0	37.00	1396137	0.0340	0.4760	0.0240	0.00180	0.00450	0.00000	0.0040	0.0070	0.0000	0.0120	0.01900	0.0000	0.00010	0.15820	0.0000	0.0000
J205844	0021526350/1	24.78	AMMEX-AMT-001	HR	ASTM A36	5,97	1199	295.0	418.0	37.00	1396137	0.0340	0.4760	0.0240	0.00180	0.00450	0.00000	0.0040	0.0070	0.0000	0.0120	0.01900	0.0000	0.00010	0.15820	0.0000	0.0000
J205845	0021526350/1	24.82	AMMEX-AMT-001	HR	ASTM A36	5,97	1199	300.0	421.0	37.00	1396124	0.0410	0.4840	0.0250	0.00230	0.00640	0.00000	0.0040	0.0060	0.0000	0.0120	0.01700	0.0000	0.00010	0.15440	0.0000	0.0000
J205846	0021526350/1	24.84	AMMEX-AMT-001	HR	ASTM A36	5,97	1199	300.0	421.0	37.00	1396124	0.0410	0.4840	0.0250	0.00230	0.00640	0.00000	0.0040	0.0060	0.0000	0.0120	0.01700	0.0000	0.00010	0.15440	0.0000	0.0000
J205847	0021526350/1	24.64	AMMEX-AMT-001	HR	ASTM A36	5,97	1199	299.0	420.0	37.00	1396124	0.0410	0.4840	0.0250	0.00230	0.00640	0.00000	0.0040	0.0060	0.0000	0.0120	0.01700	0.0000	0.00010	0.15440	0.0000	0.0000
J205848	0021526350/1	24.73	AMMEX-AMT-001	HR	ASTM A36	5,97	1199	300.0	421.0	37.00	1396124	0.0410	0.4840	0.0250	0.00230	0.00640	0.00000	0.0040	0.0060	0.0000	0.0120	0.01700	0.0000	0.00010	0.15440	0.0000	0.0000
J205956	0021526350/1	25.03	AMMEX-AMT-001	HR	ASTM A36	5,97	1199	302.0	425.0	37.00	1396111	0.0310	0.4650	0.0250	0.00280	0.00550	0.00010	0.0040	0.0060	0.0000	0.0120	0.02100	0.0000	0.00010	0.15800	0.0000	0.0000
J205957	0021526350/1	24.95	AMMEX-AMT-001	HR	ASTM A36	5,97	1199	302.0	425.0	37.00	1396111	0.0310	0.4650	0.0250	0.00280	0.00550	0.00010	0.0040	0.0060	0.0000	0.0120	0.02100	0.0000	0.00010	0.15800	0.0000	0.0000
J205958	0021526350/1	24.87	AMMEX-AMT-001	HR	ASTM A36	5,97	1199	295.0	418.0	37.00	1396137	0.0340	0.4760	0.0240	0.00180	0.00450	0.00000	0.0040	0.0070	0.0000	0.0120	0.01900	0.0000	0.00010	0.15820	0.0000	0.0000
J205959	0021526350/1	24.86	AMMEX-AMT-001	HR	ASTM A36	5,97	1199	299.0	420.0	37.00	1396124	0.0410	0.4840	0.0250	0.00230	0.00640	0.00000	0.0040	0.0060	0.0000	0.0120	0.01700	0.0000	0.00010	0.15440	0.0000	0.0000
J205960	0021526350/1	24.89	AMMEX-AMT-001	HR	ASTM A36	5,97	1199	295.0	418.0	37.00	1396137	0.0340	0.4760	0.0240	0.00180	0.00450	0.00000	0.0040	0.0070	0.0000	0.0120	0.01900	0.0000	0.00010	0.15820	0.0000	0.0000
J205961	0021526350/1	24.89	AMMEX-AMT-001	HR	ASTM A36	5,97	1199	300.0	421.0	37.00	1396124	0.0410	0.4840	0.0250	0.00230	0.00640	0.00000	0.0040	0.0060	0.0000	0.0120	0.01700	0.0000	0.00010	0.15440	0.0000	0.0000
J206291	0021526350/1	24.83	AMMEX-AMT-001	HR	ASTM A36	5,97	1199	295.0	418.0	37.00	1396137	0.0340	0.4760	0.0240	0.00180	0.00450	0.00000	0.0040	0.0070	0.0000	0.0120	0.01900	0.0000	0.00010	0.15820	0.0000	0.0000
J206910	0021526350/1	24.91	AMMEX-AMT-001	HR	ASTM A36	5,97	1199	295.0	418.0	37.00	1396137	0.0340	0.4760	0.0240	0.00180	0.00450	0.00000	0.0040	0.0070	0.0000	0.0120	0.01900	0.0000	0.00010	0.15820	0.0000	0.0000
J208180	0021526350/1	24.83	AMMEX-AMT-001	HR	ASTM A36	5,97	1199	302.0	425.0	37.00	1396111	0.0310	0.4650	0.0250	0.00280	0.00550	0.00010	0.0040	0.0060	0.0000	0.0120	0.02100	0.0000	0.00010	0.15800	0.0000	0.0000
J210430	0021526350/1	20.84	AMMEX-AMT-001	HR	ASTM A36	5,97	1199	320.0	470.0	33.00	2373254	0.0450	0.5700	0.0210	0.00280	0.00560	0.00000	0.0040	0.0060	0.0000	0.1230	0.01600	0.0000	0.00020	0.19820	0.0000	0.0000
J200183	0021526351/1	28.36	AMMEX-AMT-001	HR	ASTM A36	5,97	1391	281.0	438.0	30.00	2378813	0.0400	0.4660	0.0240	0.00230	0.00380	0.00000	0.0040	0.0070	0.0000	0.0100	0.01900	0.0000	0.00010	0.15400	0.0000	0.0000
J200184	0021526351/1	28.41	AMMEX-AMT-001	HR	ASTM A36	5,97	1391	281.0	438.0	30.00	2378813	0.0400	0.4660	0.0240	0.00230	0.00380	0.00000	0.0040	0.0070	0.0000	0.0100	0.01900	0.0000	0.00010	0.15400	0.0000	0.0000
J200185	0021526351/1	28.35	AMMEX-AMT-001	HR	ASTM A36	5,97	1391	297.0	418.0	37.00	1394966	0.0310	0.4510	0.0240	0.00430	0.00540	0.00020	0.0050	0.0090	0.0001	0.0120	0.01000	0.0000	0.00010	0.15450	0.0000	0.0000
J200186	0021526351/1	28.42	AMMEX-AMT-001	HR	ASTM A36	5,97	1391	297.0	418.0	37.00	1394966	0.0310	0.4510	0.0240	0.00430	0.00540	0.00020	0.0050	0.0090	0.0001	0.0120	0.01000	0.0000	0.00010	0.15450	0.0000	0.0000
J203923	0021526351/1	28.58	AMMEX-AMT-001	HR	ASTM A36	5,97	1391	297.0	418.0	37.00	1394966	0.0310	0.4510	0.0240	0.00430	0.00540	0.00020	0.0050	0.0090	0.0001	0.0120	0.01000	0.0000	0.00010	0.15450	0.0000	0.0000
J205102	0021526351/1	28.36	AMMEX-AMT-001	HR	ASTM A36	5,97	1391	300.0	421.0	37.00	1396124	0.0410	0.4840	0.0250	0.00230	0.00640	0.00000	0.0040	0.0060	0.0000	0.0120	0.01700	0.0000	0.00010	0.15440	0.0000	0.0000
J205183	0021526357/1	22.74	AMMEX-AMT-001	HR	SAE J403 1008	1,82	1219	3799994	0.0430	0.3400	0.0200	0.00300	0.00320	0.00010	0.0030	0.0040	0.0002	0.0040	0.0002	0.0040	0.01700	0.0000	0.0000	0.00010	0.07570	0.0000	0.0000
J205184	0021526357/1	22.27	AMMEX-AMT-001	HR	SAE J403 1008	1,82	1219	3799994	0.0430	0.3400	0.0200	0.00300	0.00320	0.00010	0.0030	0.0040	0.0002	0.0040	0.0002	0.0040	0.01700	0.0000	0.0000	0.00010	0.07570	0.0000	0.0000
J205206	0021526357/1	23.95	AMMEX-AMT-001	HR	SAE J403 1008	1,82	1219	2380270	0.0390	0.3360	0.0180	0.00380	0.00330	0.00020	0.0040	0.0060	0.0000	0.0030	0.01700	0.0000	0.00020	0.07760	0.0000	0.0000	0.0000	0.0000	0.0000
J205207	0021526357/1	23.87	AMMEX-AMT-001	HR	SAE J403 1008	1,82	1219	2380270	0.0390	0.3360	0.0180	0.00380	0.00330	0.00020	0.0040	0.0060	0.0000	0.0030	0.01700	0.0000	0.00020	0.07760	0.0000	0.0000	0.0000	0.0000	0.0000
J205208	0021526357/1	23.5	AMMEX-AMT-001	HR	SAE J403 1008	1,82	1219	2380270	0.0390	0.3360	0.0180	0.00380	0.00330	0.00020	0.0040	0.0060	0.0000	0.0030	0.01700	0.0000	0.00020	0.07760	0.0000	0.0000	0.0000	0.0000	0.0000
J205209	0021526357/1	22.63	AMMEX-AMT-001	HR	SAE J403 1008	1,82	1219	2380270	0.0390	0.3360	0.0180	0.00380	0.00330	0.00020	0.0040	0.0060	0.0000	0.0030	0.01700	0.0000	0.00020	0.07760	0.0000	0.0000	0.0000	0.0000	0.0000
J205210	0021526357/1	22.94	AMMEX-AMT-001	HR	SAE J403 1008	1,82	1219	2380270	0.0390	0.3360	0.0180	0.00380	0.00330	0.00020	0.0040	0.0060	0.0000	0.0030	0.01700	0.0000	0.00020	0.07760	0.0000	0.0000	0.0000	0.0000	0.0000
J205211	0021526357/1	23.61	AMMEX-AMT-001	HR	SAE J403 1008	1,82	1219	2380270	0.0390	0.3360	0.0180	0.00380	0.00330	0.00020	0.0040	0.0060	0.0000	0.0030	0.01700	0.0000	0.00020	0.07760	0.0000	0.0000	0.0000	0.0000	0.0000
J205212	0021526357/1	23.27	AMMEX-AMT-001	HR	SAE J403 1008	1,82	1219	3799978	0.0370	0.3380	0.0190	0.00370	0.00350	0.00020	0.0040	0.0060	0.0000	0.0030	0.01700	0.0000	0.00020	0.07760	0.0000	0.0000	0.0000	0.0000	0.0000
J205213	0021526357/1	23.14	AMMEX-AMT-001	HR	SAE J403 1008	1,82	1219	2380270	0.0390	0.3360	0.0180	0.00380	0.00330	0.00020	0.0040	0.0060	0.0000	0.0030	0.01700	0.0000	0.00020	0.07760	0.0000	0.0000	0.0000	0.0000	0.0000
J205214	0																										

Coil	Certificate / Version	Del. Net Weight	PO #	Product Group	Norm/ Spec Type / Grade	Thickness (met)	Width (Met)	Yield Strength MPA	Tensile Strength MPA	Total Elongation	Heat #	AL	Mn	Cr	N	S	Ca	Ni	Cu	Nb	Si	P	Mo	B	C	Ti	V
J207098	0021526359/1	23,91	AMMEX-AMT-001	HR	SAE J403 1008	3,42	1219				3800397	0.0320	0.3510	0.0230	0.00250	0.00520	0.00000	0.0030	0.0070	0.0000	0.0080	0.01700	0.0000	0.00020	0.07550	0.0000	0.0000
J207176	0021526359/1	23,79	AMMEX-AMT-001	HR	SAE J403 1008	3,42	1219				2380674	0.0290	0.3420	0.0160	0.00250	0.00470	0.00000	0.0030	0.0060	0.0000	0.0060	0.01500	0.0000	0.00010	0.07740	0.0000	0.0000
J207179	0021526359/1	23,8	AMMEX-AMT-001	HR	SAE J403 1008	3,42	1219				3800371	0.0330	0.3490	0.0260	0.00360	0.00610	0.00000	0.0030	0.0060	0.0000	0.0070	0.01600	0.0000	0.00010	0.08040	0.0000	0.0000
J209175	0021526359/1	23,51	AMMEX-AMT-001	HR	SAE J403 1008	3,42	1219				1396720	0.0420	0.3540	0.0140	0.00310	0.00450	0.00000	0.0030	0.0060	0.0000	0.0090	0.01200	0.0000	0.00020	0.07030	0.0000	0.0000
J209176	0021526359/1	23,8	AMMEX-AMT-001	HR	SAE J403 1008	3,42	1219				3800371	0.0330	0.3490	0.0260	0.00360	0.00610	0.00000	0.0030	0.0060	0.0000	0.0070	0.01600	0.0000	0.00010	0.08040	0.0000	0.0000
J108083	0021526360/1	19,23	AMMEX-AMT-001	HR	SAE J403 1008	4,54	1175				1393996	0.0430	0.3420	0.0150	0.00230	0.00500	0.00020	0.0030	0.0080	0.0001	0.0070	0.01500	0.0000	0.00020	0.06650	0.0000	0.0000
J206129	0021526360/1	23,8	AMMEX-AMT-001	HR	SAE J403 1008	4,54	1175				2380560	0.0400	0.3450	0.0180	0.00240	0.00470	0.00010	0.0040	0.0070	0.0000	0.0070	0.01300	0.0000	0.00020	0.07220	0.0000	0.0000
J206130	0021526360/1	23,92	AMMEX-AMT-001	HR	SAE J403 1008	4,54	1175				2380560	0.0400	0.3450	0.0180	0.00240	0.00470	0.00010	0.0040	0.0070	0.0000	0.0070	0.01300	0.0000	0.00020	0.07220	0.0000	0.0000
J206131	0021526360/1	23,91	AMMEX-AMT-001	HR	SAE J403 1008	4,54	1175				2380560	0.0400	0.3450	0.0180	0.00240	0.00470	0.00010	0.0040	0.0070	0.0000	0.0070	0.01300	0.0000	0.00020	0.07220	0.0000	0.0000
J207411	0021526360/1	23,24	AMMEX-AMT-001	HR	SAE J403 1008	4,54	1175				1396906	0.0400	0.4990	0.0160	0.00320	0.00340	0.00000	0.0030	0.0070	0.0000	0.0090	0.01500	0.0000	0.00010	0.09840	0.0000	0.0000
J200354	0021526361/1	21,82	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	276.0	444.0	34.00	3798722	0.0380	0.4800	0.0190	0.00160	0.00410	0.00000	0.0040	0.0070	0.0000	0.0100	0.01300	0.0000	0.00000	0.15120	0.0000	0.0000
J200355	0021526361/1	23,93	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	276.0	444.0	34.00	3798722	0.0380	0.4800	0.0190	0.00160	0.00410	0.00000	0.0040	0.0070	0.0000	0.0100	0.01300	0.0000	0.00000	0.15120	0.0000	0.0000
J200364	0021526361/1	21,94	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	276.0	444.0	34.00	3798722	0.0380	0.4800	0.0190	0.00160	0.00410	0.00000	0.0040	0.0070	0.0000	0.0100	0.01300	0.0000	0.00000	0.15120	0.0000	0.0000
J200365	0021526361/1	23,87	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308.0	460.0	33.00	3798719	0.0390	0.4920	0.0230	0.00230	0.00530	0.00010	0.0040	0.0070	0.0000	0.0100	0.01600	0.0000	0.00000	0.16390	0.0000	0.0000
J200366	0021526361/1	23,77	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	276.0	444.0	34.00	3798722	0.0380	0.4800	0.0190	0.00160	0.00410	0.00000	0.0040	0.0070	0.0000	0.0100	0.01300	0.0000	0.00000	0.15120	0.0000	0.0000
J200367	0021526361/1	23,82	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308.0	460.0	33.00	3798719	0.0390	0.4920	0.0230	0.00230	0.00530	0.00010	0.0040	0.0070	0.0000	0.0100	0.01600	0.0000	0.00000	0.16390	0.0000	0.0000
J200368	0021526361/1	23,84	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308.0	460.0	33.00	3798719	0.0390	0.4920	0.0230	0.00230	0.00530	0.00010	0.0040	0.0070	0.0000	0.0100	0.01600	0.0000	0.00000	0.16390	0.0000	0.0000
J200847	0021526361/1	21,88	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	298.0	416.0	37.00	3798722	0.0380	0.4800	0.0190	0.00160	0.00410	0.00000	0.0040	0.0070	0.0000	0.0100	0.01300	0.0000	0.00000	0.15120	0.0000	0.0000
J201095	0021526361/1	23,89	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	306.0	429.0	36.00	3798719	0.0390	0.4920	0.0230	0.00230	0.00530	0.00010	0.0040	0.0070	0.0000	0.0100	0.01600	0.0000	0.00000	0.16390	0.0000	0.0000
J201397	0021526361/1	23,82	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	306.0	429.0	36.00	3798719	0.0390	0.4920	0.0230	0.00230	0.00530	0.00010	0.0040	0.0070	0.0000	0.0100	0.01600	0.0000	0.00000	0.16390	0.0000	0.0000
J201398	0021526361/1	23,85	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	307.0	430.0	36.00	3798719	0.0390	0.4920	0.0230	0.00230	0.00530	0.00010	0.0040	0.0070	0.0000	0.0100	0.01600	0.0000	0.00000	0.16390	0.0000	0.0000
J201399	0021526361/1	23,88	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	306.0	429.0	36.00	3798719	0.0390	0.4920	0.0230	0.00230	0.00530	0.00010	0.0040	0.0070	0.0000	0.0100	0.01600	0.0000	0.00000	0.16390	0.0000	0.0000
J201460	0021526361/1	23,93	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	306.0	429.0	36.00	3798719	0.0390	0.4920	0.0230	0.00230	0.00530	0.00010	0.0040	0.0070	0.0000	0.0100	0.01600	0.0000	0.00000	0.16390	0.0000	0.0000
J201461	0021526361/1	23,86	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	306.0	429.0	36.00	3798719	0.0390	0.4920	0.0230	0.00230	0.00530	0.00010	0.0040	0.0070	0.0000	0.0100	0.01600	0.0000	0.00000	0.16390	0.0000	0.0000
J201462	0021526361/1	23,86	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	306.0	429.0	36.00	3798719	0.0390	0.4920	0.0230	0.00230	0.00530	0.00010	0.0040	0.0070	0.0000	0.0100	0.01600	0.0000	0.00000	0.16390	0.0000	0.0000
J201946	0021526361/1	23,72	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308.0	460.0	33.00	3798719	0.0390	0.4920	0.0230	0.00230	0.00530	0.00010	0.0040	0.0070	0.0000	0.0100	0.01600	0.0000	0.00000	0.16390	0.0000	0.0000
J202461	0021526361/1	23,97	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	303.0	421.0	37.00	3798722	0.0380	0.4800	0.0190	0.00160	0.00410	0.00000	0.0040	0.0070	0.0000	0.0100	0.01300	0.0000	0.00000	0.15120	0.0000	0.0000
J202462	0021526361/1	23,95	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	303.0	421.0	37.00	3798722	0.0380	0.4800	0.0190	0.00160	0.00410	0.00000	0.0040	0.0070	0.0000	0.0100	0.01300	0.0000	0.00000	0.15120	0.0000	0.0000
J202463	0021526361/1	23,9	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	303.0	421.0	37.00	3798722	0.0380	0.4800	0.0190	0.00160	0.00410	0.00000	0.0040	0.0070	0.0000	0.0100	0.01300	0.0000	0.00000	0.15120	0.0000	0.0000
J206791	0021526361/1	20,6	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	276.0	444.0	34.00	3798722	0.0380	0.4800	0.0190	0.00160	0.00410	0.00000	0.0040	0.0070	0.0000	0.0100	0.01300	0.0000	0.00000	0.15120	0.0000	0.0000
J205053	0021526382/1	23,85	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	327.0	468.0	33.00	3799949	0.0430	0.7400	0.0240	0.00430	0.00740	0.00000	0.0060	0.0130	0.0000	0.0180	0.01700	0.0010	0.00000	0.18820	0.0000	0.0000
J205054	0021526382/1	23,86	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	326.0	465.0	27.00	3799949	0.0430	0.7400	0.0240	0.00430	0.00740	0.00000	0.0060	0.0130	0.0000	0.0180	0.01700	0.0010	0.00000	0.18820	0.0000	0.0000
J205055	0021526382/1	23,89	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	300.0	500.0	28.00	2380241	0.0370	0.7100	0.0200	0.00290	0.00570	0.00000	0.0060	0.0100	0.0000	0.0120	0.01300	0.0010	0.00010	0.18980	0.0000	0.0000
J205056	0021526382/1	23,84	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	300.0	500.0	28.00	2380241	0.0370	0.7100	0.0200	0.00290	0.00570	0.00000	0.0060	0.0100	0.0000	0.0120	0.01300	0.0010	0.00010	0.18980	0.0000	0.0000
J205057	0021526382/1	23,94	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	300.0	500.0	28.00	2380241	0.0370	0.7100	0.0200	0.00290	0.00570	0.00000	0.0060	0.0100	0.0000	0.0120	0.01300	0.0010	0.00010	0.18980	0.0000	0.0000
J205058	0021526382/1	23,91	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	300.0	500.0	28.00	2380241	0.0370	0.7100	0.0200	0.00290	0.00570	0.00000	0.0060	0.0100	0.0000	0.0120	0.01300	0.0010	0.00010	0.18980	0.0000	0.0000
J205059	0021526382/1	23,93	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	327.0	468.0	33.00	3799949	0.0430	0.7400	0.0240	0.00430	0.00740	0.00000	0.0060	0.0130	0.0000	0.0180	0.01700	0.0010	0.00000	0.18820	0.0000	0.0000
J205060	0021526382/1	23,93	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	329.0	468.0	33.00	3799936	0.0300	0.7400	0.0290	0.00460	0.00610	0.00000	0.0050	0.0130	0.0000	0.0150	0.02200	0.0000	0.00010	0.18110	0.0000	0.0000
J205061	0021526382/1	23,96	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	327.0	468.0	33.00	3799949	0.0430	0.7400	0.0240	0.00430	0.00740	0.00000	0.0060	0.0130	0.0000</							

Coil	Certificate / Version	Del. Net Weight	PO #	Product Group	Norm/ Spec Type / Grade	Thickness (met)	Width (Met)	Yield Strength MPA	Tensile Strength MPA	Total Elongatio n	Heat #	AL	Mn	Cr	N	S	Ca	Ni	Cu	Nb	Si	P	Mo	B	C	Ti	V
J209145	0021526384/1	23,77	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	322.0	473.0	34.00	2380371	0.0410	0.7200	0.0110	0.00700	0.00410	0.00000	0.0050	0.0080	0.0000	0.0090	0.00800	0.0000	0.00010	0.18930	0.0000	0.0000
J209147	0021526384/1	23,77	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	322.0	473.0	34.00	2380371	0.0410	0.7200	0.0110	0.00700	0.00410	0.00000	0.0050	0.0080	0.0000	0.0090	0.00800	0.0000	0.00010	0.18930	0.0000	0.0000
J209148	0021526384/1	23,87	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	322.0	473.0	34.00	2380371	0.0410	0.7200	0.0110	0.00700	0.00410	0.00000	0.0050	0.0080	0.0000	0.0090	0.00800	0.0000	0.00010	0.18930	0.0000	0.0000
J209149	0021526384/1	23,82	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	322.0	473.0	34.00	2380371	0.0410	0.7200	0.0110	0.00700	0.00410	0.00000	0.0050	0.0080	0.0000	0.0090	0.00800	0.0000	0.00010	0.18930	0.0000	0.0000
J209706	0021526384/1	17,44	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	322.0	473.0	34.00	2380371	0.0410	0.7200	0.0110	0.00700	0.00410	0.00000	0.0050	0.0080	0.0000	0.0090	0.00800	0.0000	0.00010	0.18930	0.0000	0.0000
J205134	0021526385/1	23,9	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	326.0	499.0	35.00	3799936	0.0300	0.7400	0.0290	0.00460	0.00610	0.00000	0.0050	0.0130	0.0000	0.0150	0.02200	0.0000	0.00010	0.18110	0.0000	0.0000
J205135	0021526385/1	23,94	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	326.0	499.0	35.00	3799936	0.0300	0.7400	0.0290	0.00460	0.00610	0.00000	0.0050	0.0130	0.0000	0.0150	0.02200	0.0000	0.00010	0.18110	0.0000	0.0000
J205136	0021526385/1	23,97	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	326.0	499.0	35.00	3799936	0.0300	0.7400	0.0290	0.00460	0.00610	0.00000	0.0050	0.0130	0.0000	0.0150	0.02200	0.0000	0.00010	0.18110	0.0000	0.0000
J205137	0021526385/1	23,84	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	326.0	499.0	35.00	3799936	0.0300	0.7400	0.0290	0.00460	0.00610	0.00000	0.0050	0.0130	0.0000	0.0150	0.02200	0.0000	0.00010	0.18110	0.0000	0.0000
J205796	0021526385/1	23,84	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	309.0	467.0	36.00	1396195	0.0440	0.7300	0.0220	0.00300	0.00510	0.00010	0.0060	0.0110	0.0009	0.0130	0.01400	0.0000	0.00010	0.18100	0.0000	0.0000
J205797	0021526385/1	23,79	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	309.0	467.0	36.00	1396195	0.0440	0.7300	0.0220	0.00300	0.00510	0.00010	0.0060	0.0110	0.0009	0.0130	0.01400	0.0000	0.00010	0.18100	0.0000	0.0000
J205798	0021526385/1	23,74	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	309.0	467.0	36.00	1396195	0.0440	0.7300	0.0220	0.00300	0.00510	0.00010	0.0060	0.0110	0.0009	0.0130	0.01400	0.0000	0.00010	0.18100	0.0000	0.0000
J206012	0021526385/1	23,16	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	306.0	463.0	37.00	1396195	0.0440	0.7300	0.0220	0.00300	0.00510	0.00010	0.0060	0.0110	0.0009	0.0130	0.01400	0.0000	0.00010	0.18100	0.0000	0.0000
J206890	0021526385/1	23,94	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	326.0	499.0	35.00	3799936	0.0300	0.7400	0.0290	0.00460	0.00610	0.00000	0.0050	0.0130	0.0000	0.0150	0.02200	0.0000	0.00010	0.18110	0.0000	0.0000
J208590	0021526385/1	24,09	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	322.0	481.0	35.00	3799936	0.0300	0.7400	0.0290	0.00460	0.00610	0.00000	0.0050	0.0130	0.0000	0.0150	0.02200	0.0000	0.00010	0.18110	0.0000	0.0000
J208591	0021526385/1	20,84	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	315.0	498.0	29.00	3789131	0.0460	0.5700	0.0300	0.00490	0.00630	0.00000	0.0070	0.0110	0.0000	0.1340	0.01100	0.0010	0.00010	0.18140	0.0000	0.0000
J202712	0021526386/1	23,83	AMMEX-AMT-001	HR	ASTM A36	15,87	1219	299.0	466.0	38.00	1395691	0.0370	0.7300	0.0210	0.00290	0.00500	0.00000	0.0050	0.0080	0.0000	0.0080	0.01600	0.0010	0.00010	0.19080	0.0000	0.0000
J202713	0021526386/1	23,75	AMMEX-AMT-001	HR	ASTM A36	15,87	1219	299.0	466.0	38.00	1395691	0.0370	0.7300	0.0210	0.00290	0.00500	0.00000	0.0050	0.0080	0.0000	0.0080	0.01600	0.0010	0.00010	0.19080	0.0000	0.0000
J202714	0021526386/1	23,71	AMMEX-AMT-001	HR	ASTM A36	15,87	1219	299.0	466.0	38.00	1395691	0.0370	0.7300	0.0210	0.00290	0.00500	0.00000	0.0050	0.0080	0.0000	0.0080	0.01600	0.0010	0.00010	0.19080	0.0000	0.0000
J202715	0021526386/1	23,7	AMMEX-AMT-001	HR	ASTM A36	15,87	1219	299.0	466.0	38.00	1395691	0.0370	0.7300	0.0210	0.00290	0.00500	0.00000	0.0050	0.0080	0.0000	0.0080	0.01600	0.0010	0.00010	0.19080	0.0000	0.0000
J202719	0021526386/1	23,74	AMMEX-AMT-001	HR	ASTM A36	15,87	1219	299.0	466.0	38.00	1395691	0.0370	0.7300	0.0210	0.00290	0.00500	0.00000	0.0050	0.0080	0.0000	0.0080	0.01600	0.0010	0.00010	0.19080	0.0000	0.0000
J202720	0021526386/1	23,75	AMMEX-AMT-001	HR	ASTM A36	15,87	1219	299.0	469.0	38.00	1395688	0.0390	0.7400	0.0270	0.00140	0.00420	0.00000	0.0050	0.0080	0.0000	0.0090	0.01700	0.0010	0.00010	0.19200	0.0000	0.0000
J202935	0021526386/1	23,72	AMMEX-AMT-001	HR	ASTM A36	15,87	1219	301.0	475.0	37.00	1395705	0.0400	0.7300	0.0230	0.00320	0.00580	0.00000	0.0040	0.0080	0.0000	0.0100	0.01300	0.0010	0.00010	0.20040	0.0000	0.0000
J206300	0021526386/1	23,47	AMMEX-AMT-001	HR	ASTM A36	15,87	1219	299.0	466.0	38.00	1395691	0.0370	0.7300	0.0210	0.00290	0.00500	0.00000	0.0050	0.0080	0.0000	0.0080	0.01600	0.0010	0.00010	0.19080	0.0000	0.0000
J203506	0021526392/1	23,71	AMMEX-AMT-001	HR	ASTM A36	19	1219	296.0	485.0	38.00	1395705	0.0400	0.7300	0.0230	0.00320	0.00580	0.00000	0.0040	0.0080	0.0000	0.0100	0.01300	0.0010	0.00010	0.20040	0.0000	0.0000
J203507	0021526392/1	23,69	AMMEX-AMT-001	HR	ASTM A36	19	1219	300.0	488.0	38.00	1395705	0.0400	0.7300	0.0230	0.00320	0.00580	0.00000	0.0040	0.0080	0.0000	0.0100	0.01300	0.0010	0.00010	0.20040	0.0000	0.0000
J203508	0021526392/1	23,7	AMMEX-AMT-001	HR	ASTM A36	19	1219	296.0	485.0	38.00	1395705	0.0400	0.7300	0.0230	0.00320	0.00580	0.00000	0.0040	0.0080	0.0000	0.0100	0.01300	0.0010	0.00010	0.20040	0.0000	0.0000
J206891	0021526392/1	23,84	AMMEX-AMT-001	HR	ASTM A36	19	1219	255.0	423.0	44.00	1396195	0.0440	0.7300	0.0220	0.00300	0.00510	0.00010	0.0060	0.0110	0.0009	0.0130	0.01400	0.0000	0.00010	0.18100	0.0000	0.0000
J209144	0021526392/1	23,73	AMMEX-AMT-001	HR	ASTM A36	19	1219	287.0	467.0	39.00	2380371	0.0410	0.7200	0.0110	0.00700	0.00410	0.00000	0.0050	0.0080	0.0000	0.0090	0.00800	0.0000	0.00010	0.18930	0.0000	0.0000
J210585	0021526392/1	20,79	AMMEX-AMT-001	HR	ASTM A36	19	1219	287.0	467.0	39.00	2380371	0.0410	0.7200	0.0110	0.00700	0.00410	0.00000	0.0050	0.0080	0.0000	0.0090	0.00800	0.0000	0.00010	0.18930	0.0000	0.0000
J207344	0021526393/1	24,03	AMMEX-AMT-001	HR	ASTM A572-50	2,65	1219	410.0	494.0	30.00	3799356	0.0330	0.8900	0.0230	0.00280	0.00510	0.00020	0.0050	0.0100	0.0156	0.0120	0.01700	0.0000	0.00010	0.13870	0.0000	0.0000
J210676	0021526393/1	17,08	AMMEX-AMT-001	HR	ASTM A572-50	2,65	1219	408.0	491.0	30.00	3799617	0.0320	0.8700	0.0220	0.00340	0.00480	0.00020	0.0040	0.0070	0.0144	0.0150	0.01900	0.0000	0.00010	0.13420	0.0000	0.0000
J203454	0021526394/1	23,38	AMMEX-AMT-001	HR	ASTM A572-50	3,41	1219	402.0	486.0	31.00	3799617	0.0320	0.8700	0.0220	0.00340	0.00480	0.00020	0.0040	0.0070	0.0144	0.0150	0.01900	0.0000	0.00010	0.13420	0.0000	0.0000
J203455	0021526394/1	23,55	AMMEX-AMT-001	HR	ASTM A572-50	3,41	1219	401.0	484.0	31.00	3799617	0.0320	0.8700	0.0220	0.00340	0.00480	0.00020	0.0040	0.0070	0.0144	0.0150	0.01900	0.0000	0.00010	0.13420	0.0000	0.0000
J203456	0021526394/1	18,29	AMMEX-AMT-001	HR	ASTM A572-50	3,41	1219	401.0	484.0	31.00	3799617	0.0320	0.8700	0.0220	0.00340	0.00480	0.00020	0.0040	0.0070	0.0144	0.0150	0.01900	0.0000	0.00010	0.13420	0.0000	0.0000
J203457	0021526394/1	18,33	AMMEX-AMT-001	HR	ASTM A572-50	3,41	1219	401.0	484.0	31.00	3799617	0.0320	0.8700	0.0220	0.00340	0.00480	0.00020	0.0040	0.0070	0.0144	0.0150	0.01900	0.0000	0.00010	0.13420	0.0000	0.0000
J203458	0021526394/1	18,31	AMMEX-AMT-001	HR	ASTM A572-50	3,41	1219	401.0	484.0	31.00	3799617	0.0320	0.8700	0.0220	0.00340	0.00480	0.00020	0.0040	0.0070	0.0144	0.0150	0.01900	0.0000	0.00010	0.13420	0.0000	0.0000
J203459	0021526394/1	23,23	AMMEX-AMT-001	HR	ASTM A572-50	3,41	1219	402.0	486.0	31.00	3799617	0.0320	0.8700	0.0220	0.00340	0.00480	0.00020	0.0040	0.0070	0.0144	0.0150	0.01900	0.0000	0.00010	0.13420	0.0000	0.0000
J203460	0021526394/1	23,52	AMMEX-AMT-001	HR	ASTM A572-50	3,4																					


Coil	Certificate / Version	Del. Net Weight	PO #	Product Group	Norm/ Spec Type / Grade	Thickness (met)	Width (Met)	Yield Strength MPA	Tensile Strength MPA	Total Elongation	Heat #	AL	Mn	Cr	N	S	Ca	Ni	Cu	Nb	Si	P	Mo	B	C	Ti	V
J204428	0021526400/1	19,44	AMMEX-AMT-001	HR	SAE J403 1010	3,03	1219				3792063	0.0280	0.4970	0.0260	0.00310	0.00630	0.00000	0.0070	0.0110	0.0001	0.0110	0.01500	0.0010	0.00010	0.11930	0.0000	0.0000
J205452	0021526400/1	23,6	AMMEX-AMT-001	HR	SAE J403 1010	3,03	1219				3800078	0.0320	0.4840	0.0280	0.00310	0.00420	0.00000	0.0040	0.0070	0.0000	0.0080	0.01800	0.0000	0.00010	0.10620	0.0000	0.0000
J205851	0021526400/1	23,63	AMMEX-AMT-001	HR	SAE J403 1010	3,03	1219				3800078	0.0320	0.4840	0.0280	0.00310	0.00420	0.00000	0.0040	0.0070	0.0000	0.0080	0.01800	0.0000	0.00010	0.10620	0.0000	0.0000
J205966	0021526400/1	23,55	AMMEX-AMT-001	HR	SAE J403 1010	3,03	1219				3800078	0.0320	0.4840	0.0280	0.00310	0.00420	0.00000	0.0040	0.0070	0.0000	0.0080	0.01800	0.0000	0.00010	0.10620	0.0000	0.0000
J205193	0021526401/1	23,69	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				2380254	0.0430	0.4830	0.0270	0.00310	0.00520	0.00000	0.0080	0.0090	0.0000	0.0130	0.01900	0.0010	0.00010	0.10850	0.0000	0.0000
J205517	0021526401/1	23,24	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				2380296	0.0460	0.5200	0.0200	0.00320	0.00390	0.00000	0.0040	0.0060	0.0000	0.0110	0.01300	0.0000	0.00010	0.10520	0.0000	0.0000
J205560	0021526401/1	18,87	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				2380355	0.0400	0.5000	0.0290	0.00350	0.00450	0.00010	0.0040	0.0060	0.0002	0.0100	0.01900	0.0000	0.00010	0.10230	0.0000	0.0000
J205561	0021526401/1	18,91	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				2380355	0.0400	0.5000	0.0290	0.00350	0.00450	0.00010	0.0040	0.0060	0.0002	0.0100	0.01900	0.0000	0.00010	0.10230	0.0000	0.0000
J205562	0021526401/1	18,88	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				1396342	0.0350	0.5000	0.0130	0.00250	0.00430	0.00010	0.0050	0.0070	0.0000	0.0060	0.01200	0.0000	0.00010	0.10530	0.0000	0.0000
J205563	0021526401/1	18,92	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				1396342	0.0350	0.5000	0.0130	0.00250	0.00430	0.00010	0.0050	0.0070	0.0000	0.0060	0.01200	0.0000	0.00010	0.10530	0.0000	0.0000
J205564	0021526401/1	23,88	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				3800078	0.0320	0.4840	0.0280	0.00310	0.00420	0.00000	0.0040	0.0070	0.0000	0.0080	0.01800	0.0000	0.00010	0.10620	0.0000	0.0000
J205565	0021526401/1	23,67	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				2380355	0.0400	0.5000	0.0290	0.00350	0.00450	0.00010	0.0040	0.0060	0.0002	0.0100	0.01900	0.0000	0.00010	0.10230	0.0000	0.0000
J205566	0021526401/1	23,9	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				2380355	0.0400	0.5000	0.0290	0.00350	0.00450	0.00010	0.0040	0.0060	0.0002	0.0100	0.01900	0.0000	0.00010	0.10230	0.0000	0.0000
J205567	0021526401/1	23,73	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				2380355	0.0400	0.5000	0.0290	0.00350	0.00450	0.00010	0.0040	0.0060	0.0002	0.0100	0.01900	0.0000	0.00010	0.10230	0.0000	0.0000
J205568	0021526401/1	23,82	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				2380355	0.0400	0.5000	0.0290	0.00350	0.00450	0.00010	0.0040	0.0060	0.0002	0.0100	0.01900	0.0000	0.00010	0.10230	0.0000	0.0000
J205782	0021526401/1	23,77	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				2380355	0.0400	0.5000	0.0290	0.00350	0.00450	0.00010	0.0040	0.0060	0.0002	0.0100	0.01900	0.0000	0.00010	0.10230	0.0000	0.0000
J205850	0021526401/1	23,7	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				1396342	0.0350	0.5000	0.0130	0.00250	0.00430	0.00010	0.0050	0.0070	0.0000	0.0060	0.01200	0.0000	0.00010	0.10530	0.0000	0.0000
J205965	0021526401/1	23,72	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				1396342	0.0350	0.5000	0.0130	0.00250	0.00430	0.00010	0.0050	0.0070	0.0000	0.0060	0.01200	0.0000	0.00010	0.10530	0.0000	0.0000
J206018	0021526401/1	23,54	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				3800078	0.0320	0.4840	0.0280	0.00310	0.00420	0.00000	0.0040	0.0070	0.0000	0.0080	0.01800	0.0000	0.00010	0.10620	0.0000	0.0000
J206019	0021526401/1	23,82	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				2380355	0.0400	0.5000	0.0290	0.00350	0.00450	0.00010	0.0040	0.0060	0.0002	0.0100	0.01900	0.0000	0.00010	0.10230	0.0000	0.0000
J206020	0021526401/1	23,63	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				2380355	0.0400	0.5000	0.0290	0.00350	0.00450	0.00010	0.0040	0.0060	0.0002	0.0100	0.01900	0.0000	0.00010	0.10230	0.0000	0.0000
J206021	0021526401/1	18,59	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				2380355	0.0400	0.5000	0.0290	0.00350	0.00450	0.00010	0.0040	0.0060	0.0002	0.0100	0.01900	0.0000	0.00010	0.10230	0.0000	0.0000
J206042	0021526401/1	23,7	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				2380355	0.0400	0.5000	0.0290	0.00350	0.00450	0.00010	0.0040	0.0060	0.0002	0.0100	0.01900	0.0000	0.00010	0.10230	0.0000	0.0000
J206043	0021526401/1	23,71	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				2380355	0.0400	0.5000	0.0290	0.00350	0.00450	0.00010	0.0040	0.0060	0.0002	0.0100	0.01900	0.0000	0.00010	0.10230	0.0000	0.0000
J206268	0021526401/1	23,03	AMMEX-AMT-001	HR	SAE J403 1010	3,41	1219				2380818	0.0380	0.4910	0.0140	0.00440	0.00520	0.00000	0.0040	0.0150	0.0000	0.0150	0.00700	0.0000	0.00010	0.10270	0.0000	0.0000
J200370	0021526402/1	24,94	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308.0	460.0	33.00	3798719	0.0390	0.4920	0.0230	0.00230	0.00530	0.00010	0.0040	0.0070	0.0000	0.0170	0.01600	0.0000	0.00000	0.16390	0.0000	0.0000
J201096	0021526402/1	24,97	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308.0	460.0	33.00	3798719	0.0390	0.4920	0.0230	0.00230	0.00530	0.00010	0.0040	0.0070	0.0000	0.0170	0.01600	0.0000	0.00000	0.16390	0.0000	0.0000
J201734	0021526402/1	25,11	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308.0	427.0	36.00	3798706	0.0370	0.4880	0.0210	0.00300	0.00450	0.00020	0.0040	0.0080	0.0001	0.0130	0.01600	0.0000	0.00010	0.16150	0.0000	0.0000
J201735	0021526402/1	25,06	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308.0	427.0	36.00	3798706	0.0370	0.4880	0.0210	0.00300	0.00450	0.00020	0.0040	0.0080	0.0001	0.0130	0.01600	0.0000	0.00010	0.16150	0.0000	0.0000
J201736	0021526402/1	24,99	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308.0	427.0	36.00	3798706	0.0370	0.4880	0.0210	0.00300	0.00450	0.00020	0.0040	0.0080	0.0001	0.0130	0.01600	0.0000	0.00010	0.16150	0.0000	0.0000
J201737	0021526402/1	25,02	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308.0	427.0	36.00	3798706	0.0370	0.4880	0.0210	0.00300	0.00450	0.00020	0.0040	0.0080	0.0001	0.0130	0.01600	0.0000	0.00010	0.16150	0.0000	0.0000
J201738	0021526402/1	24,94	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	308.0	427.0	36.00	3798706	0.0370	0.4880	0.0210	0.00300	0.00450	0.00020	0.0040	0.0080	0.0001	0.0130	0.01600	0.0000	0.00010	0.16150	0.0000	0.0000
J205052	0021526402/1	24,99	AMMEX-AMT-001	HR	ASTM A36	4,76	1219	304.0	422.0	36.00	1396137	0.0340	0.4760	0.0240	0.00180	0.00450	0.00000	0.0040	0.0070	0.0000	0.0120	0.01900	0.0000	0.00010	0.15820	0.0000	0.0000
J202753	0021526403/1	24,88	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	319.0	459.0	34.00	3799369	0.0370	0.7100	0.0200	0.00300	0.00460	0.00000	0.0040	0.0080	0.0000	0.0100	0.01600	0.0000	0.00010	0.19290	0.0000	0.0000
J202756	0021526403/1	24,81	AMMEX-AMT-001	HR	ASTM A36	6,35	1219	319.0	460.0	34.00	1396662	0.0420	0.7100	0.0250	0.00180	0.00470	0.00000	0.0050	0.0080	0.0000	0.0120	0.02000	0.0000	0.00010	0.19350	0.0000	0.0000
J205118	0021526404/1	25,21	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	326.0	480.0	34.00	3799965	0.0370	0.7200	0.0140	0.00690	0.00660	0.00000	0.0060	0.0100	0.0000	0.0160	0.01500	0.0010	0.00010	0.18960	0.0000	0.0000
J205131	0021526404/1	25,14	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	317.0	471.0	35.00	2380241	0.0370	0.7100	0.0200	0.00290	0.00570	0.00000	0.0060	0.0100	0.0000	0.0120	0.01300	0.0010	0.00010	0.18980	0.0000	0.0000
J205132	0021526404/1	25,17	AMMEX-AMT-001	HR	ASTM A36	9,52	1219	326.0	480.0	34.00	3799965	0.0370	0.7200	0.0140	0.00690	0.00660	0.00000	0.0060	0.0100	0.0000	0.0160	0.01500	0.0010	0.00010	0.18960	0.0000	0.0000
J202721	0021526405/1	24,89	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	306.0	471.0	36.00	1396688	0.0390	0.7400	0.0270	0.00140	0.00420	0.00000	0.0050	0.0080	0.0000	0.0090	0.01700	0.0010	0.00010	0.19200	0.0000	0.0000
J202722	0021526405/1	24,86	AMMEX-AMT-001	HR	ASTM A36	12,7	1219	306																			

Coil	Certificate / Version	Del. Net Weight	PO #	Product Group	Norm/ Spec Type / Grade	Thickness (met)	Width (Met)	Yield Strength MPA	Tensile Strength MPA	Total Elongation	Heat #	AL	Mn	Cr	N	S	Ca	Ni	Cu	Nb	Si	P	Mo	B	C	Ti	V
J206003	0021526409/1	23,68	AMMEX-AMT-001	HR	SAE J403 1008	6,35	1219				2380557	0.0330	0.3460	0.0190	0.00330	0.00640	0.00010	0.0040	0.0060	0.0000	0.0080	0.01300	0.0000	0.00020	0.07060	0.0000	0.0000
J206004	0021526409/1	23,99	AMMEX-AMT-001	HR	SAE J403 1008	6,35	1219				3800254	0.0390	0.3480	0.0230	0.00210	0.00440	0.00010	0.0040	0.0070	0.0000	0.0080	0.01700	0.0000	0.00020	0.07090	0.0000	0.0000
J206294	0021526409/1	24	AMMEX-AMT-001	HR	SAE J403 1008	6,35	1219				3800254	0.0390	0.3480	0.0230	0.00210	0.00440	0.00010	0.0040	0.0070	0.0000	0.0080	0.01700	0.0000	0.00020	0.07090	0.0000	0.0000
J206295	0021526409/1	18,65	AMMEX-AMT-001	HR	SAE J403 1008	6,35	1219				3793554	0.0350	0.3570	0.0240	0.00150	0.00470	0.00020	0.0030	0.0050	0.0001	0.0030	0.01500	0.0000	0.00010	0.07530	0.0000	0.0000
J206296	0021526409/1	22,34	AMMEX-AMT-001	HR	SAE J403 1008	6,35	1219				3798041	0.0400	0.3320	0.0170	0.00470	0.00780	0.00010	0.0030	0.0070	0.0000	0.0080	0.01200	0.0010	0.00020	0.06930	0.0000	0.0000
J207881	0021526409/1	23,99	AMMEX-AMT-001	HR	SAE J403 1008	6,35	1219				1396544	0.0390	0.3310	0.0170	0.00280	0.00660	0.00020	0.0060	0.0090	0.0011	0.0120	0.00800	0.0000	0.00020	0.07640	0.0000	0.0000
J208267	0021526409/1	23,71	AMMEX-AMT-001	HR	SAE J403 1008	6,35	1219				2380342	0.0380	0.3640	0.0180	0.00250	0.00390	0.00010	0.0030	0.0050	0.0000	0.0040	0.01400	0.0020	0.00020	0.08010	0.0000	0.0000
J108816	0021526410/1	22,35	AMMEX-AMT-001	HR	ASTM A36	1,82	1201	349.0	432.0	31.00	3798588	0.0300	0.5300	0.0220	0.00210	0.00800	0.00020	0.0040	0.0070	0.0001	0.0120	0.01800	0.0000	0.00010	0.12820	0.0000	0.0000
J108820	0021526410/1	22,81	AMMEX-AMT-001	HR	ASTM A36	1,82	1201	301.0	437.0	27.00	1394807	0.0320	0.5100	0.0220	0.00200	0.00680	0.00010	0.0040	0.0070	0.0000	0.0100	0.01300	0.0000	0.00010	0.12860	0.0000	0.0000
J108821	0021526410/1	22,52	AMMEX-AMT-001	HR	ASTM A36	1,82	1201	318.0	427.0	31.00	2378653	0.0590	0.5400	0.0180	0.00290	0.00590	0.00020	0.0040	0.0080	0.0001	0.0100	0.01200	0.0000	0.00010	0.12970	0.0000	0.0000
J108822	0021526410/1	22,66	AMMEX-AMT-001	HR	ASTM A36	1,82	1201	318.0	427.0	31.00	2378653	0.0590	0.5400	0.0180	0.00290	0.00590	0.00020	0.0040	0.0080	0.0001	0.0100	0.01200	0.0000	0.00010	0.12970	0.0000	0.0000
J108823	0021526410/1	22,65	AMMEX-AMT-001	HR	ASTM A36	1,82	1201	318.0	427.0	31.00	2378653	0.0590	0.5400	0.0180	0.00290	0.00590	0.00020	0.0040	0.0080	0.0001	0.0100	0.01200	0.0000	0.00010	0.12970	0.0000	0.0000
J108824	0021526410/1	22,28	AMMEX-AMT-001	HR	ASTM A36	1,82	1201	320.0	427.0	34.00	2378653	0.0590	0.5400	0.0180	0.00290	0.00590	0.00020	0.0040	0.0080	0.0001	0.0100	0.01200	0.0000	0.00010	0.12970	0.0000	0.0000
J108825	0021526410/1	22,46	AMMEX-AMT-001	HR	ASTM A36	1,82	1201	318.0	427.0	31.00	2378653	0.0590	0.5400	0.0180	0.00290	0.00590	0.00020	0.0040	0.0080	0.0001	0.0100	0.01200	0.0000	0.00010	0.12970	0.0000	0.0000
J108853	0021526410/1	23,89	AMMEX-AMT-001	HR	ASTM A36	1,82	1201	321.0	426.0	34.00	3798562	0.0430	0.5200	0.0200	0.00210	0.00720	0.00000	0.0040	0.0070	0.0000	0.0110	0.01700	0.0010	0.00010	0.12920	0.0000	0.0000
J108855	0021526410/1	22,96	AMMEX-AMT-001	HR	ASTM A36	1,82	1201	321.0	426.0	34.00	3798562	0.0430	0.5200	0.0200	0.00210	0.00720	0.00000	0.0040	0.0070	0.0000	0.0110	0.01700	0.0010	0.00010	0.12920	0.0000	0.0000
J108856	0021526410/1	23,84	AMMEX-AMT-001	HR	ASTM A36	1,82	1201	321.0	426.0	34.00	3798562	0.0430	0.5200	0.0200	0.00210	0.00720	0.00000	0.0040	0.0070	0.0000	0.0110	0.01700	0.0010	0.00010	0.12920	0.0000	0.0000
J108950	0021526410/1	22,04	AMMEX-AMT-001	HR	ASTM A36	1,82	1201	341.0	429.0	31.00	3798591	0.0340	0.5300	0.0220	0.00170	0.00870	0.00020	0.0040	0.0070	0.0001	0.0090	0.01600	0.0000	0.00010	0.12410	0.0000	0.0000
J108951	0021526410/1	22,27	AMMEX-AMT-001	HR	ASTM A36	1,82	1201	341.0	429.0	31.00	3798591	0.0340	0.5300	0.0220	0.00170	0.00870	0.00020	0.0040	0.0070	0.0001	0.0090	0.01600	0.0000	0.00010	0.12410	0.0000	0.0000
J200864	0021526410/1	23,86	AMMEX-AMT-001	HR	ASTM A36	1,82	1201	318.0	427.0	31.00	2378653	0.0590	0.5400	0.0180	0.00290	0.00590	0.00020	0.0040	0.0080	0.0001	0.0100	0.01200	0.0000	0.00010	0.12970	0.0000	0.0000
J104874	0021526411/1	23,67	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	308.0	421.0	35.00	3797345	0.0440	0.5300	0.0180	0.00370	0.00960	0.00000	0.0070	0.0100	0.0000	0.0110	0.01200	0.0020	0.00000	0.13210	0.0000	0.0000
J108776	0021526411/1	20,59	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	311.0	418.0	36.00	3798591	0.0340	0.5300	0.0220	0.00170	0.00870	0.00020	0.0040	0.0070	0.0001	0.0090	0.01600	0.0000	0.00010	0.12410	0.0000	0.0000
J108777	0021526411/1	23,92	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	312.0	418.0	36.00	3798591	0.0340	0.5300	0.0220	0.00170	0.00870	0.00020	0.0040	0.0070	0.0001	0.0090	0.01600	0.0000	0.00010	0.12410	0.0000	0.0000
J108778	0021526411/1	23,86	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	311.0	418.0	36.00	3798591	0.0340	0.5300	0.0220	0.00170	0.00870	0.00020	0.0040	0.0070	0.0001	0.0090	0.01600	0.0000	0.00010	0.12410	0.0000	0.0000
J108779	0021526411/1	23,77	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	315.0	417.0	29.00	1394807	0.0320	0.5100	0.0220	0.00200	0.00680	0.00010	0.0040	0.0070	0.0000	0.0100	0.01300	0.0000	0.00010	0.12860	0.0000	0.0000
J108780	0021526411/1	23,88	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	315.0	417.0	29.00	1394807	0.0320	0.5100	0.0220	0.00200	0.00680	0.00010	0.0040	0.0070	0.0000	0.0100	0.01300	0.0000	0.00010	0.12860	0.0000	0.0000
J108781	0021526411/1	23,71	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	315.0	417.0	29.00	1394807	0.0320	0.5100	0.0220	0.00200	0.00680	0.00010	0.0040	0.0070	0.0000	0.0100	0.01300	0.0000	0.00010	0.12860	0.0000	0.0000
J108782	0021526411/1	23,77	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	315.0	417.0	29.00	1394807	0.0320	0.5100	0.0220	0.00200	0.00680	0.00010	0.0040	0.0070	0.0000	0.0100	0.01300	0.0000	0.00010	0.12860	0.0000	0.0000
J108783	0021526411/1	23,85	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	315.0	417.0	29.00	1394807	0.0320	0.5100	0.0220	0.00200	0.00680	0.00010	0.0040	0.0070	0.0000	0.0100	0.01300	0.0000	0.00010	0.12860	0.0000	0.0000
J108784	0021526411/1	23,82	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	312.0	421.0	35.00	2378653	0.0590	0.5400	0.0180	0.00290	0.00590	0.00020	0.0040	0.0080	0.0001	0.0100	0.01200	0.0000	0.00010	0.12970	0.0000	0.0000
J108785	0021526411/1	23,82	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	312.0	421.0	35.00	2378653	0.0590	0.5400	0.0180	0.00290	0.00590	0.00020	0.0040	0.0080	0.0001	0.0100	0.01200	0.0000	0.00010	0.12970	0.0000	0.0000
J108786	0021526411/1	23,79	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	312.0	421.0	35.00	2378653	0.0590	0.5400	0.0180	0.00290	0.00590	0.00020	0.0040	0.0080	0.0001	0.0100	0.01200	0.0000	0.00010	0.12970	0.0000	0.0000
J108787	0021526411/1	23,75	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	312.0	421.0	35.00	2378653	0.0590	0.5400	0.0180	0.00290	0.00590	0.00020	0.0040	0.0080	0.0001	0.0100	0.01200	0.0000	0.00010	0.12970	0.0000	0.0000
J108788	0021526411/1	23,74	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	312.0	421.0	35.00	2378653	0.0590	0.5400	0.0180	0.00290	0.00590	0.00020	0.0040	0.0080	0.0001	0.0100	0.01200	0.0000	0.00010	0.12970	0.0000	0.0000
J108789	0021526411/1	23,75	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	311.0	418.0	36.00	3798591	0.0340	0.5300	0.0220	0.00170	0.00870	0.00020	0.0040	0.0070	0.0001	0.0090	0.01600	0.0000	0.00010	0.12410	0.0000	0.0000
J108790	0021526411/1	23,79	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	311.0	418.0	36.00	3798591	0.0340	0.5300	0.0220	0.00170	0.00870	0.00020	0.0040	0.0070	0.0001	0.0090	0.01600	0.0000	0.00010	0.12410	0.0000	0.0000
J108791	0021526411/1	23,8	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	313.0	422.0	35.00	3798588	0.0300	0.5300	0.0220	0.00210	0.00800	0.00020	0.0040	0.0070	0.0001	0.0120	0.01800	0.0000	0.00010	0.12820	0.0000	0.0000
J108792	0021526411/1	23,77	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	313.0	422.0	35.00	3798588	0.0300	0.5300	0.0220	0.00210	0.00800	0.00020	0.0040	0.0070	0.0001	0.0120	0.01800	0.0000	0.00010	0.12820	0.0000	0.0000
J108793	0021526411/1	23,75	AMMEX-AMT-001	HR	ASTM A36	2,87	1188	313.0	422.0	35.00	3798588	0.0300	0.5300	0.0220	0.00210	0.00800	0.00										

Coil	Certificate / Version	Del. Net Weight	PO #	Product Group	Norm/ Spec Type / Grade	Thickness (met)	Width (Met)	Yield Strength MPA	Tensile Strength MPA	Total Elongatio %	Heat #	AL	Mn	Cr	N	S	Ca	Ni	Cu	Nb	Si	P	Mo	B	C	Ti	V
J1088543	0021526427/1	8,64	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	321.0	426.0	34.00	3798562	0.0430	0.5200	0.0200	0.00210	0.00720	0.00000	0.0040	0.0070	0.0000	0.0110	0.01700	0.0010	0.00010	0.12920	0.0000	0.0000
J1089491	0021526427/1	8,12	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	323.0	422.0	34.00	1394852	0.0340	0.5400	0.0210	0.00230	0.00390	0.00000	0.0030	0.0060	0.0000	0.0130	0.01700	0.0000	0.00000	0.12370	0.0000	0.0000
J1089492	0021526427/1	8,11	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	323.0	422.0	34.00	1394852	0.0340	0.5400	0.0210	0.00230	0.00390	0.00000	0.0030	0.0060	0.0000	0.0130	0.01700	0.0000	0.00000	0.12370	0.0000	0.0000
J1089493	0021526427/1	8,64	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	323.0	422.0	34.00	1394852	0.0340	0.5400	0.0210	0.00230	0.00390	0.00000	0.0030	0.0060	0.0000	0.0130	0.01700	0.0000	0.00000	0.12370	0.0000	0.0000
J1089521	0021526427/1	9,3	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	323.0	422.0	34.00	1394852	0.0340	0.5400	0.0210	0.00230	0.00390	0.00000	0.0030	0.0060	0.0000	0.0130	0.01700	0.0000	0.00000	0.12370	0.0000	0.0000
J1089522	0021526427/1	8,84	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	323.0	422.0	34.00	1394852	0.0340	0.5400	0.0210	0.00230	0.00390	0.00000	0.0030	0.0060	0.0000	0.0130	0.01700	0.0000	0.00000	0.12370	0.0000	0.0000
J1089531	0021526427/1	9,34	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	323.0	422.0	34.00	1394852	0.0340	0.5400	0.0210	0.00230	0.00390	0.00000	0.0030	0.0060	0.0000	0.0130	0.01700	0.0000	0.00000	0.12370	0.0000	0.0000
J1089532	0021526427/1	9,74	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	323.0	422.0	34.00	1394852	0.0340	0.5400	0.0210	0.00230	0.00390	0.00000	0.0030	0.0060	0.0000	0.0130	0.01700	0.0000	0.00000	0.12370	0.0000	0.0000
J1089541	0021526427/1	9,35	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	323.0	422.0	34.00	1394852	0.0340	0.5400	0.0210	0.00230	0.00390	0.00000	0.0030	0.0060	0.0000	0.0130	0.01700	0.0000	0.00000	0.12370	0.0000	0.0000
J1089542	0021526427/1	9,85	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	323.0	422.0	34.00	1394852	0.0340	0.5400	0.0210	0.00230	0.00390	0.00000	0.0030	0.0060	0.0000	0.0130	0.01700	0.0000	0.00000	0.12370	0.0000	0.0000
J2008621	0021526427/1	8,09	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	326.0	431.0	34.00	1394780	0.0440	0.5300	0.0230	0.00360	0.00970	0.00000	0.0040	0.0110	0.0000	0.0140	0.02000	0.0000	0.00000	0.12680	0.0000	0.0000
J2008622	0021526427/1	8,05	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	326.0	431.0	34.00	1394780	0.0440	0.5300	0.0230	0.00360	0.00970	0.00000	0.0040	0.0110	0.0000	0.0140	0.02000	0.0000	0.00000	0.12680	0.0000	0.0000
J2008623	0021526427/1	8,61	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	326.0	431.0	34.00	1394780	0.0440	0.5300	0.0230	0.00360	0.00970	0.00000	0.0040	0.0110	0.0000	0.0140	0.02000	0.0000	0.00000	0.12680	0.0000	0.0000
J2008631	0021526427/1	8,08	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	326.0	431.0	34.00	1394780	0.0440	0.5300	0.0230	0.00360	0.00970	0.00000	0.0040	0.0110	0.0000	0.0140	0.02000	0.0000	0.00000	0.12680	0.0000	0.0000
J2008632	0021526427/1	8,08	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	326.0	431.0	34.00	1394780	0.0440	0.5300	0.0230	0.00360	0.00970	0.00000	0.0040	0.0110	0.0000	0.0140	0.02000	0.0000	0.00000	0.12680	0.0000	0.0000
J2008633	0021526427/1	8,68	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	326.0	431.0	34.00	1394780	0.0440	0.5300	0.0230	0.00360	0.00970	0.00000	0.0040	0.0110	0.0000	0.0140	0.02000	0.0000	0.00000	0.12680	0.0000	0.0000
J2011021	0021526427/1	8,14	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	326.0	431.0	34.00	1394780	0.0440	0.5300	0.0230	0.00360	0.00970	0.00000	0.0040	0.0110	0.0000	0.0140	0.02000	0.0000	0.00000	0.12680	0.0000	0.0000
J2011022	0021526427/1	8,12	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	326.0	431.0	34.00	1394780	0.0440	0.5300	0.0230	0.00360	0.00970	0.00000	0.0040	0.0110	0.0000	0.0140	0.02000	0.0000	0.00000	0.12680	0.0000	0.0000
J2011023	0021526427/1	8,61	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	326.0	431.0	34.00	1394780	0.0440	0.5300	0.0230	0.00360	0.00970	0.00000	0.0040	0.0110	0.0000	0.0140	0.02000	0.0000	0.00000	0.12680	0.0000	0.0000
J2011031	0021526427/1	8,16	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	326.0	431.0	34.00	1394780	0.0440	0.5300	0.0230	0.00360	0.00970	0.00000	0.0040	0.0110	0.0000	0.0140	0.02000	0.0000	0.00000	0.12680	0.0000	0.0000
J2011032	0021526427/1	8,14	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	326.0	431.0	34.00	1394780	0.0440	0.5300	0.0230	0.00360	0.00970	0.00000	0.0040	0.0110	0.0000	0.0140	0.02000	0.0000	0.00000	0.12680	0.0000	0.0000
J2011033	0021526427/1	8,61	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	326.0	431.0	34.00	1394780	0.0440	0.5300	0.0230	0.00360	0.00970	0.00000	0.0040	0.0110	0.0000	0.0140	0.02000	0.0000	0.00000	0.12680	0.0000	0.0000
J2022251	0021526427/1	7,41	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	323.0	422.0	34.00	1394852	0.0340	0.5400	0.0210	0.00230	0.00390	0.00000	0.0030	0.0060	0.0000	0.0130	0.01700	0.0000	0.00000	0.12370	0.0000	0.0000
J2022252	0021526427/1	7,5	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	323.0	422.0	34.00	1394852	0.0340	0.5400	0.0210	0.00230	0.00390	0.00000	0.0030	0.0060	0.0000	0.0130	0.01700	0.0000	0.00000	0.12370	0.0000	0.0000
J2022253	0021526427/1	7,96	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	323.0	422.0	34.00	1394852	0.0340	0.5400	0.0210	0.00230	0.00390	0.00000	0.0030	0.0060	0.0000	0.0130	0.01700	0.0000	0.00000	0.12370	0.0000	0.0000
J2038451	0021526427/1	9,32	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	323.0	422.0	34.00	1394852	0.0340	0.5400	0.0210	0.00230	0.00390	0.00000	0.0030	0.0060	0.0000	0.0130	0.01700	0.0000	0.00000	0.12370	0.0000	0.0000
J2038452	0021526427/1	9,65	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	323.0	422.0	34.00	1394852	0.0340	0.5400	0.0210	0.00230	0.00390	0.00000	0.0030	0.0060	0.0000	0.0130	0.01700	0.0000	0.00000	0.12370	0.0000	0.0000
J2046191	0021526427/1	8,01	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	341.0	429.0	31.00	3798591	0.0340	0.5300	0.0220	0.00170	0.00870	0.00020	0.0040	0.0070	0.0001	0.0090	0.01600	0.0000	0.00010	0.12410	0.0000	0.0000
J2046192	0021526427/1	8,02	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	341.0	429.0	31.00	3798591	0.0340	0.5300	0.0220	0.00170	0.00870	0.00020	0.0040	0.0070	0.0001	0.0090	0.01600	0.0000	0.00010	0.12410	0.0000	0.0000
J2046193	0021526427/1	8,46	AMMEX-AMT-001	HR	ASTM A36	1,85	1219	341.0	429.0	31.00	3798591	0.0340	0.5300	0.0220	0.00170	0.00870	0.00020	0.0040	0.0070	0.0001	0.0090	0.01600	0.0000	0.00010	0.12410	0.0000	0.0000



André Carvalho Prado
Customer Technical Support Manager



Wilson Aquino Ney
Customer Technical Support Engineer

ARCELORMITTAL BRASIL S.A
USINA / PLANT: ArcelorMittal Tubarão



Av. Brigadeiro Eduardo Gomes, 526, Polo Industrial Tubarão, Serra-ES
CEP 29160-904 CNPJ: 17.469.701/0104-82
Telefone: +55(27)3348-1240/ 3348-2220 Fax: +55(27)3348-1482/ 3348-2271